

**CATALOGUE
2023**



**MANUFACTURES OF
PROPELLER
SHAFT & STEERING
COMPONENTS**



www.rkpropshaft.com
IN YOUR SERVICE SINCE 1975

AUTO PARTS

PARTS	CONTENTS	PAGE No.
	U.J CROSS	1-3
	INTERAXLE SHAFTS	4-9
	COMPLETE LONG FORK & SLEEVE BOTTLE SET	10-15
	COMPLETE LONG FORK ASSEMBLED WITH DUST COVER	16-21
	LONG FORKS RSB DESIGN & SPICER DESIGN	16-21
	REAR HOUSING / SLEEVE BOTTLE	22-28
	DUST COVER	29-30
	YOKE & TEETHS SETS	31-43
	REAR HOUSING WITH WELCH PLUG	44-46
	SLIP YOKE ASSY. / SLEEVE YOKES	47-55
	SLIP STUB SHAFT / REAR TEETH	56-64
	TUBE YOKE / HALF YOKES	65-74
	FLANGE YOKE / CROSS HOLDER	75-87
	MID SLIP STUB SHAFT / FRONT TEETH	88-94
	COUPLINGS	95-124

PARTS	CONTENTS	PAGE No.
	THROUGH SHAFT HOUSING	116, 118
	SLIP YOKE ASSY. / SLEEVE YOKE ASSY.	125
	HALF YOKE ASSY.	126
	FLY WHEEL RING GEARS	127
	THROUGH SHAFTS	128
	STEERING CROSS ROD	128
	GEAR HOUSING BLOCK (JHAMELA) & WHEEL SPANNER	128
	GEAR RETAINER	129
	STG. UJ CROSS ASSY. & CROWN WHEEL CHECK NUT	129
	STEERING YOKE & TEETH	130
	CLUTCH FORK	131
	PITMAN ARM & STG. COLUMN	131
	CLUTCH HUB SLEEVE	131
	STG. SECTOR SHAFT, GEAR GUIDE PLATE & U-TRUCK ASSEMBLY	131
	READY RECKONER FOR RSB, SPICER, L/L, TATA SHAFT COMPONENTS	132-135

PART No.	PAGE No.	PART No.	PAGE No.	PART No.	PAGE No.	PART No.	PAGE No.	PART No.	PAGE No.
RK101	1	K6A	49	K22B	101	K73	129	K129B	127
RK102	1	K6B	49	K22C	101	K75	127	K136	125
RK103	1	K7	49	K22D	101	K78	129	K136A	125
RK104	1	~~K7A~~	49	K22E	101	K79	131	K137	125
RK105	1	K7B	49	K23	101	K80	125	K137A	125
RK106	1	K8	58	K23A	101	K82	126	K138	34
RK107	1	K8 (C)	58	K23B	101	K83	34	K138 (C)	34
RK108	1	K8A	58	K24	131	K83 (C)	34	K138A	34
RK109	1	K8A (C)	58	K25	131	K84	34	K138A (C)	34
RK110	1	K8B	58	K27	125	K84 (C)	34	~~K139~~	34
RK111	1	K8B (C)	58	K28	126	K85	50	~~K139 (C)~~	34
RK112	1	K9	58	K29	33	K86	50	K139A	34
RK113	1	K9 (C)	58	K29 (C)	33	K87	59	K139A (C)	34
RK114	2	K9A	58	K30	49	K87 (C)	59	K140	35
RK115	2	K9A (C)	58	K31	58	K88	59	K140 (C)	35
RK116	2	K9B	58	K31 (C)	58	K88 (C)	59	K140A	35
RK117	2	K9B (C)	58	K32	89	K89	89	K140A (C)	35
RK118	2	~~K9C~~	58	K32A	89	K90	67	K141	50
RK119	2	~~K9C (C)~~	58	K33	67	K91	78	K141A	50
RK120	2	K10	89	K36	102	K92	102	~~K142~~	50
RK121	2	K11	89	K40	131	K93	102	K143	50
RK122	2	K11A	89	K41	131	K94	102	K143A	50
RK123	2	K12	67	K44	131	~~K95~~	50	K144	59
~~RK124~~	2	K13	67	K45	131	K96	68	K144 (C)	59
~~RK125~~	2	K13A	67	K46	127	K97	59	K144A	59
RK126	2	K13B	67	K47	131	K97 (C)	59	K144A (C)	59
RK127	3	K14	77	K49	129	K98	103	K144B	59
RK128	3	K14A	77	K51	131	K99	103	K144B (C)	59
RK129	3	K14B	77	K52	129	K100	103	~~K145~~	59
RK130	3	K14C	77	K52A	129	K102	131	~~K145 (C)~~	59
RK131	3	K14D	77	K53	125	K105	127	K146	60
RK132	3	K14EX	77	K54	126	K106	127	K146 (C)	60
~~RK133~~	3	K14FX	77	K55	34	K107	127	K146A	60
RK134	3	K14G	78	K55 (C)	34	K110	129	K146A (C)	60
K1	125	K14H	78	K56	49	K111	131	K146B	60
K2	126	K14-I	78	K57	59	K112	131	K146B (C)	60
K3	126	K15	99	K57 (C)	59	K113	131	K146D	60
K4	33	K16	99	K58	89	K114	131	K146D (C)	60
K4 (C)	33	K17	99	K59	67	K120	90	K147	90
K4A	33	K17A	99	K60	78	K122	103	K147A	90
K4A (C)	33	K18	99	K60A	78	K123	103	K148	90
K4B	33	K19	99	K61	102	K123A	103	K149	68
K4B (C)	33	K19A	99	K62	102	K124	103	K149A	68
K5	33	K19B	100	K63	102	K125	104	K149B	68
K5 (C)	33	K20	100	K65	131	K126	131	K150	68
K5A	33	K21	100	K66	131	K127	127	K151	78
K5A (C)	33	K21A	100	K68	129	K128	127	K152	104
K5B	33	K21B	100	K69	129	K128A	127	K152A	104
K5B (C)	33	K22	100	K71	128	K129	127	K153	104
K6	49	K22A	100	K72	131	K129A	127	K153A	104

Part No. STRIKETHROUGH with **Red Colour** is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

PART No.	PAGE No.	PART No.	PAGE No.	PART No.	PAGE No.	PART No.	PAGE No.	PART No.	PAGE No.
K154	104	K184	69	K247	129	K275	17	K302 (C)	11
K155	104	K185	69	K248	129	K275A	17	K302A	11
K156	105	K186	79	K250	52	K275B	17	K302A (C)	11
K157	125	K187	105	K250A	37	K276	80	K303	11
K158	126	K191	127	K250A (C)	37	K277	106	K303 (C)	11
K159	126	K192	125	K251	62	K278	52	K304	82
K160	35	K193	126	K251 (C)	62	K279	80	K305	106
K160 (C)	35	K194	36	K252	52	K280	70	K307	91
K161	35	K194 (C)	36	K252A	37	K281	52	K307A	91
K161 (C)	35	K195	36	K252A (C)	37	K282	80	K308	91
K162	51	K195 (C)	36	K253	62	K283	70	K308A	91
~~K163~~	60	K196	51	K253 (C)	62	K284	128	K309	38
~~K163 (C)~~	60	K197	51	K254	17	K285	80	K309 (C)	38
K163A	60	K198	61	K255	23	K286	127	K310	53
K163A (C)	60	K198 (C)	61	K255 (C)	23	K287	37	K310A	53
~~K164~~	60	K199	61	K256	17	K287 (C)	37	K311	62
~~K164 (C)~~	60	K199 (C)	61	K257	23	K287A	125	K311 (C)	62
K164A	60	K200	90	K257 (C)	23	K288	53	K313	106
K164A (C)	60	K201	69	K258	17	K289	62	K313A	106
K164B	61	K202	79	K259	23	K289 (C)	62	K314	107
K164B (C)	61	~~K203~~	105	K259 (C)	23	K290	71	K314A	107
K165	68	~~K204~~	106	K260	70	K290A	71	K315	107
K166	68	K205	106	K261	70	K291	80	K315A	107
K167	79	K205A	106	K261A	70	K291A	80	K316	107
K168	105	K206	127	K261B	70	K292	81	K316A	107
K168A	105	K206A	127	K262	70	K292A	81	K317	107
K169	105	K217	36	K263(S)	131	K293	23	K317A	108
K170	105	K218	79	K263(L)	131	K293 (C)	23	K318	108
K171	127	K219	69	K264	79	K293A	23	K318A	108
K171A	127	K223	36	K265	52	K293A (C)	23	K319	108
K171B	127	K223 (C)	36	K265A	37	K293B	23	K320	108
K172	127	K223S	51	K265A (C)	37	K293B (C)	23	K321	17
K173	128	K223R	61	K265B	37	K294	81	K321A	17
K174	125	K223R (C)	61	K265B (C)	37	K295	81	K322	17
K175	126	K223A	36	K266	62	K295A	81	K323	17
K176	126	K223B	36	K266 (C)	62	K296	29	K323A	17
K177	35	~~K224~~	36	K267	129	K296A	29	K324	17
K177 (C)	35	K225	69	K268	37	K297	29	K325	17
K177A	35	K226	69	K268 (C)	37	K297A	29	K326	24
K177A (C)	35	K227	79	K268A	62	K298	81	K326 (C)	24
K178	35	K237	37	K268A (C)	62	K299	81	K326A	24
K178 (C)	35	K237 (C)	37	K269	52	K300	11	K326A (C)	24
K179	51	K238	51	K269A	52	K300 (C)	11	K327	17
K179A	51	K240	61	~~K270~~	62	K300A	11	K327A	12
K180	61	K240 (C)	61	~~K270 (C)~~	62	K300A(C)	11	K327A (C)	12
~~K180 (C)~~	61	K241	79	K271	23	K300B	11	K327B	4
K181	61	K242	69	K271 (C)	23	K300B (C)	11	K327D	12
~~K181 (C)~~	61	K243	91	K272	129	K301	11	K327D (C)	12
K182	90	K245	129	K273	129	K301 (C)	11	K327E (C)	12
K183	90	K246	129	K274	80	K302	11	K328	38

Part No. STRIKETHROUGH with **Red Colour** is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

PART No.	PAGE No.	PART No.	PAGE No.	PART No.	PAGE No.	PART No.	PAGE No.	PART No.	PAGE No.
K328 (C)	38	K375	84	K430 (C)	39	K461	18	K503	92
K329	82	K376	110	K431	54	K462	19	K504	111
K329A	82	K377	110	K432	63	K464	29	K505	85
K330	82	K378	110	K432 (C)	63	K465	29	K506	72
K331	82	K379	110	K433	110	K466	29	K507	54
K332	108	K380	92	K434	45	K467	29	K508	39
K333	108	K380A	92	K434 (C)	45	K468	30	K509	39
K334	38	K381	18	K435	45	K469	30	K509 (C)	39
K334 (C)	38	K381 P	18	K435 (C)	45	K470	54	K510	54
K334A	38	~~K382~~	24	K436	5	K471	63	K511	63
K334A (C)	38	~~K382 (C)~~	24	K436A	5	K471 (C)	63	K511 (C)	63
K335	82	K383	12	K436B	5	K472	72	K512	92
K335A	82	K383(C)	12	K437	46	K472A	46	K512A	92
K336	129	K384	53	K437 (C)	46	K472A (C)	46	K513	111
K337	71	K385	63	K438	46	K473	72	K514	5
K338	109	K385 (C)	63	K438 (C)	46	K474	72	K514A	6
K339	109	K386	53	K439	18	K475	72	K514B	6
K350	91	K387	63	K440	24	K476	72	K515	6
K351	91	K387 (C)	63	K440 (C)	24	K477	84	K515A	6
K352	4	K387A	63	K440A	24	K478	84	K516	6
K353	4	K387A (C)	63	K440A (C)	24	K479	84	K517	7
K354	4	K388	71	K440B	24	K479A	84	~~K518~~	19
K355	4	K389	53	K440B (C)	24	K480	84	K519	111
K356	5	K390	63	K441	18	K481	85	K520	111
K357	53	K390 (C)	63	K442	24	K482	85	K521	112
K358	45	K391	38	K442 (C)	24	K483	111	K522	112
K358A	45	K391 (C)	38	K443	18	K483A	111	K523	7
K358B (C)	62	K392	71	K444	24	K484	111	K524	7
K359	45	K392A	71	K444 (C)	24	K485	54	K525	46
K359 (C)	45	K393	38	K445	18	K486	127	K525 (C)	46
K359A	45	K393 (C)	38	K446	25	K487	127	K526	112
K359A (C)	45	K393A	39	K446 (C)	25	K488	129	K527	112
K359B	45	K393A (C)	39	K447	18	K489	128	K528	85
K359B (C)	45	K394	39	K448 (C)	25	K490	128	K529	85
K360	109	K394 (C)	39	K449	19	K491	128	K530	112
K361	109	K395	84	K450 (C)	25	K492	128	K531	112
K362	109	K396	71	K451	12	K493	128	K532	112
K363	109	K397	128	K451 (C)	12	K494	128	K533	92
K364	109	K398	128	K452	12	K495	19	K534	54
K365	110	K399	128	K452 (C)	12	K496	19	K534S (C)	39
K366	110	K400	128	K453	13	K497	25	K535 (C)	64
K367	38	K426	18	K453 (C)	13	K497 (C)	25	K536	113
K367 (C)	38	K426A	18	K454	13	K498	25	K537	19
K368	83	K426S	12	K454 (C)	13	K498 (C)	25	K538	25
K369	83	K426S (C)	12	K455 (C)	13	K499	13	K538 (C)	25
K370	83	K427	128	K456 (C)	13	K499 (C)	13	K539 (C)	13
K371	83	K428	54	K457	18	K500	13	K540	19
K372	83	K429	39	K458	18	K500 (C)	13	K541	72
K373	83	K429 (C)	39	K459	18	K501	19	K542	85
K374	83	K430	39	K460	18	K502	19	K543	85

Part No. STRIKETHROUGH with **Red Colour** is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

PART No.	PAGE No.	PART No.	PAGE No.	PART No.	PAGE No.	PART No.	PAGE No.	PART No.	PAGE No.
K544 (C)	46	K590	116	K636	9	K688	120	K735	30
~~K545~~	86	K591	117	K636A	9	K689	120	K736 (C)	27
K546	113	K592	117	K637	86	K690 (C)	14	K737 P	20
K547	113	K593	117	K638	117	K691	87	K738 (C)	14
K548	113	K594	7	K639	19	K692	73	K739	87
K549	113	K594A	7	K640	19	K693 (C)	42	K740	74
K550	113	K594B	8	K641 (C)	14	K694 (C)	64	K741 P	20
K551	113	K594C	8	K643 (C)	40	K695 (C)	64	K742 (C)	27
K552	114	K595	93	K643S (C)	40	K696 (C)	42	K743 (C)	15
K553	114	K596	117	K644 (C)	40	K697	120	K744	30
K554	114	K597 (C)	64	K645 (C)	40	K698	73	K745	128
K555	114	K598 (C)	130	K646 (C)	40	K699	120	K746	131
K556	92	K599 (C)	130	K646S (C)	40	K700	120	K747	21
K556A	93	K600 (C)	130	K647 (C)	40	K701 (C)	26	K747 P	21
K557	19	K601 (C)	130	K647S (C)	41	K702	20	K748 (C)	27
K557A	19	K602 (C)	130	K648 (C)	41	K703 (C)	14	K749 (C)	15
K558 (C)	25	K603 (C)	130	K648S (C)	41	K704	73	K750	121
K559 (C)	25	K604 (C)	130	K649	55	K705	129	K751	122
K560	26	K605 (C)	130	K650 (C)	19	K706	129	K752	122
K560 (C)	26	K606 (C)	130	K650A (C)	125	K707	129	K753	122
K561	86	K607 (C)	130	K651	86	K708	129	K754	122
K562	93	K608 (C)	130	K652	118	K709	129	K755	127
K563	93	K609 (C)	130	K653 (C)	41	K710	121	K756 (C)	42
K564	93	K610 (C)	130	K654	118	K711	121	K757	27
K565	93	K611 (C)	130	K655S (C)	41	K712	94	K757 (C)	27
K566	114	K612 (C)	8	K656 (C)	41	K713	121	K758	27
K567	114	K613	117	K657	55	K714	20	K758 (C)	27
K568	114	K614 (C)	46	K658	87	K715 (C)	26	K759	122
K569	125	K615	8	K659	73	K716 (C)	14	K760	43
~~K570~~	115	K615A	8	K662	55	K717	20	K760 (C)	43
K571	86	K615B	9	K663	87	K718	127	K761	55
K572	115	K616	73	K664	73	K719	127	K762	64
~~K573~~	93	K617	129	K670	118	K720	127	K762 (C)	64
K574	115	K618 (C)	26	K671 (C)	41	K721	127	K763	55
K575	115	K619	117	K672 (C)	42	~~K722~~	121	K764 (C)	64
K576	115	K620	128	K673 (C)	26	K723	20	K765	131
K577	115	K621	128	K674 (C)	26	K723A	20	K766	131
K578	125	K622	128	K675	118	K724	94	K767	131
K579	125	K623	128	K676	118	K725	94	K768	27
K580	26	K624	128	K677	118	K726	121	K769	94
K580 (C)	26	K625	128	~~K678~~	118	K727 (C)	14	K770	46
K581	86	K626	128	K679	119	K728	20	K770 (C)	46
K582	93	K627	128	K680	119	K729	121	K771	27
K583	115	K628	128	K681	119	K730 (C)	42	K772	28
K584	116	K629	128	K682	119	K730S (C)	42	K773	87
K585	116	K630	73	K683	119	K731 (C)	64	K774	74
K586	116	K631	86	K684	119	K732 (C)	42	K775	94
K587	116	K633 (C)	14	~~K685~~	119	K733	20	K776	122
K588	116	K634	9	K686	120	K733 P	20	K777 P	21
K589	116	K635	9	K687	120	K734 P	20	K778 (C)	28

Part No. STRIKETHROUGH with Red Colour is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

[illegible]

HOW TO READ THIS CATALOGUE?

1. If you know the RKI Part No. then go to the INDEX (page I to V), find the page no. against that part and check Part detail on that page.
2. If you don't know the RKI Part no., in that case you can easily find your part by knowing the following details :
 - a) PART FAMILY
 - b) UJ CROSS/SERIES
 - c) No. of splines (if applicable)
 - d) Other details (like Total length, Spline dia., Head dia., Flange sizes etc.)

Example 1:-

If you want to search a BOTTLE with details as below

1. Coating – YES
2. No. of Splines - 20
3. Total Length – 170mm.
4. Pipe Dia. – 95 mm.

Steps to follow:-

- a) Just go the SLEEVE BOTTLE section with the help of INDEX given on the backside of COVER PAGE.
- b) You will find an Index for this particular Part Family i.e. SLEEVE BOTTLE in this case (Each part family has its individual index on the first page of it's part family)
- c) Go to the parts with 20 splines.
- d) Then under this list find your product with your requirement (i.e. Total length–170mm. Pipe Dia. 95mm.) The result is K257 / K257(C)

RKI Reinforced Steel Pipe & HSBT PARTS An Example Pipe / App Size		K.K INDUSTRIES REINFORCED STEEL PIPE		SEWE BOTTLE SLAVE BOTTLE		
AUTO PARTS		PART DETAIL		PAGE NO.		
NO OF SPLINES		PIPE DIA.		LENGTH		
		PIRE No.				
16	Bore - 14.5mm		0271 (K71F)	95mm (4.0)	250mm (10.0)	23
			0272 (K71F)	95mm (4.0)	225mm (9.0)	27
			0282 (K23G)	84mm (3.5)	190mm (7.5)	23
			0283 (K23G)	95mm (4.0)	225mm (9.0)	27
			0291 (K23G)	84mm (3.5)	160mm (6.5)	13
			0292 (K23G)	95mm (4.0)	225mm (9.0)	27
			0298 (K23G)	84mm (3.5)	225mm (9.0)	27
			0299 (K48G)	95mm (4.0)	225mm (9.0)	24
			0308 (K50G)	95mm (4.0)	225mm (9.0)	24
			0309 (K50G)	95mm (4.0)	225mm (9.0)	27
20	Bore - 17.5mm		0271 (K71F)	95mm (4.0)	250mm (10.0)	23
			0272 (K71F)	95mm (4.0)	225mm (9.0)	27
			0282 (K23G)	94mm (3.6)	190mm (7.5)	23
			0283 (K23G)	95mm (4.0)	225mm (9.0)	27
			0291 (K23G)	105mm (4.1)	225mm (9.0)	27
			0292 (K23G)	105mm (4.1)	225mm (9.0)	27
			0298 (K23G)	95mm (4.0)	190mm (7.5)	23
			0299 (K48G)	95mm (4.0)	225mm (9.0)	24
			0308 (K50G)	95mm (4.0)	225mm (9.0)	24
			0309 (K50G)	95mm (4.0)	225mm (9.0)	27
24	Bore - 21.0mm		0271 (K71F)	94mm (3.6)	190mm (7.5)	23
			0272 (K71F)	95mm (4.0)	225mm (9.0)	27
			0282 (K23G)	105mm (4.1)	225mm (9.0)	27
			0283 (K23G)	105mm (4.1)	225mm (9.0)	27
			0291 (K23G)	95mm (4.0)	190mm (7.5)	23
			0292 (K23G)	95mm (4.0)	225mm (9.0)	27
			0298 (K23G)	95mm (4.0)	225mm (9.0)	27
			0299 (K48G)	95mm (4.0)	225mm (9.0)	24
			0308 (K50G)	95mm (4.0)	225mm (9.0)	24
			0309 (K50G)	95mm (4.0)	225mm (9.0)	27
28	Bore - 25.0mm		0271 (K71F)	105mm (4.1)	225mm (9.0)	27
			0272 (K71F)	105mm (4.1)	225mm (9.0)	27
			0282 (K23G)	95mm (4.0)	190mm (7.5)	23
			0283 (K23G)	95mm (4.0)	225mm (9.0)	27
			0291 (K23G)	105mm (4.1)	225mm (9.0)	27
			0292 (K23G)	105mm (4.1)	225mm (9.0)	27
			0298 (K23G)	95mm (4.0)	225mm (9.0)	27
			0299 (K48G)	95mm (4.0)	225mm (9.0)	24
			0308 (K50G)	95mm (4.0)	225mm (9.0)	24
			0309 (K50G)	95mm (4.0)	225mm (9.0)	27
30	Bore - 28.0mm		0271 (K71F)	105mm (4.1)	225mm (9.0)	27
			0272 (K71F)	105mm (4.1)	225mm (9.0)	27
			0282 (K23G)	105mm (4.1)	225mm (9.0)	27
32	Bore - 32.0mm		0271 (K71F)	130mm (5.1)	225mm (9.0)	27
			0272 (K71F)	130mm (5.1)	225mm (9.0)	27
			0282 (K23G)	91mm (3.6)	160mm (6.5)	13
			0283 (K23G)	91mm (3.6)	225mm (9.0)	27
			0291 (K23G)	91mm (3.6)	160mm (6.5)	13
			0292 (K23G)	91mm (3.6)	225mm (9.0)	27
			0298 (K23G)	91mm (3.6)	225mm (9.0)	27
			0299 (K48G)	91mm (3.6)	225mm (9.0)	24
			0308 (K50G)	91mm (3.6)	225mm (9.0)	24
			0309 (K50G)	91mm (3.6)	225mm (9.0)	27
36	Bore - 37.0mm		0271 (K71F)	130mm (5.1)	225mm (9.0)	27
			0272 (K71F)	130mm (5.1)	225mm (9.0)	27
			0282 (K23G)	108mm (4.3)	225mm (9.0)	27
			0283 (K23G)	123mm (4.8)	225mm (9.0)	27
			0291 (K23G)	108mm (4.3)	225mm (9.0)	27
			0292 (K23G)	108mm (4.3)	225mm (9.0)	27
			0298 (K23G)	108mm (4.3)	225mm (9.0)	27
			0299 (K48G)	108mm (4.3)	225mm (9.0)	24
			0308 (K50G)	108mm (4.3)	225mm (9.0)	24
			0309 (K50G)	108mm (4.3)	225mm (9.0)	27
38	Bore - 41.0mm		0271 (K71F)	130mm (5.1)	225mm (9.0)	27
			0272 (K71F)	130mm (5.1)	225mm (9.0)	27
			0282 (K23G)	123mm (4.8)	225mm (9.0)	27
			0283 (K23G)	123mm (4.8)	225mm (9.0)	27
			0291 (K23G)	123mm (4.8)	225mm (9.0)	27
			0292 (K23G)	123mm (4.8)	225mm (9.0)	27
			0298 (K23G)	123mm (4.8)	225mm (9.0)	27
			0299 (K48G)	123mm (4.8)	225mm (9.0)	24
			0308 (K50G)	123mm (4.8)	225mm (9.0)	24
			0309 (K50G)	123mm (4.8)	225mm (9.0)	27
40	Bore - 47.0mm		0271 (K71F)	130mm (5.1)	225mm (9.0)	27
			0272 (K71F)	130mm (5.1)	225mm (9.0)	27
			0282 (K23G)	130mm (5.1)	225mm (9.0)	27
			0283 (K23G)	130mm (5.1)	225mm (9.0)	27
			0291 (K23G)	130mm (5.1)	225mm (9.0)	27
			0292 (K23G)	130mm (5.1)	225mm (9.0)	27
			0298 (K23G)	130mm (5.1)	225mm (9.0)	27
			0299 (K48G)	130mm (5.1)	225mm (9.0)	24
			0308 (K50G)	130mm (5.1)	225mm (9.0)	24
			0309 (K50G)	130mm (5.1)	225mm (9.0)	27
48	Bore - 57.0mm		0271 (K71F)	130mm (5.1)	225mm (9.0)	27
			0272 (K71F)	130mm (5.1)	225mm (9.0)	27
			0282 (K23G)	130mm (5.1)	225mm (9.0)	27
			0283 (K23G)	130mm (5.1)	225mm (9.0)	27
			0291 (K23G)	130mm (5.1)	225mm (9.0)	27
			0292 (K23G)	130mm (5.1)	225mm (9.0)	27
			0298 (K23G)	130mm (5.1)	225mm (9.0)	27
			0299 (K48G)	130mm (5.1)	225mm (9.0)	24
			0308 (K50G)	130mm (5.1)	225mm (9.0)	24
			0309 (K50G)	130mm (5.1)	225mm (9.0)	27

20 Bore - 49.95mm		K255, K255(C)	84mm (3.5)	170mm (7.0)	23
		K257, K257(C)	95mm (4.0)	170mm (7.0)	23
		K293, K293(C)	95mm (4.0)	262mm (10.5)	23
		K293A, K293A(C)	95mm (4.0)	224mm (9.0)	23
		K293B, K293B(C)	84mm (3.5)	224mm (9.0)	23
		~~K382, K382(C)~~	95mm (4.0)	170mm (7.0)	24
		K560, K560(C)	95mm (4.0)	224mm (9.0)	26
		K580, K580(C)	95mm (4.0)	200mm (8.0)	26
		K771	95mm (4.0)	262mm (10.5)	27
		K772	95mm (4.0)	170mm (7.0)	28

- e) Refer the page no. against your part K257(C) for the part detail. {Here (C) defines the part with Coating}
- f) Here you will find this part comes under 3 series This means it's mating Long forks belongs to 3 different series. You can get these series names from List of series mentioned in the bottom of every concerned page



TYPE - 1 (OUTER LOCK TYPE)



TYPE - 2 (INNER LOCK TYPE)



TYPE - 3 (PATTI TYPE)

SERIES	PART No.	APPLICATION	STD. PACKING (PCS.)	CUP DIA (mm)	CROSS LENGTH (mm)	TYPE	O.E.M REF.
TATA 1312 RSB 135	RK101	TATA 1312,1516,1510,1612, 2213,2416 (TURBO) 2515 TC (EX)	20	46.00	----	2	
SPL 90 L/L 2214	RK102	LEYLAND 2214, LEYLAND 3516,SPL 90 2516 TATA 2515 TC (EX) REAR, TATA 2518 (EX) HYWA,EICHER GALAXY 3025	20	41.27	126.00	1	279-00-0155
TATA 1210	RK103	TATA 1210,608,609,807,407 N/M REAR	50	38.00	----	2	
RSB 325 RSB 325HS	RK104	TATA- 2515 EX, TATA EURO-2	20	42.00	119.00	1	2632-4110-0117
RSB 403 MSL 403	RK105	TATA- 1613 TURBO, 2515 HYWA RSB TYPE (SINGLE ROLLER)	20	42.00	129.00	1	2171-4112-0127 PD 600052
RSB 490 RSB 490M	RK106	TATA- 4018 CIRCLIP TYPE , RSB TYPE, TATA-3118 (SINGLE ROLLER)	20	48.00	135.00	1	2167-4112-0105 PD 600013 ID 320936
L/L TUSKER	RK107	LEYLAND- HINO, 1612 EICHER TRUCK 20.16 JUMBO	20	34.92	126.20	1	P4500451
CANTER	RK108	CANTER N/M, SWARAJ MAZDA, CANTER 10.75,11.10, 10.90,11.90, L/L COMET JUNIOR, L/L IVECO (CARGO) (709,909)TATA 407 TURBO REAR,CAB KING MAHINDRA	50	30.17	106.00	1	
TATA 4018 (PATTI TYPE)	RK109	TATA- 4018 PATTI TYPE (SPICER TYPE), AMW (TRUCK), MAHINDRA NAVISTAR	10	49.20	154.80	3	5-280X 285010325
L/L 370	RK110	BEDFORD J-4, LEYLAND 370 , SHAKTIMAN N/M	20	39.68	115.40	1	
L/L TAURUS	RK111	LEYLAND TAURUS 2516 , 3516 (CIRCLIP DESIGN)	20	47.62	135.00	1	
SPR 2040 MSL 2040	RK112	TATA 2515, 1623, AL 3518	20	47.68	135.00	1	7687400600000
TATA 407 (O/M)	RK113	TATA- 407, TATA MOBILE 206, SIERRA, ESTATE, SUMO	50	30.00	81.80	1	



TYPE - 1 (OUTER LOCK TYPE)



TYPE - 2 (INNER LOCK TYPE)



TYPE - 3 (PATTI TYPE)

SERIES	PART No.	APPLICATION	STD. PACKING (PCS.)	CUP DIA (mm)	CROSS LENGTH (mm)	TYPE	O.E.M REF.
407 MSL TYPE	RK114	TATA 407 TURBO FRONT SPICER SHAFT , XYLO , SCORPIO N/M	50	30.17	92.00	I	
TATA 407 PICKUP	RK115	TATA 1109(EX), TATA 407 PICK UP	50	34.92	106.00	I	
RSB 590 RSB 590H SPR 2045 SPR 2047	RK116	TATA- 4928-S-PRIMA, VOLVO-SM-7, SM 9 & VOLVO 400	20	52.00	147.00	I	500741109901
RSB 620 SPR 2055	RK117	TATA 4923	10	57.00	152.00	I	501141120103
JEEP	RK118	JEEP DIESEL, MARSHAL, COMMANDER, UTILITI PICKUP , BALERO, SCORPIO, MAXXIMO	50	27.00	81.80	I	
RSB 585	RK119	L/L 3118	20	48.00	152.00	I	PD600482
TATA ACE (O/M)	RK120	TATA ACE OLD MODEL	50	23.82	----	2	
TATA ACE MAGIC (N/M)	RK121	TATA ACE MAGIC NEW MODEL	50	22.00	55.00	I	
L/L DOST	RK122	L/L DOST	50	27.00	81.62	I	
RSB 590 RSB 590H SPR 2045 SPR 2047	RK123	TATA-4928-S-PRIMA,VOLVO-SM-7, SM 9 & VOLVO 400 GREASE LESS	20	52.00	147.00	I	2885-4111-0102 2879-4110-9902 ID 322449
TATA I210	RK124	NOTE: Part No. RK 124 is DISCONTINUED, replacement for this is Part No. RK 103.					
TATA I210	RK125	NOTE: Part No. RK 125 is DISCONTINUED, replacement for this is Part No. RK 103.					
RSB 490 RSB 490M	RK126	3118/2518 GREASE LESS	20	48.00	135.00	I	



TYPE - 1 (OUTER LOCK TYPE)



TYPE - 2 (INNER LOCK TYPE)



TYPE - 3 (PATTI TYPE)

SERIES	PART No.	APPLICATION	STD. PACKING (PCS.)	CUP DIA (mm)	CROSS LENGTH (mm)	TYPE	O.E.M REF.
SPR 2040 MSL 2040	RK127	TATA PRIMA 3118 GREASE LESS	 20	47.68	135.00	I	
RSB 620 SPR 2055	RK128	TATA 4923 GREASE LESS	 10	57.00	152.00	I	5032-4111-0101
SPR 2060	RK129	TATA LPK 3138, LPT 5252, 3138, 2138, L/L-FV-2636, EICHER 40T, MAN 31.28	 10	59.00	167.70	I	2880-4111-0101
JEEP	RK130	JEEP DIESEL, MARSHAL, COMMANDER, UTILITI PICKUP, BALERO, SCORPIO, MAXXIMO GREASE LESS	 50	27.00	81.80	I	
JCB	RK131	JCB 3DX (GST 18%)	 50	34.92	106.00	I	
52 X 133	RK132	AMW, MAN	 20	52.00	133.00	I	
TATA I210	RK133	NOTE: Part No. RK 133 is DISCONTINUED, replacement for this is Part No. RK 103.					
SPR 2065	RK134	EICHER PRO 8000	 10	65.00	172.00	I	

PART No.	PRODUCT
K327B RSB 490	 Labels: CROSS HOLDER K294, UJ CROSS RK 106, FORK AND BOTTLE SET K327A, PIPE, HALF YOKE K262, UJ CROSS RK 106, CROSS HOLDER K294. PLATE DIA 150mm (6.0) SERRATED 4 HOLES 19 No. BOLT HOLE DIA 13mm 665mm (26.25) 48 X 135 APPLICATION - TATA 4018 O.E.M REF. - 501341120104, 287941120104
K352 L/L TUSKER	 Labels: CROSS HOLDER K14B, UJ CROSS RK 107, SLEEVE YOKE K269, REAR TEETH K358B, PIPE, HALF YOKE K13B, UJ CROSS RK 107, CROSS HOLDER K14B. SQUARE PLATE 4 HOLES 21 No. BOLT HOLE DIA 12.8mm 685mm (27.0) 34.92 X 126.2 APPLICATION - TATA 2518, SPICER TYPE O.E.M REF.
K353 L/L TUSKER	 Labels: CROSS HOLDER K14B, UJ CROSS RK 107, HALF YOKE K13B, SLEEVE BOTTLE K271, REAR TEETH K358B, PIPE, HALF YOKE K13B, UJ CROSS RK 107, CROSS HOLDER K14B. SQUARE PLATE 4 HOLES 21 No. BOLT HOLE DIA 12.8mm 685mm (27.0) 34.92 X 126.2 APPLICATION - TATA 2518, SPICER TYPE O.E.M REF.
K354 RSB 403	 Labels: CROSS HOLDER K292, UJ CROSS RK 105, FORK AND BOTTLE SET K301, PIPE, HALF YOKE K261, UJ CROSS RK 105, CROSS HOLDER K292. PLATE DIA 150mm (6.0) SERRATED 4 HOLES 19 No. BOLT HOLE DIA 13mm 685mm (27.0) 42 X 129 APPLICATION - TATA 2518, RSB TYPE O.E.M REF.
K355 L/L 2214 SPL 90	 Labels: CROSS HOLDER K285, UJ CROSS RK 102, SLEEVE YOKE K357, REAR TEETH WITH WELCH PLUG K358, UJ CROSS RK 102, CROSS HOLDER K285. PLATE DIA 150mm (6.0) 4 HOLES 19 No. BOLT HOLE DIA 13mm 610mm (24.0) 41.27 X 126 APPLICATION - AMW 2518, SPICER TYPE O.E.M REF.

PART No.	PRODUCT
K356 RSB 403	 Labels: CROSS HOLDER K292, UJ CROSS RK 105, FORK WITH DUST COVER K322, REAR HOUSING WITH WELCH PLUG K359, UJ CROSS RK 105, CROSS HOLDER K292 PLATE DIA 150mm (6.0) SERRATED 4 HOLES 19 No. BOLT HOLE DIA 13mm 685mm (27.0) 42 X 129 APPLICATION - AMW 2518, RSB TYPE O.E.M REF.
K436 RSB 490	 Labels: CROSS HOLDER K331, UJ CROSS RK 106, FORK WITH DUST COVER K327, REAR HOUSING WITH WELCH PLUG (WITH PIPE 3") K435, UJ CROSS RK 106, CROSS HOLDER K331 PLATE DIA 150mm (6.0) SERRATED 4 HOLES 19 No. BOLT HOLE DIA 13mm 685mm (27.0) 48 X 135 APPLICATION - TATA 2523 O.E.M REF.
K436A RSB 490	 Labels: CROSS HOLDER K331, UJ CROSS RK 106, FORK WITH DUST COVER K327, REAR HOUSING WITH WELCH PLUG K435, UJ CROSS RK 106, CROSS HOLDER K331 PLATE DIA 150mm (6.0) SERRATED 4 HOLES 19 No. BOLT HOLE DIA 13mm 610mm (24.0) 48 X 135 APPLICATION - TATA 2523 O.E.M REF.
K436B RSB 490	 Labels: CROSS HOLDER K331, UJ CROSS RK 106, FORK WITH DUST COVER K327, REAR HOUSING WITH WELCH PLUG K435, UJ CROSS RK 106, CROSS HOLDER K331 PLATE DIA 150mm (6.0) SERRATED 4 HOLES 19 No. BOLT HOLE DIA 13mm 625mm (24.5) 48 X 135 APPLICATION - TATA 2523 O.E.M REF. - 501141120115
K514 SPR 2040	 Labels: CROSS HOLDER K478, UJ CROSS RK 112, FORK WITH DUST COVER K458, SLEEVE BOTTLE K440, PIPE, HALF YOKE K472, UJ CROSS RK 112, CROSS HOLDER K478 PLATE DIA 150mm (6.0) SERRATED 4 HOLES 19 No. BOLT HOLE DIA 13mm 735mm (29.0) 47.68 X 135 APPLICATION - TATA 3118 PRIMA O.E.M REF.

PART No.

PRODUCT

K514A

SPR 2040



K514B

SPR 2040



K515

RSB 490




K515A

RSB 490



K516

RSB 403



PART No.

PRODUCT

K517

**L/L 2214
SPL 90**



K523

RSB 403



K524

**L/L 2214
SPL 90**



K594

**RSB 590
RSB 590 H
SPR 2045
SPR 2047**



K594A

**RSB 590
RSB 590 H
SPR 2045
SPR 2047**



PART No.	PRODUCT
K594B RSB 590 RSB 590 H SPR 2045 SPR 2047	APPLICATION - TATA 3118 WITH GREASE LESS CROSS O.E.M REF. - 216741120186
K594C RSB 590 RSB 590 H SPR 2045 SPR 2047	APPLICATION - TATA 3118 WITH GREASE LESS CROSS O.E.M REF. - 504241120110
K612(C) JCB	APPLICATION - JCB 3DX O.E.M REF. - 914/60223, 3310140
K615 RSB 490	APPLICATION - TATA 3118 O.E.M REF.
K615A RSB 490	APPLICATION - TATA 3118 O.E.M REF.

PART No.

PRODUCT

K615B

RSB 490



K634

RSB 490



K635

RSB 403



K636

**L/L 2214
SPL 90**



K636A

**L/L 2214
SPL 90**



UJ CROSS







PART DETAIL




PAGE No.

CROSS SIZE	SERIES	PART No.	No. OF SPLINES	PIPE DIA	
42 X 119	RSB 325 RSB 325 HS	RK 104 KKA746, KF5123	K300, K300(C)	20	84mm (3.5)
		NDB 554	K300A, K300A(C)	20	84mm (3.5)
		263241100117	K300B, K300B(C)	20	95mm (4.0)
		DT109, GX151,	K716(C)	24	94.35mm (4.0)
		S203325201202			14
42 X 129	RSB 403 MSL 403	RK 105 KKA747, KF5121	K301, K301(C)	20	95mm (4.0)
		NDB 556	K302, K302(C)	20	95mm (4.0)
		217141120127	K302A, K302A(C)	20	95mm (4.0)
		DT132, GX152,	K749(C)	16	95mm (4.0)
		S203403201202			15
41.27 X 126	SPL 90	RK102 KKA744, RLL796, KF5120, NDB546, SPL 90X DT106, GX600	K383, K383(C)	20	95mm (4.0)
CROSS 46mm	TATA 1312 RSB 135	RK 101 KKA734, INSKU100233 RTB690, KF5103 NDB526, DT102, GX104	K785, K785(C)	24	84mm (3.5)
48 X 135	RSB 490	RK 106 KKA757, KF5122	K303, K303(C)	30	95mm (4.0)
		216741120105	K327A, K327A(C)	30	95mm (4.0)
		NDB555	K327D, K327D(C)	30	95mm (4.0)
		DT133, GX153, S203490201202	K426S, K426S(C)	30	95mm (4.0)
					12
48 X 152	RSB 585	RK 119 S203585201202	K738 (C)	30	95mm (4.0)
47.68 X 135	SPR 2040 MSL 2040	RK 112 SDUJ2040L135R NDB569	K451, K451(C)	34	91.4mm (4.0)
			K452, K452(C)	34	114.4mm (4.5)
			K641(C)	34	91.4mm (4.0)
			K703(C)	16	95mm (4.0)
					14
52 X 147	RSB 590 RSB 590 H SPR 2045 SPR 2047	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	K453, K453(C)	38	100.3mm (4.0)
			K454, K454(C)	38	112.3mm (4.5)
			K499, K499(C)	36	112.3mm (4.5)
			K539(C)	30	95mm (4.0)
			K633 (C)	30	95mm (4.0)
			K727(C)	30	95mm (4.0)
			K743(C)	36	112.3mm (4.5)
					13
					13
					13
57 X 152	RSB 620 SPR 2055	RK 117 281941120104, SCPR20X, SDUJ2055L152L, S203620201202	K455(C)	38	108.3mm (4.5)
			K500, K500(C)	36	108.3mm (4.5)
					13
59 X 167.7	SPR 2060	RK129 SDUJ2060L168L	K456(C)	40	118.5mm (4.5)
52 X 133		RK 132 NDB559	K327E (C)	30	95mm (4.0)
65 X 172	SPR 2065	RK 134	K690 (C)	32	130mm (5.0)







Part No. STRIKETHROUGH with **Red Colour** is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

All O.E.M. & Other Manufacturer Part Nos. are for Reference Only
Values in Brackets are Approximate Value in Inches and are for Reference Only

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	CROSS REF.	MATING PART LONG FORK	MATING PART R. HOUSING						
K300	K300(C)	 20 SPL 42 X 119	TATA- LPT 2515, LPO 1512, LPT 1613, LPT 1512 2515 EX, 1613 TURBO, 1616 BS III	RK 104 KKA746,KF5123 NDB 554 263241100117 DT109,GX151, S203325201202	K321 K254 P Length 318mm (12.5)	K255 K255(C) Length 170mm (7.0)						
RSB 325												
K300A	K300A(C)	 20 SPL 42 X 119	2515 EX., 1613 TURBO TATA LPT 1615 TC BS-III TATA LPK 2516 SRTR AXLE	RK 104 KKA746,KF5123 NDB 554 263241100117 DT109,GX151, S203325201202	K321A K275B P Length 400mm (15.75)	K293B K293B(C) Length 224mm (9.0)						
RSB 325												
K300B	K300B(C)	 20 SPL 42 X 119	TATA- LPT 2515, LPO 1512, LPT 1613, LPT 1512 2518 SHORT TATA 2515 EX, 1613 TURBO, 1616 BS III, LPK 2516	RK 104 KKA746,KF5123 NDB 554 263241100117 DT109,GX151, S203325201202	K321 K254 P Length 318mm (12.5)	K382 K257 K382(C) K257(C) Length 170mm (7.0)						
RSB 325												
K301	K301(C)	 20 SPL 42 X 129	TATA- SK 1616, LPT 1613 42WB, SK-1613 36WB, LPT 1615 52WB, LPK 1616 36WB, LPK 2518 INTERAXLE 2518 SHORT 2515 EX, 1613 TURBO, 1616 BS III, LPK 2516	RK 105 KKA747,KF5121 NDB 556 217141120127 DT132,GX152, S203403201202	K322 K256 P Length 345mm (13.5)	K382 K257 K382(C) K257(C) Length 170mm (7.0)						
RSB 403												
K302	K302(C)	 20 SPL 42 X 129	TATA-LPK 2518, 2518 MEDIUM LPT 1613, SK 1613 42 WB LEYLAND 2516, 2518	RK 105 KKA747,KF5121 NDB 556 217141120127 DT132,GX152, S203403201202	K323 K275A P Length 378mm (15.0)	K293A K293A(C) Length 224mm (9.0)						
RSB 403												
K302A	K302A(C)	 20 SPL 42 X 129	TATA-LPK 2518, 2518 LONG INTERAXLE AMW-2518 VECV-VE 2100 2516 BSIII 6X	RK 105 KKA747,KF5121 NDB 556 217141120127 DT132,GX152, S203403201202	K323A K275 P Length 400mm (15.75)	K293 K293(C) Length 262mm (10.5)						
RSB 403												
K303	K303(C)	 30 SPL 48 X 135	TATA-LPK 1618, LPT 1623, LPK 2516, LPK 2518 SRT AXLE, 4018 SHORT, LPT 2518 BS III 6X2, 3518C EX	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	K324 K258 P Length 326mm (12.75)	K259 K259(C) Length 195mm (7.75)						
RSB 490												
JCB	RSB 325 RSB 325 HS	RSB 403 MSL 403	SPL 90	RSB 490	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X 133	TATA 1312 RSB 135

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	CROSS REF.	MATING PART LONG FORK	MATING PART R. HOUSING						
K327A	K327A(C)	 30 SPL 48 X 135	MTBL- 25T TIPPER 6S/9S TATA- LPTK 3718, LPK 3118, LPK 2518, LPS4223, LPT 2523 LPK1615, LPT3120, LPT1615, LPT2516, LPT 2518, TC SRT AXLE SIGNA 4923 VECV- PRO 6037 AL 3116, 4018	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	K327 K325 P Length 370mm (14.5)	K326 K326(C) Length 256mm (10.0)						
K327D	K327D(C)	 30 SPL 48 X 135	TATA-LPT3718, LPT2518, LPK2518, LPT3118, LPK1615, LPT3120, LPT1615, LPT2516, 4018 LPT 4123, LPT2521, LPTK 3618, LPK 1618, LPK 1623, SIGNA 4923, 4623, 3518, PRIMA ZA43T TRUCK,	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	K327 K325 P Length 370mm (14.5)	K326A K326A(C) Length 224mm (9.0)						
-----	K327E(C)	 30 SPL 52 X 133	LONG FORK 52 X 133 WITH DUST COVER	RK 132 NDB559	K733 P Length 370mm (14.5)	K326(C) Length 256mm (10.0)						
K383	K383(C)	 20 SPL 41.27 X 126	L/L 2516	RK 102 KKA744, RLL796, KF5120 NDB 546,SPL 90X DT106, GX600	K381 P Length 345mm (13.5)	K257 K382(C) K257(C) Length 170mm (7.0)						
K426S	K426S(C)	 30 SPL 48 X 135	MTBL- 25T TIPPER 6S/9S TATA- 4018 LONG, LPTK 3718, LPK 3118, LPK 2518, LPS4223, LPT 2523 TC SRT AXLE SIGNA 4923 VECV- PRO 6037	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	K426A K426 P Length 400mm (15.75)	K326 K326(C) Length 256mm (10.0)						
K451	K451(C)	 34 SPL 47.68 X 135	LPK 2828, AL 3119, BHARAT BENZ- 2523, 2528, 3128, INTERAXLE - TATA LPK 2523, 3128, LPS 4928, LPTA 3138, LPK 2518, L/L3119N AL U TRUCK 2523	RK 112 SDUJ2040LI35R NDB569	K457 K439 P Length 388mm (15.25)	K440 K440(C) Length 268mm (10.5)						
K452	K452(C)	 34 SPL 47.68 X 135	TATA LPS 4021, LPS 1021, 5252,1625,1623, MAHINDRA NAVISTAR- 4026, 49TR, LEYLAND ULE 390 AL 3518, BHARAT BENZ, 2523, EICHER TERRA 25T, MAN 18.28	RK 112 SDUJ2040LI35R NDB569	K458 K441 P Length 355mm (14.0)	K442 K442(C) Length 195mm (7.75)						
JCB	RSB 325 RSB 325 HS	RSB 403 MSL 403	SPL 90	RSB 490	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X 133	TATA I312 RSB 135

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	CROSS REF.	MATING PART LONG FORK	MATING PART R. HOUSING
K453	K453(C)	 38 SPL 52 X 147	LPK 3118, LPK 2528, LPT 3721, 3723, LPK 2538, LPS 4028, LPS 4923, BHARAT BENZ, 2523, EICHER TERRA 25T, MAN 18.28	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	K459 [K443 P] Length 395mm (15.75)	K444 K444(C) Length 238mm (9.25)
SPR 2045						
K454	K454(C)	 38 SPL 52 X 147	TATA LPTA1828, LPU 2138, LPK 2521, AL 3123, LPS 4923, 4923, CLA 26.280, 31.280, EICHER TIPPER 25T 250HP BENZ 3128, AMW 3123	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	K460 [K445 P] Length 314mm (12.25)	K446 K446(C) Length 200mm (8.0)
SPR 2045						
-----	K455(C)	 38 SPL 57 X 152	TATA LPTA-1628, 2038, LPK 2528, AL 4936, 1628, 2038, L/L 4936, BHARAT BENZ 4436, LTPA-1628, LTPA 2038	RK 117 281941120104, SCPR20X, SDUJ2055L152L, S203620201202	K461 [K447 P] Length 338mm (13.25)	K448(C) Length 212mm (8.25)
SPR 2055						
-----	K456(C)	 40 SPL 59 X 167.7	TATA LPK 3138, LPT 5252, 3138, 2538, 2138, L/L-FV-2636, EICHER 40T, MAN 31.28	RK 129 SPR 2060 SDUJ2060L168L	K462 [K449 P] Length 350mm (13.75)	K450(C) Length 205mm (8.00)
SPR 2060						
K499	K499(C)	 36 SPL 52 X 147	TATA LPK 2518 / 2523-HD, LPK 2518, Prima LX 2523, LPT 2523 Tc48, SIGNA 4625.S, 5523.S, 4623.S, PRIMA LX 3525, LX 2525, 2525, 4028.S.	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	K501 [K495 P] Length 380mm (15.0)	497 K497(C) Length 207mm (8.0)
RSB 590						
K500	K500(C)	 36 SPL 57 X 152	TATA-LPK 2523 6X4/LPK 2518 TC G1150/ LPK 3118 TC	RK 117 281941120104, SCPR20X, SDUJ2055L152L, S203620201202	K502 [K496 P] Length 370mm (14.5)	K498 K498(C) Length 201mm (8.0)
RSB 620						
-----	K539(C)	 30 SPL 52 X 147	TATA- LPT-3718 Pusher, LPT-3118, LPT-2518., LPT 2523 6X4 LPTK 3718, LPS 4223, SIGNA 4923, PRIMA LX 2523, 5038.S, 2523 TK, 2528	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	K540 [K537 P] Length 357mm (14.00)	K539(C) K538(C) Length 224mm (9.00)
RSB 590 H						

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	CROSS REF.	MATING PART LONG FORK	MATING PART R. HOUSING
-----	K633(C)	 30 SPL 52 X 147	TATA- LPK 2523, LPK 2518	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	K557A K557 P Length 332mm (13.00)	K558(C) Length 195mm (7.75)
RSB 590 H						
-----	K641(C)	 34 SPL 47.68 X 135	INTERAXLE - TATA LPK 2523, 4021, 3128, LPK 2518, LPS 4928 L/L 4928, 4028, 3128 AL U TRUCK 2523	RK 112 SDUJ2040L135R NDB569	K640 K639 P Length 296mm (11.5)	K440B(C) Length 218mm (8.5)
SPR 2040						
-----	K690(C)	 32 SPL 65 X 172	EICHER PRO 8000	RK 134	K734 P Length 362mm (14.25)	K736(C) Length 224mm (9.0)
SPR 2065						
-----	K703(C)	 16 SPL 47.68 X 135	TATA LPT 2523 TC SRT AXLE L/L 1710 SERIES INTERAXLE AL 3718 BSIV, 2518 BSIV	RK 112 SDUJ2040L135R NDB569	K702 K728 P Length 370mm (14.5)	K271(C) Length 256mm (10.0)
MSL 2040						
-----	K716 (C)	 24 SPL 42 X 119	TATA- LPO 1613, LPO 1512, LP 1613, LP 1512, LP 1112, LP 1618, LPO 1515, LPO 1615, L/L Viking BS4 222, BS4 210	RK 104 KKA746,KF5123 NDB 554 263241100117 DT109,GX151, S203325201202	K717 K714 P Length 301mm (11.75)	K715 (C) Length 192mm (7.5)
RSB 325 HS						
-----	K727 (C)	 30 SPL 52 X 147	TATA- LPTK 3718, LPK 3118,, LPK2518, LPS4223, SIGNA 4923 VECV- PRO 6037	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	K723A K723 P Length 397mm (15.75)	K326 (C) Length 256mm (10.0)
RSB 590 H						
-----	K738 (C)	 30 SPL 48 X 152	Ashok Leyland- U4923	RK 119 S203585201202	K737 P Length 368mm (14.5)	K326A(C) Length 224mm (9.0)
RSB 585						

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	CROSS REF.	MATING PART LONG FORK	MATING PART R. HOUSING						
-----	K743 (C)	401mm (15.75) 235mm (9.25) 112.3mm (4.5)  36 SPL 52 X 147	TATA- LPK 3118, LPTK 3718, LPK 2518HD, LPT 4123, LPT 4823, SIGNA 4825, SIGNA 4925, LPT 4325, LPT 4923,	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	K741 P Length 401mm (15.75)	K742(C) Length 235mm (9.25)						
-----	K749 (C)	330mm (13.0) 224mm (9.0) 95.0mm (4.0)  16 SPL 42 X 129	L/L 2818 MSL DESIGN	RK 105 KKA747,KF5121 NDB 556 217141120127 DT132,GX152, S203403201202	K747 P Length 330mm (13.0)	K748(C) Length 224mm (9.0)						
K785	K785 (C)	288mm (11.25) 200mm (8.0) 84.0mm (3.50)  24 SPL CROSS 46mm	TATA 1212 RSB 135	RK 101 KKA734 INSKU100233 RTB690,KF5103 NDB526,DT102 GX104	K783P Length 288mm (11.25)	K784 K784(C) Length 200mm (8.0)						
JCB	RSB 325 RSB 325 HS	RSB 403 MSL 403	SPL 90	RSB 490	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X133	TATA 1312 RSB 135


UJ CROSS


PART DETAIL







PAGE No.




CROSS SIZE	SERIES	PART No. WITHOUT DUST COVER	WITH DUST COVER	No. OF SPLINES	LENGTH	
34.92 X 106.0	JCB	RK 131	K650 (C)	-----	16	234mm (9.25)
42 X 119	RSB 325 RSB 325 HS	RK 104 KKA746, KF5123 NDB 554 263241100117 DT109, GX151, S203325201202	K254 K275B ----- K714	K321 K321A ~~K518~~ K717	K254 P K275B P K714 P	20 20 20 24
42 X 129	RSB 403 MSL 403	RK 105 KKA747, KF5121 NDB 556 217141120127 DT132, GX152, S203403201202	K256 K275 K275A K747	K322 K323A K323 K747 P	K256 P K275 P K275A P 	20 20 20 16
41.27 X 126	SPL 90	RK102 KKA744 RLL796, KF5120 NDB546, SPL 90X DT106, GX600	K381	K381 P		20
CROSS 46mm	TATA 1312 RSB 135	RK 101 KKA734 INSKU100233 RTB690, KF5103 NDB526, DT102 GX104	K783	K783 P		24
48 X 135	RSB 490	RK 106 KKA757, KF5122 216741120105 NDB555 DT133, GX153, S203490201202	K258 K325 K426	K324 K327 K426A	K258 P K325 P K426 P	30 30 30
48 X 152	RSB 585	RK 119 S203585201202	-----	K737 P		30
47.68 X 135	SPR 2040 MSL 2040	RK 112 SDUJ2040L135R NDB569	K439 K441 K639 K728 K781	K457 K458 K640 K702 K781 P	K439 P K441 P K639 P K728 P 	34 34 34 16 34
52 X 147	RSB 590 RSB 590 H SPR 2045 SPR 2047	RK 116 216741120159, SCP590X, SDUJ2045L147L, S243590242202	K443 K445 K495 K537 K557 K723 -----	K459 K460 K501 K540 K557A K723A K741 P	K443 P K445 P K495 P K537 P K557 P K723 P 	38 38 36 30 30 30 36
57 X 152	RSB 620 SPR 2055	RK 117 281941120104, SCPR20X, SDUJ2055L152L, S203620201202	K447 K496	K461 K502	K447 P K496 P	38 36
57 X 172.5	RSB 680	-----	-----	K777 P		28
59 X 167.7	SPR 2060	RK 129 SDUJ2060L168L	K449	K462	K449 P	40
52 X 133	-----	RK 132 NDB559	K733	K733P		30
65 X 172	SPR 2065	RK 134	-----	K734P		32

Part No. STRIKETHROUGH with Red Colour is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

PART No. W/O Dust Cover With Dust Cover		PRODUCT	APPLICATION	MATING HOUSING	O.E.M REF.
K254	K321 K254 P	  20 SPL 42 X 119 RK 104	TATA 2515 EX., 1613 TURBO TATA- LPT 2515, LPO 1512, LPT 1613, LPT 1512	K255 255(C) Length 170mm (7.0)	F570325055317 263241125103
K256	K322 K256 P	  20 SPL 42 X 129 RK 105	TATA- SK 1616, LPT 1613 42WB, SK-1613 36WB, LPT 1615 52WB, SK 1613 42WB, LPK 1616 36WB, LPK 2518 INTERAXLE	K257 K257(C) Length 170mm (7.0)	F57640305326 2171 4112 5107
K258	K324 K258 P	  30 SPL 48 X 135 RK 106	TATA-LPK 1618, LPT 1623, LPK 2516, LPK 2518 SRT AXLE, 4018 SHORT	K259 K259(C) Length 195mm (7.75)	F570490066298 2167 4112 5103
K275	K323A K275 P	  20 SPL 42 X 129 RK 105	TATA-LPK 2518, 2518 LONG	K293 K293(C) Length 262mm (10.5)	216741120150
K275A	K323 K275A P	  20 SPL 42 X 129 RK 105	TATA-LPK 2518, 2518 MEDIUM	K293A K293A(C) Length 224mm (9.0)	F574403055338 1102020102/A-44
K275B	K321A K275B P	  20 SPL 42 X 119 RK 104	TATA LPK 2516 SRTR AXLE, 2515 EX LONG	K293B K293B(C) Length 224mm (9.0)	
K325	K327 K325 P	  30 SPL 48 X 135 RK 106	TATA-LPT3718, LPT2518, LPK2518, LPT3118, LPK1615, LPT3120, LPT1615, LPT2516, LPT 2518, AL 3116, 4018 MEDIUM 3118	K326 K326(C) Length 256mm (10.0)	F573490062335 216741125103

PART No. W/O Dust Cover With Dust Cover		PRODUCT	APPLICATION	MATING HOUSING	O.E.M REF.
K381	K381 P	  20 SPL 41.27 X 126 RK 102	L/L 2516	K382 K257 K257(C) Length 170mm (7.0)	
K426	K426A K426 P	  30 SPL 48 X 135 RK 106	TATA- 4018 LONG, LPK-3118, LPT 2523 TC SRT AXLE, LPK2518	K326 K326(C) 256mm (10.0)	F571490062373 216741125107
K439	K457 K439 P	  34 SPL 47.68 X 135 RK 112	TATA LPK 2518, LPS 4928, 3138, LPK 2828, AL 3119, BHARAT BENZ- 2523, 2528, 3128, 4928 INTERAXLE - TATA LPK 2523, 3128,AL U TRUCK 2523	K440 K440(C) Length 268mm (10.5)	66874077802130348
K441	K458 K441 P	  34 SPL 47.68 X 135 RK 112	TATA LPK 2518, LPS 4928, 4021, L/L 4928, 4028, 3128	K442 K442(C) Length 195mm (7.75)	
K443	K459 K443 P	  38 SPL 52 X 147 RK 116	LPK 3118, LPK 2528, LPT 3721, 3723, LPK 2538, LPS 4028, LPS 4923, BHARAT BENZ, 2523, EICHER TERRA 25T, MAN 18.28	K444 K444(C) 238mm (9.25)	26874577000000361
K445	K460 K445 P	  38 SPL 52 X 147 RK 116	LPK 2521, AL 3123, LPS 4923, 4923, CLA 26.280, 31.280, BENZ 3128, AMW 3123	K446 K446(C) 200mm (8.0)	26874577000000273
K447	K461 K447 P	  38 SPL 57 X 152 RK 117	LPK 2528, AL 4936, 1628, 2038, L/L 4936, BHARAT BENZ, 1628, 2038	K448(C) Length 212mm (8.25)	66875570802000294

PART No. W/O Dust Cover With Dust Cover		PRODUCT	APPLICATION	MATING HOUSING	O.E.M REF.								
K449	K462 K449 P	 40 SPL 59 X 167.7 RK 129	TATA LPT 5252, 3138, 2538, 2138, 3138, L/L 2636, EICHER 40T, MAN 31.28	K450(C) Length 205mm (8.0)	66876070802000310								
	SPR 2060												
K495	K501 K495 P	 36 SPL 52 X 147 RK 116	TATA LPK 2518 / 2523-HD, LPK 2518, Prima LX 2523, LPT 2523 Tc48, SIGNA 4625.S, 5523.S, 4623.S, PRIMA LX 3525, LX 2525, 2525, 4028.S.	K497 K497(C) Length 207mm (8.0)	F576590075338 886341000022								
	RSB 590												
K496	K502 K496 P	 36 SPL 57 X 152 RK 117	TATA-LPK 2523 6X4/LPK 2518 TC GI 150/ LPK 3118 TC	K498 K498(C) Length 201mm (8.0)	F570620716365 50114125107								
	RSB 620												
----	K518	NOTE : Part No. K518 is DISCONTINUED, replacement for this is Part No. K321A.											
RSB 325													
K537	K540 K537 P	 30 SPL 52 X 147 RK 116	TATA- LPT-3718 Pusher, LPT-3118, LPT-2518., LPTK 3718, LPS 4223, SIGNA 4923, PRIMA LX 2523, 5038.S, 2523 TK, 2528	K559(C) K538(C) Length 224mm (9.0)	F655590H062320 886341000026								
	RSB 590 H												
K557	K557A K557 P	 30 SPL 52 X 147 RK 116	TATA- LPK 2523, LPK 2518	K558(C) Length 195mm (7.75)	F579590H062301								
	RSB 590 H												
K639	K640 K639 P	 34 SPL 47.68 X 135 RK 112	TATA 4021, L/L 4928, 4028, 3128	K440B(C) Length 218mm (8.5)									
	SPR 2040												
K650 (C)	----	 16 SPL 34.92 X 106.0 RK 131	YOKE SHAFT JCB 3DX	K649 SLEEVE YOKE Length 199mm (8.0)									
	JCB												
JCB	RSB 325 RSB 325 HS	RSB 403 MSL 403	SPL 90	RSB 490	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X 133	RSB 680	TATA 1312 RSB 135

PART No. W/O Dust Cover With Dust Cover		PRODUCT	APPLICATION	MATING HOUSING	O.E.M REF.
K714	K717 K714 P	  24 SPL 42 X 119 RK 104	TATA- LPO 1613, LPO 1512, LP 1613, LP 1512, LP 1112, LP 1618, LPO 1515, LPO 1615, L/L Viking BS4 222, BS4 210	K715(C)	F572325HS050271
	RSB 325 HS			Length 192mm (7.5)	
K723	K723A K723 P	  30 SPL 52 X 147 RK 116	TATA- LPTK 3718, LPK 3118, LPK2518, LPS4223, SIGNA 4923 VECV- PRO 6037	K326(C)	F657590H062350
	RSB 590 H			Length 256mm (10.0)	
K728	K702 K728 P	  16 SPL 47.68 X 135 RK 112	AL 3718 BSIV, 2518 BSIV	K271(C)	
	MSL 2040			Length 256mm (10.0)	
K733	K733 P	  30 SPL 52 X 133 RK 132	LONG FORK 52 X 133	K326(C)	
	52 X 133			Length 256mm (10.0)	
----	K734 P	  32 SPL 65 X 172 RK 134	LONG FORK SPR 2065	K736(C)	
	SPR 2065			Length 224mm (9.0)	
----	K737 P	  30 SPL 48 X 152 RK 119	L/L U 4923	K326A(C)	
	RSB 585			Length 224mm (9.0)	
----	K741 P	  36 SPL 52 X 147 RK 116	TATA- LPK 3118, LPTK 3718, LPK 2518HD, LPT 4123, LPT 4823, SIGNA 4825, SIGNA 4925, LPT 4325, LPT 4923,	K742(C)	
	RSB 590			Length 235mm (9.25)	

PART No. W/O Dust Cover With Dust Cover		PRODUCT	APPLICATION	MATING HOUSING	O.E.M REF.
K747	K747 P	16 SPL 42 X 129 RK 105	L/L 2818 MSL DESIGN	K748(C) Length 224mm (9.0)	
MSL 403					
.....	K777P	28 SPL 57 X 172.50	AL 3532/4932 EICHER PRO8000	K778(C) Length 267mm (10.5)	
RSB 680					
K781	K781 P	34 SPL 47.68 X 135 RK 112	TATA4018 L/L 4928 SPR 2040	K440A Length 240mm (9.5)	
SPR 2040					
K783	K783 P	24 SPL CROSS 46mm RK 101	TATA1212 RSB 135	K784(C) Length 200mm (8.0)	
RSB 135					




NO OF SPLINES

PART DETAIL

PAGE No.

NO OF SPLINES	SERIES COLOUR	PART No.	PIPE DIA.	LENGTH	PAGE No.
16 Bore - 54.4mm		K271, K271(C)	95mm (4.0)	256mm (10.0)	23
		K748(C)	95mm (4.0)	224mm (9.0)	27
20 Bore - 49.95mm		K255, K255(C)	84mm (3.5)	170mm (7.0)	23
		K257, K257(C)	95mm (4.0)	170mm (7.0)	23
		K293, K293(C)	95mm (4.0)	262mm (10.5)	23
		K293A, K293A(C)	95mm (4.0)	224mm (9.0)	23
		K293B, K293B(C)	84mm (3.5)	224mm (9.0)	23
		~~K382, K382(C)~~	95mm (4.0)	170mm (7.0)	24
		K560, K560(C)	95mm (4.0)	224mm (9.0)	26
		K580, K580(C)	95mm (4.0)	200mm (8.0)	26
		K771	95mm (4.0)	262mm (10.5)	27
		K772	95mm (4.0)	170mm (7.0)	28
24 Bore - 46.15mm		K715(C)	94.35mm (4.0)	192mm (7.5)	26
		K784, K784 (C)	84.00mm (3.5)	200mm (8.0)	28
28 Bore - 70.30mm		K778 (C)	130.4mm (5.0)	267mm (10.5)	28
30 Bore - 58.40mm		K259, K259(C)	95mm (4.0)	195mm (7.75)	23
		K326, K326(C)	95mm (4.0)	256mm (10.0)	24
		K326A, K326A(C)	95mm (4.0)	224mm (9.0)	24
		K538, K538(C)	95mm (4.0)	224mm (9.0)	25
		K558(C)	95mm (4.0)	195mm (7.75)	25
		~~K559(C)~~	95mm (4.0)	224mm (9.0)	25
		K757, K757 (C)	95mm (4.0)	272mm (10.75)	27
		K768	95mm (4.0)	256mm (10.0)	27
		K779 (C)	114.4mm (4.5)	230mm (9.0)	28
32 Bore - 82.30mm		K736(C)	130mm (5.0)	224mm (9.0)	27
34 Bore - 58.10mm		K440, K440(C)	91.4mm (4.0)	268mm (10.5)	24
		K440A, K440A(C)	91.4mm (4.0)	240mm (9.5)	24
		K440B, K440B(C)	91.4mm (4.0)	218mm (8.5)	24
		K442, K442(C)	114.4mm (4.5)	195mm (7.75)	24
		K673 (C)	91.4mm (4.0)	240mm (9.5)	26
		K674(C)	91.4mm (4.0)	218mm (8.5)	26
		K701(C)	95mm (4.0)	224mm (9.0)	26
36 Bore - 71.20mm		K497, K497(C)	112.3mm (4.5)	207mm (8.0)	25
		K498, K498(C)	108.3mm (4.5)	201mm (8.0)	25
		K742(C)	112.3mm (4.5)	235mm (9.25)	27
38 Bore - 64.15mm		K444, K444(C)	100.3mm (4.0)	238mm (9.25)	24
		K446, K446(C)	112.3mm (4.5)	200mm (8.0)	25
		K618 (C)	100.45mm (4.0)	277mm (11.0)	26
		K758, K758(C)	100.35mm (4.0)	250mm (10.0)	27
38 Bore - 73.70mm		K448(C)	108.3mm (4.5)	212mm (8.25)	25
40 Bore - 77.70mm		K450(C)	118.5mm (4.5)	205mm (8.0)	25




Part No. STRIKETHROUGH with Red Colour is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

PART No. Without Coating With Coating		PRODUCT	APPLICATION	MATING LONG FORK	O.E.M REF.
K255	K255(C)	  20 SPL	TATA 2515 EX, 1613 TURBO, 1616 BS III	K254 OR WITH D. COVER K321 K254 P Length 318mm (12.5)	F540325084180, 263241125109
K382	K382 (C)				
K257	K257 (C)	  20 SPL	TATA 2518 SHORT TATA 2515 EX, 1613 TURBO, 1616 BS III, LPK 2516, 2518	K256 OR WITH D. COVER K322 K256 P Length 345mm (13.5)	F541325094180 217141125106
K257	K257 (C)				
RSB 325					
RSB 403					
SPL 90					
K259	K259(C)	  30 SPL	TATA- 4018, LPK 1618, LPT 1623, LPK 2516 LPT 2518 BS III 6X2, 3518C EX	K258 OR WITH D. COVER K324 K258 P Length 326mm (12.75)	F540490094195 216741125104
K259	K259(C)				
RSB 490					
RSB 590 H					
K271	K271(C)	  16 SPL	TATA LPT 2523 TC SRT AXLE L/L 1710 SERIES INTERAXLE AL 3718 BSIV, 2518 BSIV	K728 OR WITH D. COVER K702 K728 P Length 370mm (14.5)	INSKU100727
K271	K271(C)				
MSL 2040					
K293	K293(C)	  20 SPL	LONG INTERAXLE TATA 2518, 2518 LPK, AMW-2518 VECV-VE 2100 2516 BSIII 6X	K275 OR WITH D. COVER K323A K275 P Length 400mm (15.75)	F550403095260 216741125108
K293	K293(C)				
RSB 403					
K293A	K293A(C)	  20 SPL	LPT 1613, SK 1613 42 WB LEYLAND 2516, 2518	K275A OR WITH D. COVER K323 K275A P Length 378mm (15.0)	F556325064220
K293A	K293A(C)				
RSB 403					
K293B	K293B(C)	  20 SPL	TATA 2515 EX., 1613 TURBO TATA LPT 1615 TC BS-III	K275B OR WITH D. COVER K321A K275B P Length 400mm (15.75)	
K293B	K293B(C)				
RSB 325					

PART No. Without Coating With Coating		PRODUCT	APPLICATION	MATING LONG FORK	O.E.M REF.
K326	K326(C)	30 SPL	MTBL- 25T TIPPER 6S/9S TATA- LPTK 3718, LPK 3118, LPK 2518, LPS4223, LPT 2523 TC SRT AXLE SIGNA 4923 VECV- PRO 6037	K325 OR WITH D. COVER K327 K325 P Length 370mm (14.5)	F703490095245
K326A	K326A(C)	30 SPL	TATA - LPT 3718, LPK 2518, LPT 2518, LPT 4423, LPT 4123, LPT2521, LPTK 3618, I615, LPT 2516, LPT 2821, LPK 1618, LPK 1623, SIGNA 4923, 4623, 3518, PRIMA ZA43T TRUCK	K325 OR WITH D. COVER K327 K325 P Length 370mm (14.5)	F556490095268
K382	K382(C)	NOTE : Part No. K382 & K382(C) are DISCONTINUED, replacement for these are Part No. K257 & K257(C) respectively.			
K440	K440(C)	34 SPL	TATA LPS 4928, LPTA 3138, LPK 2528, LPK 2518, LPS 4928 L/L3119N BHARAT BENZ 2523C, 2528C, 3128C, 4928TT	K439 OR WITH D. COVER K457 K439 P Length 388mm (15.25)	66874077802130348
K440A	K440A(C)	34 SPL	INTERAXLE - TATA LPK 2523, 3128, LPK 2518, LPS 4928 AL U TRUCK 2523, BHARAT BENZ	K439 OR WITH D. COVER K457 K439 P Length 388mm (15.25)	
K440B	K440B(C)	34 SPL	INTERAXLE - TATA LPK 2523, 3128, LPK 2518, LPS 4928 AL U TRUCK 2523, BHARAT BENZ	K441 OR WITH D. COVER K458 K441 P Length 355mm (14.0)	
K442	K442(C)	34 SPL	TATA LPS 4021, LPS 1021, 5252, 1625, 1623, MAHINDRA NAVISTAR-4026, 49TR, LEYLAND ULE 390 AL 3518,	K441 OR WITH D. COVER K458 K441 P Length 355mm (14.0)	66874070802040261
K444	K444(C)	38 SPL	TATA LPS 4028, LPS 4923, LPK 3128, L/L 3123, BHARAT BENZ 2523C, 4023TT, EICHER TERRA 25T, MAN CLA 18.28	K443 OR WITH D. COVER K459 K443 P Length 395mm (15.75)	66874570802030273





PART No. Without Coating With Coating		PRODUCT	APPLICATION	MATING LONG FORK	O.E.M REF.
K446	K446(C)	 38 SPL	TATA LPTA1828, LPU 2138, L/L HMV 6X6 SHA-8T MERITOR AXLE, EICHER TIPPER 25T 250HP	K445 OR WITH D. COVER K460 K445 P Length 314mm (12.25)	66874570802070273
----	K448(C)	 38 SPL	TATA LPTA-1628, 2038, LPK 2528 L/L 4936, BHARAT BENZ 4436, LTPA-1628, LTPA 2038	K447 OR WITH D. COVER K461 K447 P Length 333mm (13.00)	66875570802000294
----	K450(C)	 40 SPL	TATA LPK 3138, LPT 5252, 3138, 2538, 2138, L/L-FV-2636, EICHER TIPPER	K449 OR WITH D. COVER K462 K449 P Length 350mm (13.75)	66876070802000310
K497	K497(C)	 36 SPL	TATA- LPK2518/2523- HD, LPK2518, LPT 2523 TC48, SIGNA4625.S, 5523.S, 4623.S, PRIMALX 3525, LX2523, LX2525, LX4028	K495 OR WITH D. COVER K501 K495 P Length 380mm (15.0)	F550620112200
K498	K498(C)	 36 SPL	TATA- LPT 2523, LPK 3118, LPK 2518 WITH GB 1150	K496 OR WITH D. COVER K502 K496 P Length 370mm (14.5)	F540620108200
K538	K538(C)	 30 SPL	TATA LPT 2523 6X4	K537 OR WITH D. COVER K540 K537 P Length 357mm (14.0)	
----	K558(C)	 30 SPL	TATA 3118 VECV- Ve2100	K557 OR WITH D. COVER K557A K557 P Length 332mm (13.0)	F558585103191
----	K559(C)	NOTE : Part No. K559(C) is DISCONTINUED, replacement for this is Part No. K538(C).			

PART No. Without Coating With Coating		PRODUCT	APPLICATION	MATING LONG FORK	O.E.M REF.
K560	K560(C)	 20 SPL	TATA 2518 FOR H/Y WELD WELTCH DESIGN COATED	K275A OR WITH D. COVER K323 K275A P Length 378mm (15.0)	
RSB 403					
K580	K580(C)	 20 SPL	TATA-LPT 2518 6X2 BS III (TAG AXLE)	K256 OR WITH D. COVER K322 K256 P Length 345mm (13.5)	F554403095201
RSB 403					
----	K618(C)	 38 SPL	SPR 2045 COATED	K443 OR WITH D. COVER K459 K443 P Length 395mm (15.75)	
SPR 2045					
----	K673(C)	 34 SPL	TATA 2518	K439 OR WITH D. COVER K457 K439 P Length 388mm (15.25)	
SPR 2040					
----	K674(C)	 34 SPL	TATA 2518	K441 OR WITH D. COVER K458 K441 P Length 355mm (14.0)	
SPR 2040					
----	K701(C)	 34 SPL	TATA 2515 AL 2518 BSIV	K439 OR WITH D. COVER K457 K439 P Length 388mm (15.25)	
SPR 2040					
----	K715(C)	 24 SPL	TATA- LPO 1613, LPO 1512, LP 1613, LP 1512, LP 1112, LP 1618, LPO 1515, LPO 1615, L/L VIKING BS4 222, BS4 210	K714 OR WITH D. COVER K717 K714 P Length 301mm (11.75)	F542325HS100191
RSB 325 HS					

PART No. Without Coating With Coating		PRODUCT	APPLICATION	MATING LONG FORK	O.E.M REF.
----	K736(C)	 32 SPL	SPR 2065 COATED	WITH D. COVER K734 P Length 362mm (14.25)	
----	K742(C)	 36 SPL	TATA- LPK3118, LPTK3718, LPK2518 HD, LPT4123, LPT4823, LPT43256, LPT4923 SIGNA4825, 4925,	WITH D. COVER K741 P Length 401mm (15.75)	F545620120230
----	K748(C)	 16 SPL	L/L 2818, MSL DESIGN	K747 OR WITH D. COVER K747 P Length 330mm (13.0)	
K757	K757 (C)	 30 SPL	TATA 4018 EXTRA LONG	K426 OR WITH D. COVER K426A K426 P Length 400mm (15.75)	
K758	K758 (C)	 38 SPL	TATA 4018 SPR 2045	K443 OR WITH D. COVER K459 K443 P Length 395mm (15.75)	
K768	-----	 30 SPL	L/L22W	K325 OR WITH D. COVER K327 K325 P Length 370mm (14.50)	
K771	-----	 20 SPL	TATA 3118	K275 OR WITH D. COVER K323A K275 P Length 400mm (15.75)	

PART No. Without Coating With Coating		PRODUCT	APPLICATION	MATING LONG FORK	O.E.M REF.
K772		 20 SPL	TATA 2518	K256 OR WITH D. COVER K322 K256 P Length 345mm (13.50)	
.....	K778 (C)	 28 SPL	RSB 680 AL 3532/4932 EICHER PRO 8000	WITH D. COVER K777P Length 415mm (16.25)	
.....	K779 (C)	 30 SPL	TATA 4018	K325 OR WITH D. COVER K327 K325 P Length 370mm (14.50)	
K784	K784 (C)	 24 SPL	TATA 1212	WITH D. COVER K783P Length 288mm (11.25)	

PART No.	PRODUCT	MATING LONG FORK	APPLICATION	O.E.M REF.
K296 RSB 325, 325 HS RSB 403 SPL 90		K254, K256, K381	2515/2518, EX 1613	F621 325 081140, 2171 4112 0128
K296A RSB 325 RSB 403		K275, K275A, K275B	TATA 2518/4018	
K297 RSB 490 RSB 590 H		K258, K557	TATA 4018	F621490 089130, 2846 4112 0103
K297A RSB 490 RSB 585 RSB 590 H 52 X 133		K325, K426, K537, K723, K733, K737P	TATA 4018/3118	
K464 SPR 2040		K439	SPICER SERIES 2040 (I&S)	
K465 SPR 2040		K441, K639	SPICER SERIES 2040	
K466 SPR 2045		K443	TATA 4028. L/L 3123 BHARAT BENZ, EICHER	
K467 SPR 2047		K445	TATA 4923, L/L 33123 BHARAT BENZ	
JCB RSB 325 RSB 325 HS	RSB 403 MSL 403	SPL 90	RSB 490 RSB 585 SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047 RSB 620 SPR 2055 SPR 2060 SPR 2065 52 X133

PART No.	PRODUCT	MATING LONG FORK	APPLICATION	O.E.M REF.
K468 RSB 590 RSB 620		K495, K496, K741P, REAR TEETH K358B(C)	TATA 4028, BHARAT BENZ, L/L 3123, EICHER	
K469 SPR 2060		K449	TATA 3138, L/L 2636 BHARAT BENZ, EICHER	
K735 SPR 2065		K734P	TATA 3138, L/L 2636 BHARAT BENZ, EICHER	
K744 SPR 2055		K447	TATA 1628, L/L 4936, BHARAT BENZ	

DUST
COVERS

UJ CROSS

PART DETAIL

PAGE No.

CROSS SIZE	SERIES	PART No.	No. OF SPLINES	S.YOKE LENGTH	PIPE DIA.	R.TEETH LENGTH	
23.82 X 61.3	AMBASSADOR	K217	16	127mm (5.0)	60.7mm (2.5)	123.5mm (5.0)	36
27 X 81.8	JEEP	K84, K84(C)	16	168.0mm (6.5)	59.5mm (2.25)	198.0mm (8.0)	34
		K223, K223(C)	16	166.0mm (6.5)	60.5mm (2.5)	143.0mm (5.5) or 176mm (7.0)	36
		K223A	16	----	----	225.0mm (9.0)	36
		K223B	16	170.0mm (6.75)	71.5mm (2.75)	156.0mm (6.25)	36
		K224	16	Part No. K224 is DISCONTINUED.			36
		K508	16	154.0mm (6.0)	66.25mm (2.5)	147.0mm (5.75)	39
		K643(C), K643S(C)	16	154.0mm (6.0)	66.25mm (2.5)	147.0mm (5.75)	40
		K644(C)	16	154.0mm (6.0)	59.5mm (2.25)	202.0mm (8.0)	40
		K645(C)	16	168.0mm (6.5)	60.7mm (2.5)	151.0mm (6.0)	40
		K646(C), K646S(C)	16	168.0mm (6.5)	71.25mm (2.75)	156.0mm (6.0)	40
		K647(C), K647S(C)	16	154.0mm (6.0)	60.7mm (2.5)	139.0mm (5.5)	40, 41
		K648(C), K648S(C)	16	168.0mm (6.5)	60.5mm (2.5)	167.0mm (6.5)	41
		K655S(C)	16	154.0mm (6.0)	40.8mm (1.5)	140.0mm (5.5)	41
		K656(C)	16	154.0mm (6.0)	59.7mm (2.25)	182.0mm (7.25)	41
		K671(C)	16	168.0mm (6.5)	72.2mm (3.0)	156.0mm (6.0)	41
		K672(C)	16	168.0mm (6.5)	59.5mm (2.25)	151.0mm (6.0)	42
		K730(C), K730S(C)	16	161.0mm (6.25)	66.25mm (2.5)	147.0mm (5.75)	42
		K756 (C)	16	209.0mm (8.25)	59.70mm (2.25)	232.0mm (9.25)	42
30 X 81.8	TATA 407 (O/M)	RK 113 KKA750 RTB 830 KF5155 NDB 530 DT121 GX02					
		K83, K83(C)	16	168.0mm (6.5)	54.0mm (2.0)	168.0mm (6.5)	34
		K268, K268(C)	16	168.0mm (6.5)	54.0mm (2.0)	226.0mm (9.0)	37
30.17 X 92	407 MSL TYPE	RK 114 5-178X NDB506 DT131 GX55TR					
		K265A, K265A(C)	16	170.0mm (6.75)	72.2mm (2.75)	201.0mm (8.0)	37
		K265B, K265B(C)	16	170.0mm (6.75)	71.8mm (2.75)	230.0mm (9.0)	37
30.17 X 106	CANTER	RK 108 KKA748 RLL500 KF5181 NDB 510 5-160X DT117 GX60					
		K237, K237(C)	16	194.0mm (7.5)	71.5mm (2.75)	170.0mm (6.75)	37
		K287, K287(C)	16	195.0mm (7.75)	71.8mm (2.75)	230.0mm (9.0)	37
		K394, K394(C)	16	186.0mm (7.25)	71.8mm (2.75)	230.0mm (9.0)	39
		K653(C)	16	236.0mm (9.25)	71.5mm (2.75)	214.0mm (8.5)	41
34.92 X 106	TATA 407 PICKUP	RK 115 NDB548N 5-188X DT151					
		K334, K334(C)	16	197.0mm (8.0)	84.7mm (3.5)	192.0mm (7.5)	38
		K334A, K334A(C)	16	197.0mm (8.0)	71.8mm (2.75)	192.0mm (7.5)	38
		K509, K509(C)	(2 KNOCK OFF) 24	225.0mm (9.0)	84.3mm (3.5)	220.0mm (8.75)	39
		K696(C)	(2 KNOCK OFF) 24	225.0mm (9.0)	84.4mm (3.5)	267.0mm (10.5)	42
		K732(C)	(2 KNOCK OFF) 24	225.0mm (9.0)	71.65mm (2.75)	218.0mm (8.5)	42

Part No. STRIKETHROUGH with **Red Colour** is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

UJ CROSS






PART DETAIL

PAGE No.






	PART No.	No. OF SPLINES	S.YOKE LENGTH	PIPE DIA.	R.TEETH LENGTH	
34.92 X 126.2 L/L TUSKER	RK107	K4B, K4B(C)	16/30	356.0mm (14.0)	84.4mm (3.5)	313.0mm (12.25) 33
	KKA741	K5, K5(C)	28	315.0mm (12.5)	84.4mm (3.5)	290.0mm (11.5) 33
	RLL790	K177, K177(C)	16	207.0mm (8.0)	71.5mm (2.75)	200.0mm (8.0) 35
	KF5110	K177A, K177A(C)	16	246.0mm (9.75)	84.0mm (3.5)	222.0mm (8.75) 35
	NDB 522	K178, K178(C)	16	207.0mm (8.0)	84.4mm (3.5)	200.0mm (8.0) 35
	5-275X	K252A, K252A(C)	16	280.0mm (11.0)	84.0mm (3.5)	254.0mm (10.0) 37
	DT105	K328, K328(C)	(1 KNOCK OFF) 27	240.0mm (9.5)	84.4mm (3.5)	274.0mm (10.75) 38
	GX10	K429, K429(C)	16	200.0mm (8.0)	71.8mm (2.75)	230.0mm (9.0) 39
		K430, K430(C)	28	290.0mm (11.5)	84.4mm (3.5)	270.0mm (10.5) 39
		K693(C)	16	207.0mm (8.0)	84.4mm (3.5)	230.0mm (9.0) 42
		K760, K760(C)	16	200.0mm (8.0)	70.0mm (2.75)	247.0mm (9.75) 43
CROSS 38mm TATA 1210	RK 103					
	KKA731					
	RTB490	K29, K29(C)	10	215.0mm (8.5)	68.2mm (2.75)	223.0mm (8.75) 33
	5-1506X	K55, K55(C)	10	207.0mm (8.0)	64.0mm (2.5)	224.0mm (8.75) 34
	KF5101	K391, K391(C)	22	206.0mm (8.0)	64.0mm (2.5)	250.0mm (9.75) 38
	NDB514					
39.68 X 115.4 L/L 370	RK 110					
	KKA736					
	RLL493	K160, K160(C)	16	202.0mm (8.0)	71.5mm (2.75)	200.0mm (8.0) 35
	KF5111	K161, K161(C)	16	202.0mm (8.0)	84.4mm (3.5)	200.0mm (8.0) 35
	NDB 505					
	DT113					
41.27 X 126 L/L 2214 SPL 90	RK 102	K5A, K5A(C)	30	296.0mm (11.75)	84.4mm (3.5)	265.0mm (10.5) 33
	KKA744	K138, K138(C)	30	296.0mm (11.75)	95.0mm (4.0)	270.0mm (10.5) 34
	RLL796	K138A, K138A(C)	16	296.0mm (11.75)	95.0mm (4.0)	270.0mm (10.5) 34
	KF5120	~~K139, K139(C)~~	16	296.0mm (11.75)	95.0mm (4.0)	270.0mm (10.5) 34
	NDB 546	K140, K140(C)	30	253.0mm (10.0)	95.0mm (4.0)	225.0mm (9.0) 35
	SPL 90X	K140A, K140A(C)	16	253.0mm (10.0)	95.0mm (4.0)	225.0mm (9.0) 35
	DT106	K393, K393(C)	16	253.0mm (10.0)	82.7mm (3.5)	226.0mm (9.0) 38
	GX600	K393A, K393A(C)	30	253.0mm (10.0)	84.0mm (3.5)	225.0mm (9.0) 39
		K534S(C)	16	355.0mm (14.0)	95.0mm (4.0)	323.0mm (12.75) 39
CROSS 46mm TATA 1312	RK 101					
	KKA734					
	INSKU100233	K4, K4(C)	16	265.0mm (10.5)	84.0mm (3.5)	291.0mm (11.5) 33
	RTB690	K4A, K4A(C)	16	309.0mm (12.25)	84.0mm (3.5)	338.0mm (13.25) 33
	K F5103	K250A, K250A(C)	24	265.0mm (10.5)	84.0mm (3.5)	289.0mm (11.5) 37
	NDB526	K367, K367(C)	16	265.0mm (10.5)	95.0mm (4.0)	270.0mm (10.5) 38
	DT102					
47.62 X 135 L/L TAURUS	RK 111					
	KKA743A					
	RLL793	K139A, K139A(C)	16	269.0mm (10.5)	95.0mm (4.0)	270.0mm (10.5) 34
	KF5119	K194, K194(C)	16	240.0mm (9.5)	82.7mm (3.5)	226.0mm (9.0) 36
	NDB 536	K195, K195(C)	16	269.0mm (10.5)	82.7mm (3.5)	266.0mm (10.5) 36
	DT112					
49.20 X 154.80 TATA 4018 (PATTI TYPE)	RK 109					
	KKA745					
	5-280X	K5B, K5B(C)	16	281.0mm (11.0)	95.0mm (4.0)	265.0mm (10.5) 33
	NDB 553	K309, K309(C)	16	329.0mm (13.0)	95.0mm (4.0)	295.0mm (11.5) 38
	DT110					
	GX5280					

Part No. STRIKETHROUGH with Red Colour is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.





YOKE & TEETH SET

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING PARTS	O.E.M REF.
K4	K4(C)	 265mm (10.5) 291mm (11.5) 84mm (3.5) 16 SPL CROSS 46mm RK101	TATA 1312, 1612, 2416, 2213, 1012, 1510	S.YOKE K6 R.TEETH K8 K8(C)	
K4A	K4A(C)	 309mm (12.25) 338mm (13.25) 84mm (3.5) 16 SPL CROSS 46mm RK101	TATA 1312 LONG, 1612 (EXTRA LONG FOR INTERAXLE - 2516)	S.YOKE K6A R.TEETH K8A K8A(C)	
K4B	K4B(C)	 356mm (14.0) 313mm (12.25) 84.4mm (3.5) 16 SPL 30 SPL 34.92 X 126.2 RK107	TATA INTERAXLE 2516, 2518 MINING TIPPER 6 X 4	S.YOKE K7B R.TEETH K9B K9B(C)	INSKU 100449/100447
K5	K5(C)	 315mm (12.5) 290mm (11.5) 84.4mm (3.5) 28 SPL 34.92 X 126.2 RK107	TATA HYWA, 2515 & EX, 2516, 2518, 3516 L/L 2214, 2516, EICHER GALAXY 2516, 1616, VIKING 222, 2214, 33.25 GALAXY, LPT 2515, 2518, COMET 912, VCEV EMI TERA 16,20.16	S.YOKE K7 R.TEETH K9 K9(C)	INSKU 100377/100370
K5A	K5A(C)	 296mm (11.75) 265mm (10.5) 84.4mm (3.5) 30 SPL 41.27 X 126 RK102	TATA 2515 EX, 2518, 2516, L/L 2214, 2516, 3516, 4018 EICHER GALAXY	K7A S.YOKE K141 R.TEETH K9A K9A(C)	INSKU 100256100524
K5B	K5B(C)	 281mm (11.0) 265mm (10.5) 95mm (4.0) 16 SPL 49.2 X 154.8 RK109	TATA 4018, LPO BUS 1623, 1625, 1628, 3118, 2516 AMW AL 3116, 2516 MINING TIPPER	S.YOKE K6B R.TEETH K8B K8B(C)	6-3-2671KX 6-40-541
K29	K29(C)	 215mm (8.5) 223mm (8.75) 68.2mm (2.75) 10 SPL CROSS 38mm RK103	TATA 1210 SE	S.YOKE K30 R.TEETH K31 K31(C)	







YOKE & TEETH SET

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING PARTS	O.E.M REF.
K55	K55(C)	 207mm (8.0) 224mm (8.75) 64.0mm (2.5) 10 SPL CROSS 38mm RK103	TATA 1210, 1109	S.YOKE K56 R.TEETH K57 K57(C)	
K83	K83(C)	 168mm (6.5) 168mm (6.5) 54mm (2.0) 16 SPL (INVOLUTE) 30 X 81.8 RK113	TATA 407	S.YOKE K85 R.TEETH K87 K87(C)	
K84	K84(C)	 168mm (6.5) 198mm (8.0) 59.5mm (2.25) Bearing 88507 (Size 35.0mm) 16 SPL 27 X 81.8 RK118	TATA 407 TURBO	S.YOKE K86 R.TEETH K88 K88(C)	
K138	K138(C)	 296mm (11.75) 270mm (10.5) 95mm (4.0) 30 SPL 41.27 X 126 RK102	10" (THIN SPLINE) TATA 2515, 2516, 2518 L/L 2214, 2516, 3516, 4018, EICHER GALAXY	K7A S.YOKE K141 K9C, K9C(C) R.TEETH K144 K144(C)	INSKU-100257 INSKU-100276
K138A	K138A(C)	 296mm (11.75) 270mm (10.5) 95mm (4.0) 16 SPL 41.27 X 126 RK102	10" (THICK SPLINE) TATA 2515, 2518 L/L 2214, 2516, 2515 EX, 3516	K142 S.YOKE K141A K145, K145(C) R.TEETH K144A K144A(C)	
K139	K139(C)	NOTE : Part No. K139 & K139(C) are DISCONTINUED, replacement for these are Part No. K138A & K138A(C) respectively.			
K139A	K139A(C)	 269mm (10.5) 270mm (10.5) 95mm (4.0) 16 SPL 47.62 X 135 RK111	10 (THICK SPLINES) L/L 2214, 3516, 2515EX, 2516, 3516, 2214 MSL SHAFT	S.YOKE K197 K9C, K9C(C) R.TEETH K144A K144A(C)	



YOKE & TEETH SET





PART No. W/O Coating With Coating	PRODUCT	APPLICATION	MATING PARTS	O.E.M REF.
KI40 KI40(C) L/L 2214 SPL 90	 253mm (10.0) 225mm (9.0) 95mm (4.0) 30 SPL 41.27 X 126 RK102	L/L 8 3516, 3014, 4018 TATA 1616, 1613, 1210 COWL, LPS 3015 709 TILT CAB/ LPS 3516	S.YOKE KI43 R.TEETH KI46 KI46(C)	INSKU 100259/100275
KI40A KI40A(C) L/L 2214 SPL 90	 253mm (10.0) 225mm (9.0) 95mm (4.0) 16 SPL 41.27 X 126 RK102	L/L 8 3516, 3014, 4018 TATA 1616, 1613, THICK SPLINE	S.YOKE KI43A R.TEETH KI46A KI46A(C)	
KI60 KI60(C) L/L 370	 202mm (8.0) 200mm (8.0) 71.5mm (2.75) 16 SPL 39.68 X 115.4 RK110	L/L 350, 370 J4/J6 BEDFORD	S.YOKE KI62 R.TEETH KI80 KI63A(C)	
KI61 KI61(C) L/L 370	 202mm (8.0) 200mm (8.0) 84.4mm (3.5) 16 SPL 39.68 X 115.4 RK110	L/L 350, 370 J4/J6 BEDFORD	S.YOKE KI62 R.TEETH KI81 KI64A(C)	
KI77 KI77(C) L/L TUSKER	 207mm (8.0) 200mm (8.0) 71.5mm (2.75) 16 SPL 34.92 X 126.2 RK107	L/L TUSKER, TATA 1510 TC	S.YOKE KI79 R.TEETH KI80 KI63A(C)	
KI77A KI77A(C) L/L TUSKER	 246mm (9.75) 222mm (8.75) 84mm (3.5) 16 SPL 34.92 X 126.2 RK107	L/L 1613 TURBO EURO II, CT- 1613/VECV JUMBO AL STAG, ECOMET 912	S.YOKE KI79A R.TEETH KI64B KI64B(C)	
KI78 KI78(C) L/L TUSKER	 207mm (8.0) 200mm (8.0) 84.4mm (3.5) 16 SPL 34.92 X 126.2 RK107	L/L TUSKER, TATA 1510 TC	S.YOKE KI79 R.TEETH KI81 KI64A(C)	

YOKE & TEETH SET








PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING PARTS	O.E.M REF.
K194	K194(C)	 240mm (9.5) 226mm (9.0) 82.7mm (3.5) 16 SPL 47.62 X 135 RK111	L/L TAURUS	S.YOKE K196 R.TEETH K198 K198(C)	
K195	K195(C)	 269mm (10.5) 266mm (10.5) 82.7mm (3.5) 16 SPL 47.62 X 135 RK111	L/L TAURUS N/M EXTRA LONG	S.YOKE K197 R.TEETH K199 K199(C)	
K217	----	 127mm (5.0) 123.5mm (5.0) 60.7mm (2.5) 16 SPL 23.82 X 61.30	AMBASSADOR YOKE & TEETH SET	---- R.TEETH SPL OD 26.8mm	
K223	K223(C)	 166mm (6.5) 143mm (5.5) or 176mm (7.0) 60.5mm (2.5) 16 SPL 27 X 81.8 RK118	JEEP DIESEL 6" OR 7"	S.YOKE K223S R.TEETH K223R K223R(C)	
K223A	----	 225mm (9.0) 16 SPL 27 X 81.8 RK118	JEEP DIESEL 9"	---- R.TEETH SPL OD 31.7mm	
K223B	----	 170mm (6.75) 156mm (6.25) 71.5mm (2.75) 16 SPL 27 X 81.8 RK118	JEEP MAXX	---- R.TEETH SPL OD 31.7mm	
K224	----	NOTE:- Part No. K224 is DISCONTINUED.			

YOKE & TEETH SET

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING PARTS	O.E.M REF.
K237	K237(C)	 194mm (7.5) 170mm (6.75) 71.5mm (2.75) 16 SPL 30.17 X 106 RKI08	EICHER, TATA 407 TURBO EX 709/909	S.YOKE K238 R.TEETH K240 K240(C)	
CANTER					
K250A	K250A(C)	 265mm (10.5) 289mm (11.5) 84mm (3.5) 24 SPL CROSS 46mm RKI01	TATA I613, TURBO I100, I109	S.YOKE K250 R.TEETH K251 K251(C)	
TATA I312					
K252A	K252A(C)	 280mm (11.0) 254mm (10.0) 84mm (3.5) 16 SPL 34.92 X 126.2 RKI07	L/L E-COMET L/L STAG	S.YOKE K252 R.TEETH K253 K253(C)	
L/L TUSKER					
K265A	K265A(C)	 170mm (6.75) 201mm (8.0) 72.2mm (2.75) Bearing 88507 (Size 35.0mm) 16 SPL (INVOLUTE) 30.17 X 92.0 RKI14	TATA 407 N/M MSL TYPE	S.YOKE K265 R.TEETH K266 K266(C)	
407 MSL TYPE					
K265B	K265B(C)	 170mm (6.75) 230mm (9.0) 71.8mm (2.75) Bearing 88507 (Size 35.0mm) 16 SPL (INVOLUTE) 30.17 X 92.0 RKI14	TATA 407 N/M MSL TYPE	S.YOKE K265 R.TEETH K471 K471(C)	
407 MSL TYPE					
K268	K268(C)	 168mm (6.5) 226mm (9.0) 54mm (2.0) Bearing 88507 (Size 35.0mm) 16 SPL (INVOLUTE) 30 X 81.8 RKI13	TATA 407	S.YOKE K85 R.TEETH K268A K268A(C)	
TATA 407 (O/M)					
K287	K287(C)	 195mm (7.75) 230mm (9.0) 71.8mm (2.75) Bearing 88508 (Size 40.0mm) 16 SPL 30.17 X 106 RKI08	TATA 407 TURBO EX 709, 909	S.YOKE K288 R.TEETH K289 K289(C)	
CANTER					

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING PARTS	O.E.M REF.
K309	K309(C)	 329mm (13.0) 295mm (11.5) 95mm (4.0) 16 SPL 49.2 X 154.8 RK109	TATA 4018, 1618, 3118, 2521 LPO, 3118, LPT 2518 BS III, LPO BUS 1625, 1618, 1623 L/L 2516 TIPPER, 4921, 3123, AMW 2515, 2518, MAN FORCE 25T NEW	S.YOKE K310 R.TEETH K311 K311(C)	6-3-2651KX 6-40-521
K328	K328(C)	 240mm (9.5) 274mm (10.75) Bearing 88509 (Size 45.0mm) 84.4mm (3.5) 27 SPL (1 KNOCK OFF) 34.92 X 126.2 RK107	TATA LPT 1109 EX BS III	S.YOKE K384 R.TEETH K385 K385(C)	
K334	K334(C)	 197mm (8.0) 192mm (7.5) 84.7mm (3.5) 16 SPL 34.92 X 106 RK115	407 PICK UP	S.YOKE K386 R.TEETH K387 K387(C)	
K334A	K334A(C)	 197mm (8.0) 192mm (7.5) 71.8mm (2.75) 16 SPL 34.92 X 106 RK115	407 PICK UP, EICHER, CANTER 11.10, 11.10-XP	S.YOKE K386 R.TEETH K387A K387A(C)	
K367	K367(C)	 265mm (10.5) 270mm (10.5) 95mm (4.0) 16 SPL CROSS 46mm RK101	TATA 2518	S.YOKE K6 R.TEETH K144B K144B(C)	
K391	K391(C)	 206mm (8.0) 250mm (9.75) Bearing 6210/88510 (Size 50.0mm) 64mm (2.5) 22 SPL CROSS 38mm RK103	TATA 709 TURBO	S.YOKE K389 R.TEETH K390 K390(C)	
K393	K393(C)	 253mm (10.0) 226mm (9.0) 82.7mm (3.5) 16 SPL 41.27 X 126 RK102	L/L 1613 TURBO, 3516 3014, 4018	S.YOKE K143A R.TEETH K198 K198(C)	



YOKE & TEETH SET

PART No. W/O Coating With Coating	PRODUCT	APPLICATION	MATING PARTS	O.E.M REF.
K393A K393A(C) L/L 2214 SPL 90	 253mm (10.0) 225mm (9.0) 84mm (3.5) 30 SPL 41.27 X 126 RK102	L/L 1613, 3516, 3014, 4018, TURBO, TATA 1613, 1616, LPK 2516/3515	S.YOKE K143 R.TEETH K146B K146B(C)	
K394 K394(C) CANTER	 186mm (7.25) 230mm (9.0) 71.8mm (2.75) Bearing 88507 (Size 35.0mm) 16 SPL (INVOLUTE) 30.17 X 106 RK108	TATA 407 6 WHEELER	S.YOKE K470 R.TEETH K471 K471(C)	
K429 K429(C) L/L TUSKER	 200mm (8.0) 230mm (9.0) 71.8mm (2.75) Bearing 88508 (Size 40.0mm) 16 SPL 34.92 X 126.2 RK107	TATA 407 TURBO N/M MSL	S.YOKE K428 R.TEETH K289 K289(C)	
K430 K430(C) L/L TUSKER	 290mm (11.5) 270mm (10.5) 84.4mm (3.5) 28 SPL 34.92 X 126.2 RK107	EICHER TERRA, CHEETAH, VIKING	S.YOKE K431 R.TEETH K432 K432(C)	
K508 ---- JEEP	 154mm (6.0) 147mm (5.75) 66.25mm (2.5) 16 SPL 27 X 81.80 RK118	BOLERO DI	---- R.TEETH SPL OD 31.7mm	
K509 K509(C) TATA 407 PICKUP	 225mm (9.0) 220mm (8.75) 84.3mm (3.5) 24 SPL (2 KNOCK OFF) 34.92 X 106 RK115	TATA 709, 909	S.YOKE K510 R.TEETH K511 K511(C)	
---- K534S(C) L/L 2214 SPL 90	 355mm (14.0) 323mm (12.75) 95mm (4.0) 16 SPL 41.27 X 126 RK102 NOTE : PART No. K534(S) IS DISCONTINUED REPLACEMENT FOR THIS IS PART No. K534S(C)	L/L 3118, 3116, 2516 BSIII MSL TYPE LONG 4018	S.YOKE K534 R.TEETH K535 (C)	

YOKE & TEETH SET

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING PARTS	O.E.M REF.
----	K643(C)	154mm (6.0) 147mm (5.75) 66.25mm (2.5) 16 SPL 27 X 81.80 RKI 18	MAHINDRA BOLERO TRUCK	S.YOKE S3 R.TEETH R1 SPL OD 31.7mm	3220457
----	K643S (C)	154mm (6.0) 147mm (5.75) 66.25mm (2.5) 16 SPL 27 X 81.80 RKI 18	SPECIAL KIT MAHINDRA BOLERO	S.YOKE S3 R.TEETH R1 SPL OD 31.7mm	3220477
----	K644(C)	154mm (6.0) 202mm (8.0) 59.5mm (2.25) 16 SPL 27 X 81.80 RKI 18	MAHINDRA BOLERO PICK UP XL 2WD-BOLERO CAMPER	S.YOKE S3 R.TEETH R2 SPL OD 31.7mm	3220469 0501BAA00581N
----	K645(C)	168mm (6.5) 151mm (6.0) 60.70mm (2.5) 16 SPL 27 X 81.80 RKI 18	MAHINDRA BOLERO MDI-MAXX	S.YOKE S2 R.TEETH R3 SPL OD 31.7mm	3220431 0501BAA00541N
----	K646(C)	168mm (6.5) 156mm (6.0) 71.25mm (2.75) 16 SPL 27 X 81.80 RKI 18	MAHINDRA BOLERO PICK UP XL-4WD	S.YOKE S2 R.TEETH R4 SPL OD 31.7mm	3220463 0501BAA00591N
----	K646S (C)	168mm (6.5) 156mm (6.0) 71.25mm (2.75) 16 SPL 27 X 81.80 RKI 18	SPECIAL KIT MAHINDRA BOLERO PICKUP XL-4WD	S.YOKE S2 R.TEETH R4 SPL OD 31.7mm	3220492 0501BAA00531N
----	K647 (C)	154mm (6.0) 139mm (5.5) 60.7mm (2.5) 16 SPL 27 X 81.80 RKI 18	MAHINDRA BOLERO LONG DI	S.YOKE S1 R.TEETH R5 SPL OD 31.7mm	3220455

YOKE & TEETH SET

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING PARTS	O.E.M REF.
----	K647S (C)	 16 SPL 27 X 81.80 RKI 18	SPECIAL KIT MAHINDRA BOLERO LONG DI	S.YOKE S1 R.TEETH R5 SPL OD 31.7mm	3220475
----	K648 (C)	 16 SPL 27 X 81.80 RKI 18	MAHINDRA UTILITY	S.YOKE S2 R.TEETH R8 SPL OD 31.7mm	3220452
----	K648S (C)	 16 SPL 27 X 81.80 RKI 18	SPECIAL KIT MAHINDRA UTILITY	S.YOKE S2 R.TEETH R8 SPL OD 31.7mm	3220472
----	K653 (C)	 16 SPL 30.17 X 106 RKI 108	CANTER NM EXTRA LONG MAZDA 4X4	---- R.TEETH SPL OD 38.1mm	
----	K655S (C)	 16 SPL 27 X 81.80 RKI 18	SPECIAL KIT PICKUP 4X4, THAR FRONT SHAFT	S.YOKE S1 R.TEETH R11 SPL OD 31.7mm	3220473
----	K656 (C)	 16 SPL 27 X 81.80 RKI 18	BOLERO FB MEGA REFRESH PICKUP EXTRA LONG UTILITY FC / NC	S.YOKE S1 R.TEETH R10 SPL OD 31.7mm	322045037
----	K671 (C)	 16 SPL 27 X 81.80 RKI 18	MAHINDRA MAX PICK UP	S.YOKE S2 R.TEETH R6 SPL OD 31.7mm	3220433 0501BAA00561N

TATA 1312

TATA 4018
(PATTI TYPE)

L/L TAURUS

TATA 1210

JEEP

L/L TUSKER

TATA 407
(O/M)

TATA 407
PICK UP

CANTER

L/L 370

407
MSL TYPE

L/L 2214
SPL 90

AMBASSADOR

YOKE & TEETH SET

PART No. W/O Coating With Coating	PRODUCT	APPLICATION	MATING PARTS	O.E.M REF.
---- K672 (C) JEEP		MAHINDRA BOLERO XL/ SUMO GOLD	S.YOKE S2 R.TEETH R7 SPL OD 31.7mm	3220432 0501BAA0055IN
---- K693 (C) L/L TUSKER		TATA 1510 TC, SFC 709X BSIII MSL	S.YOKE K179 R.TEETH K694 (C)	
---- K696 (C) TATA 407 PICKUP		TATA 709, 909	S.YOKE K510 R.TEETH K695 (C)	
---- K730 (C) JEEP		MAHINDRA SCORPIO 2WD & 4WD	S.YOKE K86 R.TEETH R9 SPL OD 34.9mm	3220458 0501BAA0060IN
---- K730S (C) JEEP		SPECIAL KIT MAHINDRA SCORPIO, 2WD & 4WD	S.YOKE K86 R.TEETH R9 SPL OD 34.9mm	3220478
---- K732 (C) TATA 407 PICKUP		EICHER-E2	S.YOKE K510 R.TEETH K731 (C)	
---- K756 (C) JEEP		TATA XENON YODHA 4X2 MSL DESIGN	S.YOKE K763 R.TEETH K764 (C)	

YOKE & TEETH SET

[illegible]

UJ CROSS

PART DETAIL


PAGE No.

CROSS SIZE	SERIES	RK102	PART No.	No. OF SPLINES	LENGTH	
41.27 X 126	SPL 90	KKA744				
		RLL796				
		KF5120	K358	16	362 mm (14.25)	45
		NDB546	K358A	16	372mm (14.75)	45
		SPL90X				
		DT106				
		GX600				
42 X 129	RSB 403 MSL 403	RK105				
		KKA747,KF5121	K359, K359(C)	20	357mm (14.0)	45
		NDB 556	K359A, K359A(C)	20	392mm (15.5)	45
		217141120127	K359B, K359B(C)	20	302mm (12.0)	45
		DT132,GX152, S203403201202	K438, K438(C)	20	326mm (13.0)	46
47.68 X 135	SPR 2040 MSL 2040	RK112				
		SDUJ2040LI35R	K472A, K472A(C)	34	375mm (14.75)	46
		NDB569	K525, K525(C)	34	356mm (14.0)	46
48 X 135	RSB 490	RK106				
		KKA757,KF5122	K434, K434(C)	30	382mm (15.0)	45
		216741120105	K435, K435(C)	30	377mm (15.0)	45
		NDB555	K437, K437(C)	30	352mm (14.0)	46
		DT133, GX153, S203490201202				
52 X 147	RSB 590 RSB 590 H SPR 2045 SPR 2047	RK116				
		2167 4112 0159, SCP590X,	K544 (C)	30	366mm (14.5)	46
		SDUJ2045LI47L, S243590242202	K614(C)	30	336mm (13.25)	46
			K770, K770 (C)	38	394mm (15.5)	46

WELCH
PLUG


Part No. STRIKETHROUGH with **Red Colour** is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

PART No. Without Coating With Coating		PRODUCT		APPLICATION	O.E.M REF.						
K358	----	362mm (14.25) 63.4mm (2.5) DUST COVER K468 L - 170mm (7.0) HALF YOKE K149 REAR TEETH K311 16 SPL 41.27 X 126 RK102		AMW 2518							
K358A	----	372mm (14.75) 63.4mm (2.5) PIPE DUST COVER K468 L - 170mm (7.0) HALF YOKE K149A REAR TEETH K311 16 SPL 41.27 X 126 RK102		AMW 2518							
K359	K359(C)	357mm (14.0) HALF YOKE K261B BOTTLE K293A 20 SPL 42 X 129 RK105		AMW 2518							
K359A	K359A(C)	392mm (15.5) HALF YOKE K261B BOTTLE K293 20 SPL 42 X 129 RK105		AMW 2518							
K359B	K359B(C)	302mm (12.0) HALF YOKE K261B BOTTLE K257 20 SPL 42 X 129 RK105		AMW 2518							
K434	K434(C)	382mm (15.0) HALF YOKE K262 BOTTLE K326 30 SPL 48 X 135 RK106		TATA 2523							
K435	K435(C)	377mm (15.0) HALF YOKE K388 BOTTLE K326 30 SPL 48 X 135 RK106		TATA 2523							
JCB	RSB 325 RSB 325 HS	RSB 403 MSL 403	SPL 90	RSB 490	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X133


PART No. Without Coating With Coating		PRODUCT		APPLICATION	O.E.M REF.						
K437	K437(C)			TATA 2523							
RSB 490		30 SPL 48 X 135 RK106									
K438	K438(C)			TATA 2523							
RSB 403		20 SPL 42 X 129 RK105									
K472A	K472A(C)			TATA LPK 2523, 3128 ALU TRUCK 2523 (LONG)							
SPR 2040		34 SPL 47.68 X 135 RK112									
K525	K525(C)			TATA 3118							
SPR 2040		34 SPL 47.68 X 135 RK112									
----	K544 (C)			RSB 590 H SERIES COATED							
RSB 590 H		30 SPL 52 X 147 RK116									
----	K614 (C)			RSB 590 H SERIES COATED							
RSB 590 H		30 SPL 52 X 147 RK116									
K770	K770 (C)			BHARAT BENZ 3118							
SPR 2045		38 SPL 52 X 147 RK116									
JCB	RSB 325 RSB 325 HS	RSB 403 MSL 403	SPL 90	RSB 490	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X133

HOW TO USE THIS CATALOGUE :-


1. JUST IDENTIFY THE U.J CROSS FITTING IN THE SLIP YOKE/SLEEVE YOKE. 2. NOW MEASURE THE LENGTH OF THE YOKE (L) & NO. OF SPLINES. 3. THESE 3 DIMENSIONS WILL HELP YOU TO FIND THE SLIP YOKE/SLEEVE YOKE YOU ARE LOOKING FOR.



STRAP BOLTED/PATTI TYPE



TYPE 2
OUTER LOCK TYPE







TYPE 3
INNER LOCK TYPE


UJ CROSS		PART DETAIL					PAGE No.
CROSS SIZE	SERIES	PART No.	No. OF SPLINES	LENGTH (L)	TYPE		
22 X 55	TATA ACE MAGIC (N/M)	RK 121 KKA758, KF5142 70011448	K281	22	149mm (6.0)	2	52
CROSS 23.82mm	TATA ACE (O/M)	RK 120 KKA754, 5-170X KF5156	K278	22	160mm (6.25)	3	52
27 X 81.62	L/L DOST	RK 122	K507	25	180mm (7.0)	2	54
27 X 81.80	JEEP	RK 118 KKA752, RJP1550 KF5133 NDB525A 5-200X	K86	16	168mm(6.5)	2	50
			K223S	16	166mm(6.5)	2	51
			K657	----	----	2	55
			K662	----	----	2	55
			K763	16	209mm (8.25)	2	55
30 X 81.80	TATA 407 (O/M)	RK 113 KKA750, RTB 830 KF5155 NDB 530 DT121, GX02	K85	16	168mm (6.5)	2	50
30.17 X 92	407 MSL TYPE	RK 114 5-178X, NDB506 DT131, GX55TR	K265	16	170mm (6.75)	2	52
30.17 X 106	CANTER	RK 108 KKA748, KF5181	K238	16	194mm (7.5)	2	51
		RL500	K288	16	195mm (7.75)	2	53
		NDB 510					
		5-160X, DT117 GX60	K470	16	186mm (7.25)	2	54







Part No. STRIKETHROUGH with **Red Colour** is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.








UJ CROSS		PART DETAIL				PAGE No.
CROSS SIZE	SERIES	PART No.	No. OF SPLINES	LENGTH (L)	TYPE	
34.92 X 106 JCB	RK 131	K649	16	199mm (8.0)	2	55
		K786	16	246mm (9.75)	2	55
34.92 X 106 TATA 407 PICKUP	RK 115 NDB548N 5-188X DT151	K386	16	197mm (8.0)	2	53
		K510	24 (2 Knock Off)	225mm (9.0)	2	54
34.92 X 126.2 L/L TUSKER	RK 107 KKA741 RLL790 KF5110 NDB 522 5-275X DT105 GX10	K7	28	315mm (12.5)	2	49
		K7B	16/30	356mm (14.0)	2	49
		K179	16	207mm (8.0)	2	51
		K179A	16	246mm (9.75)	2	51
		K252	16	280mm (11.0)	2	52
		K269	16	341mm (13.5)	2	52
		K384	27 (1 Knock Off)	240mm (9.5)	2	53
		K428	16	200mm (8.0)	2	54
		K431	28	290mm (11.5)	2	54
		K761	16	200mm (8.0)	2	55
CROSS 38mm TATA 1210	RK 103 KKA731 RTB490 5-1506X KF5101 NDB514 DT146 GX101	K30	10	215mm (8.5)	3	49
		K56	10	207mm (8.0)	3	49
		~~K95~~	10	207mm (8.0)	3	50
		K389	22	206mm (8.0)	3	53
39.68 X 115.4 L/L 370	RK 110 KKA736 RLL493 KF5111 NDB 505 DT113 GX06	K162	16	202mm (8.00)	2	51
41.27 X 126 L/L 2214 SPL 90	RK 102 KKA744 RLL796 KF5120 NDB 546 SPL 90X DT106 GX600	~~K7A~~	30	296mm (11.75)	2	49
		K141	30	296mm (11.75)	2	50
		K141A	16	296mm (11.75)	2	50
		~~K142~~	16	296mm (11.75)	2	50
		K143	30	253mm (10.0)	2	50
		K143A	16	253mm (10.0)	2	50
		K269A	16	359mm (14.0)	2	52
		K357	16	305mm (12.0)	2	53
		K485	16	325mm (12.75)	2	54
		K534	16	355mm (14.0)	2	54
47.62 X 135 L/L TAURUS	RK 111 KKA743A RLL793 KF5119 NDB 536 DT112 GX08	K196	16	240mm (9.5)	2	51
		K197	16	269mm (10.5)	2	51
CROSS 46mm TATA 1312	RK 101 KKA734 INSKU100233 RTB690 K F5103 NDB526 DT102 GX104	K6	16	265mm (10.5)	3	49
		K6A	16	309mm (12.25)	3	49
		K250	24	265mm (10.5)	3	52
49.20 X 154.80 TATA 4018 (PATTI TYPE)	RK 109 KKA745 5-280X NDB 553 DT110 GX5280	K6B	16	281mm (11.0)	STRAP	49
		K310	16	329mm (13.0)	BOLTED/ PATTI TYPE	53
		K310A	16	355mm (14.0)		53


Part No. STRIKETHROUGH with **Red Colour** is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.



PART No.	PRODUCT	APPLICATION	CROSS REF.	MATING R.TEETH	O.E.M REF.
K6 TATA 1312	 265mm (10.5) Mating Part OD-50.8mm 16 SPL CROSS 46mm	TATA 1312, 1612, 2416, 2213, 1012	RK 101 KKA734 INSKU100233 RTB690,KF5103 NDB526,DT102 GX104	K8 Length 291mm (11.50)	257641125104
K6A TATA 1312	 309mm (12.25) Mating Part OD-50.8mm 16 SPL CROSS 46mm	TATA 1312 LONG, 2516	RK 101 KKA734 INSKU100233 RTB690,KF5103 NDB526,DT102 GX104	K8A Length 338mm (13.25)	
K6B TATA 4018 (PATTI TYPE)	 281mm (11.0) Mating Part OD-63.4mm 16 SPL 49.2 X 154.8	TATA 4018, L/L 2516	RK 109 KKA745 5-280X NDB 553 DT110,GX5280	K8B Length 265mm (10.5)	6-3-2671KX 2841 4112 0102
K7 L/L TUSKER	 315mm (12.5) Mating Part OD-45.9mm 28 SPL 34.92 X 126.2	TATA HYWA, 2515, 3516, COMET 912, VCEV EMI TERA 16,20.16	RK 107 KKA741 RLL790,KF5110 NDB522,5-275X DT105,GX10	K9 Length 290mm (11.5)	INSKU-100377 IA219213
K7A L/L 2214	NOTE : Part No. K7A is DISCONTINUED, replacement for this is Part No. K141.				
K7B L/L TUSKER	 356mm (14.0) Mating Part OD-50.8mm (16 SPL) OD-49.2mm (30 SPL) 16 SPL / 30 SPL 34.92 X 126.2	TATA INTERAXLE 2516, 2518 MINING TIPPER	RK 107 KKA741 RLL790,KF5110 NDB522,5-275X DT105,GX10	K9B Length 313mm (12.25)	INSKU-100448
K30 TATA 1210	 215mm (8.5) Mating Part OD-44.45mm 10 SPL CROSS 38mm	TATA 1210 SE	RK 103 KKA731 RTB490,5-1506X KF5101,NDB514 DT146,GX101	K31 Length 223mm (8.75)	312-410-2108
K56 TATA 1210	 207mm (8.0) Mating Part OD-44.45mm 10 SPL CROSS 38mm	TATA 1210, 1109	RK 103 KKA731 RTB490,5-1506X KF5101,NDB514 DT146,GX101	K57 Length 224mm (8.75)	312-410-1908



PART No.	PRODUCT	APPLICATION	CROSS REF.	MATING R.TEETH	O.E.M REF.
K85 TATA 407 (O/M)	 168mm (6.5) Mating Part OD-34.9mm 16 SPL (INVOLUTE) 30 X 81.8	TATA 407	RK 113 KKA750 RTB 830 KF5155,NDB530 DT121,GX02	K87 Length 168mm (6.5)	265141100125
K86 JEEP	 168mm (6.5) Mating Part OD-34.9mm 16 SPL 27 X 81.8	TATA 407 TURBO	RK 118 KKA752 RTB1550,KF5133 NDB525A 5-200X	K88 Length 198mm (8.0)	
K95 TATA 1210	NOTE : Part No. K95 is DISCONTINUED, replacement for this is Part No. K56.				
K141 L/L 2214 SPL 90	 296mm (11.75) Mating Part OD-49.2mm 30 SPL 41.27 X 126	TATA 2515 EX, 2518, 2516, L/L 2214, 2516, 3516, 4018 EICHER GALAXY	RK 102 KKA744 RLL796,KF5120 NDB546,SPL90X DT106,GX600	K9C K144 Length 270mm (10.5)	INSKU-100256
K141A L/L 2214 SPL 90	 296mm (11.75) Mating Part OD-50.8mm 16 SPL 41.27 X 126	L/L 2214 10 (THICK SPLINES) TATA 2515 EX	RK 102 KKA744 RLL796,KF5120 NDB546,SPL90X DT106,GX600	K145 K144A Length 270mm (10.5)	
K142 L/L 2214	NOTE : Part No. K142 is DISCONTINUED, replacement for this is Part No. K141A.				
K143 L/L 2214 SPL 90	 253mm (10.0) Mating Part OD-49.2mm 30 SPL 41.27 X 126	L/L 8 3516, 3014, 4018 TATA 1616, 1613	RK 102 KKA744 RLL796, KF5120 NDB546,SPL90X DT106,GX600	K146 Length 225mm (9.0)	
K143A L/L 2214 SPL 90	 253mm (10.0) Mating Part OD-50.8mm 16 SPL 41.27 X 126	L/L 8 3516, 3014, 4018 TATA 1616, 1613	RK 102 KKA744 RLL796, KF5120 NDB546,SPL90X DT106,GX600	K146A Length 225mm (9.0)	


PART No.	PRODUCT	APPLICATION	CROSS REF.	MATING R.TEETH	O.E.M REF.
K162 L/L 370	 16 SPL 39.68 X 115.4	L/L 350, 370 J4/J6 BEDFORD	RK 110 KKA736 RLL493, KF5111 NDB505 DT113, GX06	K180 200mm (8.0) K164 K181 200mm (8.0)	K4-3GB-538
K179 L/L TUSKER	 16 SPL 34.92 X 126.2	L/L TUSKER, TATA 1510 TC	RK 107 KKA741 RLL790, KF5110 NDB522, GX10 5-275X, DT105	K180 200mm (8.0) K181 200mm (8.0)	P100432 4000239
K179A L/L TUSKER	 16 SPL 34.92 X 126.2	L/L 1613 TURBO EURO II, CT- 1613, VECV JUMBO AL STAG, ECOMET 912	RK 107 KKA741 RLL790, KF5110 NDB522, GX10 5-275X, DT105	K164B Length 222mm (8.75)	4-3-2641 X IA217490 P 450 3039
K196 L/L TAURUS	 16 SPL 47.62 X 135	L/L TAURUS	RK 111 KKA743A RLL793, KF5119 NDB 536 DT112, GX08	K198 Length 226mm (9.0)	MSL SUK 5055
K197 L/L TAURUS	 16 SPL 47.62 X 135	L/L TAURUS LONG	RK 111 KKA743A RLL793, KF5119 NDB 536 DT112, GX08	K199 Length 266mm (10.5)	
K223S JEEP	 16 SPL 27 X 81.8	JEEP DIESEL	RK 118 KKA752 RTB1550, KF5133 NDB525A 5-200X	K223R Length 143mm (5.5) or 176mm (7.0)	
K238 CANTER	 16 SPL 30.17 X 106	CANTER TATA 407 TURBO EX 709, 909	RK 108 KKA748 RLL500, KF5181 NDB510, 5-160X DT117, GX60	K240 Length 170mm (6.75)	3-3-118 KX

PART No.	PRODUCT	APPLICATION	CROSS REF.	MATING R.TEETH	O.E.M REF.
K250 TATA I312	 265mm (10.5) → Mating Part OD-49.9mm 24 SPL CROSS 46mm	TATA I613 TURBO, I100	RK 101 KKA734, INSKU100233 RTB690,KF5103 NDB526 DT102,GX104	K251 Length 289mm (11.5)	
K252 L/L TUSKER	 280mm (11.0) → Mating Part OD-44.45mm 16 SPL 34.92 X 126.2	L/L E.COMET STAG	RK 107 KKA741 RLL790,KF5110 NDB522,GX10 5-275X,DT105	K253 Length 254mm (10.0)	4-3-1431 KX
K265 407 MSL TYPE	 170mm (6.75) → Mating Part OD-34.9mm 16 SPL (INVOLUTE) 30.17 X 92	TATA 407 N/M MSL TYPE	RK 114 5-178X NDB506 DT131,GX55TR	K266 Length 201mm (8.0)	3320207
K269 L/L TUSKER	 341mm (13.5) → Mating Part OD-63.4mm 16 SPL 34.92 X 126.2	TATA I710 SERIES, L/L 2516, 2214 INTER AXLE	RK 107 KKA741 RLL790,KF5110 NDB522,GX10 5-275X,DT105	K270 K311 Length 295mm (11.5)	INSKU-100727 P 450 3739
K269A L/L 2214 SPL 90	 359mm (14.0) → Mating Part OD-63.4mm 16 SPL 41.27 X 126	TATA I710 SERIES, L/L 3116,2516 BS III	RK 102 KKA744 RLL796,KF5120 NDB546,SPL90X DT106,GX600	K270 K311 Length 295mm (11.5)	P 450 3032 279000203
K278 TATA ACE	 160mm (6.25) → 22 SPL CROSS 23.82mm	TATA ACE OLD MODEL	RK 120 KKA754 5-170X KF5156	---- ----	INSKU-10074
K281 TATA ACE MAGIC	 149mm (6.0) → 22 SPL 22 X 55	TATA ACE N/M MAGIC	RK 121 TATA MAGIC KKA758 70011448 KF5142	---- ----	



PART No.	PRODUCT	APPLICATION	CROSS REF.	MATING R.TEETH	O.E.M REF.
K288	 195mm (7.75) → Mating Part OD-38.1mm 16 SPL 30.17 X 106	TATA 407 TURBO EX 709/909	RK 108 KKA748 RLL500 KF5181,NDB510 5-160X,DT117 GX60	K289 Length 230mm (9.0)	3-3-118 KX 264141110123
K310	 329mm (13.0) → Mating Part OD-63.4mm 16 SPL 49.2 X 154.8	TATA 4018, 1618, 3118, 2521 LPO 3118, LPT 2518 BS III, LPO BUS 1625,1618, 1623 L/L 2516 TIPPER, 4921, 3123, AMW 2515, 2518, MAN FORCE 25T NEW	RK 109 KKA745 5-280X,NDB553 DT110 GX5280	K311 Length 295mm (11.5)	6-3-2651KX 279-01-0067 2846-4112-0104
K310A	 355mm (14.0) → Mating Part OD-63.4mm 16 SPL 49.2 X 154.8	TATA 4018, 1618, 2518, 2521 1625,1623 (K310 TAPER DESIGN)	RK 109 KKA745 5-280X,NDB553 DT110 GX5280	K311 Length 295mm (11.5)	ID304972
K357	 305mm (12.0) → Mating Part OD-63.4mm 16 SPL 41.27 X 126	AMW 2518 INTERAXLE SHAFT SPICER TYPE	RK 102 KKA744 RLL796,KF5120 NDB546,Spl90x DT106,GX600	K358 R.TEETH WITH WELCH PLUG Length 362mm (14.25)	
K384	 240mm (9.5) → Mating Part OD-44.9mm 27 SPL (1 KNOCK OFF) 34.92 X 126.2	TATA LPT 1109 EX BS III	RK 107 KKA741 RLL790, KF5110 NDB522,5-275X DT105,GX10	K385 Length 274mm (10.75)	
K386	 197mm (8.0) → Mating Part OD-38.1mm 16 SPL 34.92 X 106	TATA 407 PICK UP	RK 115 NDB548N 5-188X,DT151	K387 Length 192mm (7.5)	
K389	 206mm (8.0) → Mating Part OD-47.1mm 22 SPL CROSS 38mm	TATA 709 TURBO	RK 103 KKA731 RTB490,5-1506X KF5101,NDB514 DT146,GX101	K390 Length 250mm (9.75)	

PART No.	PRODUCT	APPLICATION	CROSS REF.	MATING R.TEETH	O.E.M REF.
K428	 200mm (8.0) → Mating Part OD-38.1mm 16 SPL 34.92 X 126.2	TATA 407 TURBO N/M MSL	RK 107 KKA741 RLL790,KF5110 NDB522,GX10 5-275X,DT105	K289 Length 230mm (9.0)	
K431	 290mm (11.5) → Mating Part OD-45.9mm 28 SPL 34.92 X 126.2	EICHER TERRA, CHEETAH, VIKING	RK 107 KKA741 RLL790,KF5110 NDB522,GX10 5-275X,DT105	K432 Length 270mm (10.5)	
K470	 186mm (7.25) → Mating Part OD-34.9mm 16 SPL (INVOLUTE) 30.17 X 106	407 PICKUP	RK 108 KKA748 RLL500,KF5181 NDB510,5-160X DT117,GX60	K471 Length 230mm (9.0)	
K485	 325mm (12.75) → Mating Part OD-63.4mm 16 SPL 41.27 X 126	TATA L/L I/A 1710 SERIES	RK 102 KKA744 RLL796,KF5120 NDB546,SPL90X DT106,GX600	K311 Length 295mm (11.5)	
K507	 180mm (7.0) → 25 SPL 27 X 81.62	L/L DOST SLEEVE YOKE	RK 122	---- ----	
K510	 225mm (9.0) → Mating Part OD-39.65mm 24 SPL (2 KNOCK OFF) 34.92 X 106	TATA 709, 909	RK 115 NDB548N 5-188X,DT151	K511 Length 220mm (8.75)	
K534	 355mm (14.0) → Mating Part OD-63.4mm 16 SPL 41.27 X 126	L/L 3118 SPL 90 MSL TYPE SIMILAR K269A	RK 102 KKA744 RLL796, KF5120 NDB546,SPL90X DT106,GX600	K535(C) Length 323mm (12.75)	


PART No.	PRODUCT	APPLICATION	CROSS REF.	MATING R.TEETH	O.E.M REF.
K649 JCB	 199mm (8.0) Mating Part OD-39.85mm 16 SPL 34.92 X 106	JCB 3DX	RK 131	K650(C) LONG FORK Length 234mm (9.25)	
K657 JEEP	 27 X 81.80	TATA SUPER ACE	RK 118 KKA752 RTB1550,KF5133 NDB525A 5-200X		
K662 JEEP	 27 X 81.80	MAHINDRA MAXXIMO	RK 118 KKA752 RTB1550,KF5133 NDB525A 5-200X		
K761 L/L TUSKER	 200mm (8.0) Mating Part O.D. 39.85mm 16 SPL 34.92 X 126.2	SLEEVE YOKE TATA 407 NM 412/410	RK 107 KKA741 RLL790,KF5110, NDB522	K762 Length 247mm (9.75)	
K763 JEEP	 209mm (8.25) Mating Part O.D. 34.90mm 16 SPL (INVOLUTE) 27 X 81.80	TATA XENON YODHA 4X2 MSL DESIGN	RK 118 KKA741 RLL790,KF5110, NDB522	K764 (C) Length 232mm (9.25)	
K786 JCB	 246mm (9.75) Mating Part O.D. 39.85mm 16 SPL 34.92 X 106	SLEEVE YOKE DEFENCE JCB LONG	RK 131	K762 Length 247mm (9.75)	



TYPE 1
FULL SPLINES



TYPE 2
HALF SPLINES



TYPE 3
WITH CENTRE BEARING

No. OF SPLINES	PART DETAIL					PAGE No.
	PART No.	PIPE DIA (A)	LENGTH (L)	BEARING SIZE / No.	TYPE	
10 SPL O.D - 44.45mm (1.75)	K31, K31(C)	68.2mm (2.75)	223mm (8.75)	----	1	58
	K57, K57(C)	64mm (2.5)	224mm (8.75)	----	1	59
	K97, K97(C)	54mm (2.0)	212mm (8.25)	----	1	59
16 SPL (JEEP) O.D - 31.7mm (1.25)	K223R, K223R(C)	60.5mm (2.5)	143mm (5.5) or 176mm (7.0)	----	2	61
16 SPL (407 TURBO) O.D - 34.9mm (1.5)	K88, K88(C)	59.5mm (2.25)	198mm (8.0)	35mm / 88507	3	59
16 SPL INVOLUTE (TATA 407 O/M) O.D - 34.9mm (1.5)	K87, K87(C)	54mm (2.0)	168mm (6.5)	----	1	59
	K266, K266(C)	72.2mm (2.75)	201mm (8.0)	35mm / 88507	3	62
	K268A, K268A(C)	54mm (2.0)	226mm (9.0)	35mm / 6207	3	62
	K471, K471(C)	71.8mm (2.75)	230mm (9.0)	35mm / 88507	3	63
	K764 (C)	59.7mm (2.25)	232mm (9.25)	35mm / 88507	3	64
16 SPL (CANTER) O.D - 38.1mm (1.5)	K240, K240(C)	71.5mm (2.75)	170mm (6.75)	----	2	61
	K289, K289(C)	71.8mm (2.75)	230mm (9.0)	40mm / 88508	3	62
	K387, K387(C)	84.7mm (3.5)	192mm (7.5)	----	2	63
	K387A, K387A(C)	71.8mm (2.75)	192mm (7.5)	----	2	63
16 SPL (JCB) O.D - 39.85mm (1.5)	K762, K762(C)	70.0mm (2.75)	247mm (9.75)	40mm / 88508	3	64
16 SPL (TUSKER) O.D - 44.45mm (1.75)	~~K163, K163(C)~~	71.5mm (2.75)	200mm (8.0)	----	1,2	60
	K163A, K163A(C)	71.5mm (2.75)	200mm (8.0)	----	2	60
	~~K164, K164(C)~~	84.4mm (3.5)	200mm (8.0)	----	1,2	60
	K164A, K164A(C)	84.4mm (3.5)	200mm (8.0)	----	2	60
	K164B, K164B(C)	84.0mm (3.5)	222mm (8.75)	----	1,2	61
	K180, ~~K180(C)~~	71.5mm (2.75)	200mm (8.0)	----	1,2	61
	K181, ~~K181(C)~~	84.4mm (3.5)	200mm (8.0)	----	1,2	61
	K253, K253(C)	84.0mm (3.5)	254mm (10.0)	----	1,2	62
	K694(C)	84.4mm (3.5)	230mm (9.0)	45mm / 88509	3	64
16 SPL (1312) O.D - 50.8mm (2.0)	K8, K8(C)	84.0mm (3.5)	291mm (11.5)	----	1	58
	K8A, K8A(C)	84.0mm (3.5)	338mm (13.25)	----	1	58
	K144B, K144B(C)	95.0mm (4.0)	270mm (10.5)	----	1	59

Part No. STRIKETHROUGH with Red Colour is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

TATA

LEYLAND

JEEP

EICHER

No. OF SPLINES

PART DETAIL

PAGE No.

	PART No.	PIPE DIA (A)	LENGTH (L)	BEARING SIZE / No.	TYPE	
16 SPL (TAURUS) O.D - 50.8mm (2.0)	 K9B, K9B(C)	84.4mm (3.5)	313mm (12.25)	----	1,2	58
	 K144A, K144A(C)	95.0mm (4.0)	270mm (10.5)	----	1,2	59
	 ~~K145, K145(C)~~	95.0mm (4.0)	270mm (10.5)	----	1,2	59
	 K146A, K146A(C)	95.0mm (4.0)	225mm (9.0)	----	1,2	60
	 K146D, K146D(C)	82.7mm (3.5)	226mm (9.0)	----	1,2	60
	 K198, K198(C)	82.7mm (3.5)	226mm (9.0)	----	1,2	61
	 K199, K199(C)	82.7mm (3.5)	266mm (10.5)	----	1,2	61
16 SPL (4018) O.D - 63.4mm (2.5)	 K8B, K8B(C)	95.0mm (4.0)	265mm (10.5)	----	2	58
	 ~~K270, K270(C)~~	95.0mm (4.0)	295mm (11.5)	----	2	62
	 K311, K311(C)	95.0mm (4.0)	295mm (11.5)	----	2	62
	 K358B(C)	95.0mm (4.0)	295mm (11.5)	----	2	62
	 K535(C)	95.0mm (4.0)	323mm (12.75)	----	2	64
	 K597(C)	95.0mm (4.0)	295mm (11.5)	----	2	64
22 SPL O.D - 47.1mm (2.0)	 K390, K390(C)	64.0mm (2.5)	250mm (9.75)	50mm / 6210 OR 88510	3	63
24 SPL O.D - 39.65mm (1.5)	 K511, K511(C)	84.3mm (3.5)	220mm (8.75)	----	2	63
	 K695(C)	84.4mm (3.5)	267mm (10.5)	40mm / 88508	3	64
	 K731(C)	71.65mm (2.75)	218mm (8.5)	----	2	64
24 SPL (1312) O.D - 49.9mm (2.0)	 K251, K251(C)	84.0mm (3.5)	289mm (11.5)	----	1	62
27 SPL O.D - 44.9mm (1.75)	 K385, K385(C)	84.4mm (3.5)	274mm (10.75)	45mm / 88509	3	63
28 SPL O.D - 45.9mm (1.75)	 K9, K9(C)	84.4mm (3.5)	290mm (11.5)	----	2	58
	 K432, K432(C)	84.4mm (3.5)	270mm (10.5)	----	2	63
30 SPL O.D - 49.2mm (2.0)	 K9A, K9A(C)	84.4mm (3.5)	265mm (10.5)	----	2	58
	 K9B, K9B(C)	84.4mm (3.5)	313mm (12.25)	----	1,2	58
	 ~~K9C, K9C(C)~~	95.0mm (4.0)	270mm (10.5)	----	1,2	58
	 K144, K144(C)	95.0mm (4.0)	270mm (10.5)	----	1,2	59
	 K146, K146(C)	95.0mm (4.0)	225mm (9.0)	----	1,2	60
	 K146B, K146B(C)	84.0mm (3.5)	225mm (9.0)	----	1,2	60
	 K198(C)	82.7mm (3.5)	226mm (9.0)	----	2	61



Part No. STRIKETHROUGH with Red Colour is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.







TATA






LEYLAND





JEEP








EICHER

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING YOKE	O.E.M REF.
K8	K8(C)	 16 SPL	TATA 1312, 1612 2213/1510	K6 Length 265mm (10.5)	2576-412-2101
K8A	K8A(C)	 16 SPL	TATA 1312 LONG, 1612 (EXTRA LONG FOR INTERAXLE - 2516)	K6A Length 309mm (12.25)	6-40-541
K8B	K8B(C)	 16 SPL	AMW AL 3116, MINING TIPPER/ TATA LPO BUS 1623/ 1625/1628/ 3118/2516	K6B Length 281mm (11.0)	
K9	K9(C)	 28 SPL	TATA HYWA, 2515 & EX, 2516, 2518, L/L 2214, 2516, EICHER GALAXY 2516/1616/ VIKING 222/2214/33.25 GALAXY/LPT 2515/2518	K7 Length 315mm (12.5)	INSKU-100370
K9A	K9A(C)	 30 SPL	TATA LPK 10" THIN SPLINE, 2515 EX	K7A K141 Length 296mm (11.75)	INSKU-100524
K9B	K9B(C)	 30 SPL 16 SPL	TATA 2516 INTERAXLE TCAC 6 X 4 TIPPER	K7B Length 356mm (14.0)	INSKU-100447
K9C	K9C(C)	NOTE : Part No. K9C & K9C(C) are DISCONTINUED, replacement for these are Part No. K144 & K144(C) respectively.			
K31	K31(C)	 10 SPL	TATA 1210 SE	K30 Length 215mm (8.5)	312411702
TATA		LEYLAND	JEEP	EICHER	






PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING YOKE	O.E.M REF.
K57	K57(C)	 10 SPL	TATA 1210, 1109	K56 Length 207mm (8.0)	313 410 1908
K87	K87(C)	 16 SPL (INVOLUTE)	TATA 407	K85 Length 168mm (6.5)	
K88	K88(C)	 16 SPL	TATA 407 TURBO	K86 Length 168mm (6.5)	
K97	K97(C)	 10 SPL	TATA 407/1210 CONVT	K95 Length 207mm (8.0)	
K9C	K9C (C)				
K144	K144(C)	 30 SPL	10" (THIN SPLINE) L/L 2214/3516	K141 Length 296mm (11.75)	INSKU-100276
K145	K145 (C)				
K144A	K144A(C)	 16 SPL	10" (THICK SPLINES) L/L 2214, 3516, 2515EX, 2516,3516	K141A Length 296mm (11.75)	
K144B	K144B(C)	 16 SPL	TATA 2518 (1312 95 HEAD)	K6 Length 265mm (10.5)	
K145	K145(C)	NOTE : Part No. K145 & K145(C) are DISCONTINUED, replacement for these are Part No. K144A & K144A(C) respectively.			
TATA		LEYLAND	JEEP	EICHER	

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING YOKE	O.E.M REF.
KI46	KI46(C)	 30 SPL	TATA 1616, LP 1613, L/L 3516,3014 , 4018 LPS 3015 1210 LPS 3015 709 TILT CAB/ LPS 3516	KI43 Length 253mm (10.0)	
LEYLAND					
KI46A	KI46A(C)	 16 SPL	L/L 3516, (THICK SPLINE)	KI43A Length 253mm (10.0)	
LAELAND					
KI46B	KI46B(C)	 30 SPL	L/L 1613 TURBO, TATA 1613, 1616, LPK 2516/3515 OLD MODEL	KI43 Length 253mm (10.0)	
LEYLAND					
KI46D	KI46D(C)	 16 SPL	TATA 1613	KI43A Length 253mm (10.0)	
TATA					
KI63	KI63(C)	NOTE : Part No. KI63 & KI63(C) are DISCONTINUED, replacement for these are Part No. KI80 & KI80(C) respectively.			
LEYLAND					
KI63A	KI63A(C)	 16 SPL	L/L 350/370, BEDFORD,	KI62 202mm (8.0) KI79 207mm (8.0)	
LEYLAND					
KI64	KI64(C)	NOTE : Part No. KI64 & KI64(C) are DISCONTINUED, replacement for these are Part No. KI81 & KI81(C) respectively.			
LEYLAND					
KI64A	KI64A(C)	 16 SPL	L/L 350/370 BEDFORD TATA 1510 TC	KI62 202mm (8.0) KI79 207mm (8.0)	
LEYLAND					
TATA		LEYLAND	JEEP	EICHER	


PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING YOKE	O.E.M REF.
KI64B	KI64B(C)	 16 SPL	L/L TURBO STAG, E-COMET, 912, CT 1613	KI79A Length 246mm (9.75)	
KI63	KI63(C)				
KI80	KI80(C)	 16 SPL Note: Part No. K180 (C) is Discontinued, Replacement for this is Part No. K163A (C)	L/L TUSKER, L/L 350/370, BEDFORD	KI62 202mm (8.0) KI79 207mm (8.0)	
KI64	KI64(C)				
KI81	KI81(C)	 16 SPL Note: Part No. K181 (C) is Discontinued, Replacement for this is Part No. K164A (C)	L/L TUSKER, L/L 350/370, BEDFORD, TATA 1510 TC	KI62 202mm (8.0) KI79 207mm (8.0)	
KI98	KI98(C)	 16 SPL 30 SPL	L/L TAURUS	KI96 (16 SPL) Length 240mm (9.5)	
KI99	KI99(C)	 16 SPL	L/L 2516,3516	KI97 Length 269mm (10.5)	
K223R	K223R(C)	 16 SPL	JEEP DIESEL (6" OR 7")	K223S Length 166mm (6.5)	
K240	K240(C)	 16 SPL	CANTER EICHER	K238 Length 194mm (7.5)	
TATA		LEYLAND	JEEP	EICHER	

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING YOKE	O.E.M REF.
K251	K251(C)	 24 SPL	TATA 1613 TURBO/1109	K250 Length 265mm (10.5)	
K253	K253(C)	 16 SPL	L/L STAG, E. COMET BUS	K252 Length 265mm (10.5)	
K266	K266(C)	 16 SPL (INVOLUTE)	TATA 407 TURBO N/M MSL TYPE	K265 Length 170mm (6.75)	
K268A	K268A(C)	 16 SPL (INVOLUTE)	TATA 407 TURBO N/M	K85 Length 168mm (6.5)	
K270	K270(C)	NOTE : Part No. K270 & K270(C) are DISCONTINUED, replacement for these are Part No. K311 & K311(C) respectively.			
K289	K289(C)	 16 SPL	TATA 407 TURBO EX/709/909	K288 Length 195mm (7.75)	INSKU-100214
K270	K270(C)	 16 SPL	TATA 3118, 4018 EXTRA LONG, LPT 2518 BS III, 2521, LPO BUS 1623, L/L 2516, 4921, 3116, AMW 2518	K310 329mm (13.0) K269 341mm (13.5)	6-40-521 279-00-0234
----	K358B(C)	 16 SPL	TATA 4018, LPO 3118, LPT 2518 BS III, 2521, L/L 2516, 4921, 3116, AMW 2518	K269A Length 359mm (14.0)	
TATA		LEYLAND	JEEP	EICHER	


PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING YOKE	O.E.M REF.
K385	K385(C)	27 SPL	TATA LPT I 109 EX BSIII	K384 Length 240mm (9.5)	
K387	K387(C)	16 SPL	TATA 407 PICK UP	K386 Length 197mm (8.0)	
K387A	K387A(C)	16 SPL	EICHER, CANTER 11.10, 11.10-XP	K386 Length 197mm (8.0)	
K390	K390(C)	22 SPL	TATA 709 TURBO	K389 Length 206mm (8.0)	
K432	K432(C)	28 SPL	EICHER TERRA	K431 Length 290mm (11.5)	
K471	K471(C)	16 SPL (INVOLUTE)	407 PICKUP	K470 Length 186mm (7.25)	
K511	K511(C)	24 SPL	TATA 909	K510 Length 225mm (9.0)	
TATA		LEYLAND	JEEP	EICHER	

PART No. W/O Coating With Coating		PRODUCT	APPLICATION	MATING YOKE	O.E.M REF.
----	K535(C)	 16 SPL	L/L 3118, 3116,2516 BSIII MSL TYPE LONG 4018	K534 Length 355mm (14.0)	
----	K597(C)	 16 SPL	TATA 4018, 2516, 4921, 3123, 25T, LPO1618, LPT 3118, 2518	K534 Length 355mm (14.0)	279-01-0077
----	K694 (C)	 16 SPL	TATA SFC 709X BSIII MSL	K179 Length 207mm (8.0)	
----	K695 (C)	 24 SPL	TATA 709/909	K510 Length 225mm (9.0)	
----	K731 (C)	 24 SPL	EICHER E-2	K510 Length 225mm (9.0)	
K762	K762 (C)	 16 SPL	REAR TEETH TATA 407 412/410 MSL TYPE	K761 Length 200mm (8.0)	
.....	K764 (C)	 16 SPL (INVOLUTE)	TATA XENON YODHA 4X2 MSL DESIGN	K763 Length 209mm (8.25)	
TATA		LEYLAND	JEEP	EICHER	


TUBE YOKE / HALF YOKE



TYPE 1
OUTER LOCK TYPE



TYPE 2
INNER LOCK TYPE



STRAP BOLTED/PATTI TYPE

UJ CROSS			PART DETAIL				PAGE No.
CROSS SIZE	SERIES	PART No.	PIPE DIA. (A)	HEIGHT	TYPE		
22 X 55	TATA ACE MAGIC (N/M)	RK 121 KKA758, 700I 1448, KF5142	K283	41.3mm (1.5)	69.0mm (2.75)	I	70
CROSS 23.82mm	TATA ACE (O/M)	RK 120 KKA754, 5-170X KF5156	K280	41.3mm (1.5)	89.5mm (3.5)	2	70
23.82 X 61.3	AMBASSADOR		K219	60.5mm (2.25)	66.0mm (2.5)	I	69
27 X 81.62	L/L DOST	RK 122	K506	46.5mm (1.75)	81.0mm (3.25)	I	72
27 X 81.8	JEEP	RK 118 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	K225 K226 K396 K659 K664 K698	61.3mm (2.5) 41.2mm (1.5) 71.3mm (2.75) ----mm (2.5) ----mm (2.25) 66.3mm (2.5)	84.0mm (3.25) 88.0mm (3.5) 79.0mm (3.0) 71.0mm (2.75) 80.0mm (3.25) -----	I I I I I I	69 69 71 73 73 73
30 X 81.8	TATA 407 (O/M)	RK 113 KKA750, RTB830 KF5155, NDB530 DT121, GX02	K90	54.0mm (2.0)	95.0mm (3.75)	I	67
30.17 X 92	407 MSL TYPE	RK 114 5-178X, NDB506 DT131, GX55TR	K290A	71.5mm (2.75)	97.0mm (4.0)	I	71
30.17 X 106	CANTER	RK 108 KKA748, RLL500, KF5181, NDB510, 5-160X DT117, GX60	K242 K290	71.5mm (2.75) 71.5mm (2.75)	97.5mm (4.0) 93.0mm (3.75)	I I	69 71
34.92 X 106	TATA 407 PICKUP	RK 115 NDB548N 5-188X DT151	K392 K392A	84.0mm (3.5) 72.0mm (2.75)	95.0mm (3.75) 95.0mm (3.75)	I I	71 71
34.92 X 126.2	L/L TUSKER	RK 107 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	K13B K184 K185 K337	95.0mm (4.0) 71.5mm (2.75) 84.2mm (3.5) 84.15mm (3.5)	110.0mm (4.25) 109.0mm (4.25) 103.0mm (4.0) 111.0mm (4.5)	I I I I	67 69 69 71



Part No. STRIKETHROUGH with **Red Colour** is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

UJ CROSS		PART DETAIL				PAGE No.
CROSS SIZE	SERIES	RK 103	PART No.	PIPE DIA. (A)	HEIGHT	TYPE
CROSS 38mm	TATA 1210	KKA731	K33	68.2mm (2.75)	120.0mm (4.75)	2
		RTB490,5-1506X	K59	64.0mm (2.5)	122.0mm (4.75)	2
		KF5101,NDB514	K96	54.0mm (2.0)	119.0mm (4.75)	2
		DT146,GX101				
39.68 X 115.4	L/L 370	RK 110 KKA736 RLL493, KF5111 NDB505, DT113 GX06	K165	71.5mm (2.75)	123.0mm (4.75)	1
			K166	84.2mm (3.5)	131.0mm (5.0)	1
41.27 X 126	L/L 2214 SPL 90	RK 102 KKA744 RLL796,KF5120 NDB546,SPL 90X DT106,GX600	K149	95.0mm (4.0)	130.0mm (5.0)	1
			K149A	95.0mm (4.0)	139.0mm (5.5)	1
			K149B	84.0mm (3.5)	132.0mm (5.25)	1
			K150	97.0mm (4.0)	130.0mm (5.0)	1
42 X 119	RSB 325 RSB 325 HS	RK 104 KKA746,KF5123 NDB 554 263241100117 DT109, GX151, S203325201202	K260	84.0mm (3.5)	131.0mm (5.25)	1
			K261A	95.0mm (4.0)	133.0mm (5.25)	1
42 X 129	RSB 403 MSL 403	RK 105 KKA747,KF5121 NDB 556 217141120127 DT132,GX152, S203403201202	K261	95.0mm (4.0)	139.0mm (5.5)	1
			K261B	95.0mm (4.0)	148.0mm (6.0)	1
CROSS 46mm	TATA 1312 RSB 135	RK 101 KKA734 INSKU100233 RTB690, KF5103 NDB526, DT102 GX104	K12	72.0mm (2.75)	136.0mm (5.25)	2
			K13	84.0mm (3.5)	136.0mm (5.25)	2
47.62 X 135	L/L TAURUS	RK 111 KKA743A RLL793,KF5119 NDB 536 DT112,GX08	K201	82.5mm (3.25)	156.0mm (6.0)	1
47.68 X 135	SPR 2040 MSL 2040	RK 112 SDUJ2040L135R NDB569	K472	91.35mm (3.5)	154.0mm (6.0)	1
			K630	114.35mm (4.5)	140.0mm (5.5)	1
			K704	95.0mm (4.0)	156.0mm (6.25)	1
48 X 135	RSB 490 RSB 490M	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	K262	95.0mm (4.0)	148.0mm (5.75)	1
			K388	95.0mm (4.0)	148.0mm (5.75)	1
			K780	114.4mm (4.5)	140.0mm (5.5)	1
48 X 152	RSB 585	RK 119 S203585201202	K740	95.0mm (4.0)	151.5mm (6.0)	1
49.20 X 154.80	TATA 4018 (PATTI TYPE)	RK 109 KKA745 5-280X,NDB 553 DT110,GX5280	K13A	95.0mm (4.0)	142.0mm (5.5)	STRAP BOLTED/ PATTI TYPE
52 X 133		RK 132 NDB559	K473	95.0mm (4.0)	147.5mm (6.0)	1
52 X 147	RSB 590 SPR 2045 SPR 2047	RK 116 216741120159, SCP590X, SDUJ2045L147L, S243590242202	K474	112.35mm (4.5)	160.0mm (6.25)	1
			K541	95.0mm (4.0)	158.0mm (6.25)	1
			K616	100.3mm (4.0)	161.0mm (6.25)	1
57 X 152	RSB 620 SPR 2055	RK 117 281941120104 SCPR20X SDUJ2055L152L	K475	112.35mm (4.5)	160.0mm (6.25)	1
57 X 172.5	RSB 680		K774	130.4mm (5.0)	173.0mm (6.75)	1
59 X 167.7	SPR 2060	RK 129 SDUJ2060L168L	K476	118.4mm (4.75)	166.0mm (6.5)	1
65 X 172	SPR 2065	RK 134	K692	130.4mm (6.0)	178.0mm (7.0)	1

Part No. STRIKETHROUGH with **Red Colour** is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K12 TATA I312	 136mm (5.25) 72mm (2.75) CROSS 46mm	TATA I312 (72 MM)	RK 101 KKA734 INSKU100233 RTB690, KF5103 NDB526, DT102 GX104	
K13 TATA I312	 136mm (5.25) 84mm (3.5) CROSS 46mm	TATA I312 (90 MM), LPK 2516	RK 101 KKA734 INSKU100233 RTB690, KF5103 NDB526, DT102 GX104	257641115109
K13A TATA 4018 (PATTI TYPE)	 142mm (5.5) 95mm (4.0) 49.2 X 154.8	TATA 4018, 3118 L.PO 1623, 1618, 1615, 1625, L/L 2515 3213, 3118, MAN25T	RK 109 KKA745 5-280X,NDB553 DT110 GX5280	6-28-347 279000226
K13B L/L TUSKER	 110mm (4.25) 95mm (4.0) 34.92 X 126.2	TATA, L/L INTERAXLE 1710 SERIES, L/L 2516, 2514, TIPPER INTERAXLE	RK 107 KKA741 RLL790,KF5110 NDB 522,5-275X DT105,GX10	INSKU- 1009663/975
K33 TATA I210	 120mm (4.75) 68.2mm (2.75) CROSS 38mm	TATA I210 SE	RK 103 KKA731 RTB490, 5-1506X KF5101, NDB514 DT146, GX101	257341115115
K59 TATA I210	 122mm (4.75) 64mm (2.5) CROSS 38mm	TATA I210	RK 103 KKA731 RTB490, 5-1506X KF5101, NDB514 DT146, GX101	257341115115
K90 TATA 407 (O/M)	 95mm (3.75) 54mm (2.0) 30 X 81.80	TATA 407	RK 113 KKA750 RTB 830, KF5155 NDB 530,DT121 GX02	


TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X133	AMBASSADOR	
TATA I312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA I210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	RSB 680

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K96 TATA 1210	 CROSS 38mm 119mm (4.75) 54mm(2.0)	TATA 407/ 1210 CONV.T.	RK 103 KKA731 RTB490, 5-1506X KF5101, NDB514 DT146, GX101	
K149 L/L 2214 SPL 90	 41.27 X 126 130mm (5.0) 95mm(4.0)	TATA TATA 2515 EX, 1616, L/L 2214, 2516, 3516, EICHER GALAXY, AMW	RK 102 KKA744 RLL796, KF5120 NDB 546 SPL 90X, GX600	90-28-27 P 450 0632 279000232
K149A L/L 2214 SPL 90	 41.27 X 126 139mm (5.5) 95mm(4.0)	TATA 2518 SPL 90	RK 102 KKA744 RLL796,KF5120 NDB 546 SPL 90X, GX600	279000158
K149B L/L 2214 SPL 90	 41.27 X 126 132mm (5.25) 84.mm(3.5)	TATA 2515, 2516, 1615, Ex 1616, L/L 2214,2516,3516	RK 102 KKA744 RLL796,KF5120, NDB 546,SPL 90X DT106,GX600	INSKU-100232
K150 L/L 2214 SPL 90	 41.27 X 126 130mm (5.0) 97mm(4.0)	L/L 2214	RK 102 KKA744 RLL796, KF5120 NDB 546 SPL 90X, GX600	90-28-17
K165 L/L 370	 39.68 X 115.4 123mm (4.75) 71.5mm(2.75)	L/L 350/370, 3" BEDFORD J-4,J-6	RK 110 KKA736 RLL493, KF5111 NDB 505, DT113 GX06	K4-26-GB-477
K166 L/L 370	 39.68 X 115.4 131mm (5.0) 84.2mm(3.5)	L/L 350/370, 3.5" BEDFORD	RK 110 KKA736 RLL493, KF5111 NDB 505, DT113 GX06	K4-26-GB-577 K4-26-GB-547


TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X133	AMBASSADOR	
TATA 1312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA 1210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	RSB 680

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K184 L/L TUSKER	 34.92 X 126.2	L/L TUSKER 3" EICHER 11.10 XP	RK 107 KKA741 RLL790, KF5110 NDB 522 5-275X, DT105 GX10	P 1500 114 F2134011
K185 L/L TUSKER	 34.92 X 126.2	L/L TUSKER 3.5 TATA 1510 TC, 1109 BS III, EICHER 20.16, TERRA 16	RK 107 KKA741 RLL790, KF5110 NDB 522 5-275X, DT105 GX10	P 1500 114 F2134311 P4200234
K201 L/L TAURUS	 47.62 X 135	L/L TAURUS	RK 111 KKA743A RLL793, KF5119 NDB 536, DT112 GX08	90-28-27
K219 AMBASSADOR	 23.82 X 61.3	AMBASSADOR		
K225 JEEP	 27 X 81.8	JEEP DIESEL	RK 118 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	
K226 JEEP	 27 X 81.8	JEEP PETROL	RK 118 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	
K242 CANTER	 30.17 X 106	CANTER	RK 108 KKA748 RLL500, KF5181 NDB 510 5-160X, DT117 GX60	



TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X 133	AMBASSADOR	
TATA 1312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA 1210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	RSB 680

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K260 RSB 325	 131mm (5.25) 84mm (3.5) 42 X 119	TATA- LP 1512, 2515 EX, LPT 1613.	RK 104 KKA746,KF5123 NDB 554 263241100117 DT109,GX151, S203325201202	2632 4110 5106
K261 RSB 403	 139mm (5.5) 95mm (4.0) 42 X 129	TATA-2518, LPT 1613, LPT 1615, SK 1613, SK-1613, LPK1518, SK1613, LPK1616, LPK 1618.	RK 105 KKA747,KF5121 NDB 556 217141120127 DT132,GX152, S203403201202	217141125105
K261A RSB 325	 133mm (5.25) 95mm (4.0) 42 X 119	LPK 2516 (GB 60), LPO 1618, LPT 2518, LPT 1613, LPO 1512, SK/SE 1613	RK 104 KKA746,KF5123 NDB 554 263241100117 DT109,GX151, S203325201202	
K261B RSB 403	 148mm (6.0) 95mm (4.0) 42 X 129	TATA 2516, 2518 (EXTRA LONG), LP1512,LPT 1613 LPK 1518,LPK 1616, 1613, 1621,2528 INTERAXLE	RK 105 KKA747,KF5121 NDB 556 217141120127 DT132,GX152, S203403201202	216741125106
K262 RSB 490	 148mm (5.75) 95mm (4.0) 48 X 135	RSB 4018 (490 SERIES)	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	216141125102
K280 TATA ACE (O/M)	 89.5mm (3.5) 41.3mm (1.5) CROSS 23.82mm	TATA ACE	RK 120 KKA754 5-170X, KF5156	
K283 TATA ACE MAGIC	 69mm (2.75) 41.3mm (1.5) 22 X 55	TATA ACE N/M MAGIC	RK 121 KKA758 70011448,KF5142	50104995016513



TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X 133	AMBASSADOR	
TATA 1312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA 1210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	RSB 680

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K290 CANTER	 93mm (3.75) 71.5mm (2.75) 30.17 X 106	TATA 407, TURBO 709, 909, EICHER, CANTER N-M, CARGO , SWARAJ MAZDA	RK 108 KKA748 RLL500, KF5181 NDB 510, 5-160X DT117,GX60	3-28-267
K290A 407 MSL TYPE	 97mm (4.0) 71.5mm (2.75) 30.17 X 92	TATA 407 TML/MSM 900	RK 114 5-178X, NDB506 DT131,GX55TR	
K337 L/L TUSKER	 111mm (4.5) 84.15mm (3.5) 34.92 X 126.2	TATA 1109	RK 107 KKA741 RLL790, KF5110 NDB522,5-275X DT105,GX10	
K388 RSB 490	 148mm (5.75) 95mm (4.0) 48 X 135	TATA 4018 RSB EXTRA LONG	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	
K392 TATA 407 PICK UP	 95mm (3.75) 84mm (3.5) 34.92 X 106	TATA 407 PICK UP, 712	RK 115 NDB548N 5-188X DT151	
K392A TATA 407 PICK UP	 95mm (3.75) 72mm (2.75) 34.92 X 106	TATA 407 PICK UP	RK 115 NDB548N 5-188X DT151	
K396 JEEP	 79.0mm (3.0) 71.3mm (2.75) 27 X 81.8	JEEP MAXX	RK 118 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	


TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X 133	AMBASSADOR	
TATA 1312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA 1210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	RSB 680

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K472 SPR 2040	 154mm (6.0) 91.35mm (3.5) 47.68 X 135	TATA LPS 4928, LPTA 3138, LPK 2528, LPTA 1623, 1828, TIPPER LPT 3721 L/L3119N, BHARAT BENZ 2523C, 2528C, 3128C, 4928TT	RK 112 SDUJ2040LI35R NDB569	66874070802040261
K473 52 X 133	 147.5mm (6.0) 95mm (4.0) 52 X 133	TATA LPS 4028, LPK 3128, L/L 3123 BHARAT BENZ 2523C 4023TT, EICHER TERRA 25T, MAN CLA 18.28	RK 132 NDB559	66874570802030273
K474 SPR 2047	 160mm (6.25) 112.35mm (4.5) 52 X 147	TATA- 4923.S, LPK 1615, LPK 1618, LPK 1623, LPK 2518, LPK 2518HD, LPK 3118, LPT 1613, LPT 1615, LPT 1617, LPT 2518, LPT 2521, LPT 2523, LPT 2821, LPT 3121, LPT 3718, LPT 3721, LPT 4318, LPT 4123, LPT 4325, LPT 4823, LPT 4423, LPTK 3618, LPTK 3718, PRIMA 4028, PRIMA 4225., PRIMA 43, PRIMA LX 2523, PRIMA LX 2525, PRIMA LX 3525, SIGNA 4323, SIGNA 4623.	RK 116 2167 4112 0159, SCP590X, SDUJ2045LI47L, S243590242202	66874570802070273 886341000020
K475 SPR 2055	 160mm (6.25) 112.35mm (4.5) 57 X 152	TATA LPTA-1628, 2038-L/L 4936, BHARAT BENZ LTPA-1628, LTPA 2038	RK 117 281941120104, SCPR20X, SDUJ2055LI52L, S203620201202	66875570802000294 5011 4112 5103
K476 SPR 2060	 166mm (6.5) 118.4mm (4.75) 59 X 167.7	TATA LPK 3138, LPK 2538, LPO 2138, L/L-FV-2636, FV-3136, EICHER 40T TIPPER, MAN 31.28	RK 129 SDUJ2060LI68L	66876070802000310
K506 L/L DOST	 81.0mm (3.25) 46.5mm (1.75) 27 X 81.62	L/L DOST	RK 122	
K541 RSB 590 H	 158mm (6.25) 95mm (4.0) 52 X 147	RSB 590	RK 116 2167 4112 0159, SCP590X, SDUJ2045LI47L, S243590242202	

TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X 133	AMBASSADOR	
TATA 1312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA 1210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	RSB 680

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K616 SPR 2047	 161mm (6.25) 100.3mm(4.0) 52 X 147	FV 2636 6X4 TIPPER/ EXPORT-FV 3136 TP:BENZ 312C_Mining TIPPER 8X4 4500WB: Eicher 40T Tipper TATA LPK 3138/ LPTA 1628/LPK 2538/LPTA 2038/ LPT 3721, 3723/LHD/RHDLPK 2528/LPK 2521,2523	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	
K630 SPR 2040	 140mm (5.5) 114.35mm(4.5) 47.68 X 135	TATA LPS 4928, LPTA 3138, LPK528 L/L3119N,BHARAT BENZ 2523C, 2528C,3128C,4928TT	RK 112 SDUJ2040L135R NDB569	
K659 JEEP	 71mm (2.75) ---mm (2.5) 27 X 81.8	TATA SUPER ACE	RK 118 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	
K664 JEEP	 80mm (3.25) ---mm (2.25) 27 X 81.8	MAHINDRA MAXXIMO	RK 118 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	
K692 SPR 2065	 178mm (7.0) 130.4mm(6.0) 65 X 172	HALF YOKE EICHER PRO 8000, 65MM	RK 134	
K698 JEEP	 66.3mm(2.5) 27 X 81.8	JEEP SCORPIO 2W & 4W, MAXXI TRUCK	RK 118 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	3228902
K704 SPR 2040	 156mm (6.25) 95mm(4.0) 47.68 X 135	HALF YOKE TATA 3118/ L/L 3119	RK 112 SDUJ2040L135R NDB569	

TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X 133	AMBASSADOR	
TATA 1312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA 1210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	RSB 680

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K740 RSB 585	 48 X 152	L/L U4923	RK 119	
K774 RSB 680	 57 X 172.5	RSB 680 AL 3532/4932- EICHER PRO8000		
K780 RSB 490M	 48 X 135	RSB 490M	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	

TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X 133	AMBASSADOR	
TATA 1312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA 1210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	RSB 680



TYPE 1

INNER LOCK TYPE




TYPE 2

OUTER LOCK TYPE ROUND



SQUARE TYPE



SERRATED TYPE

UJ CROSS			PART DETAIL						PAGE No.
CROSS SIZE	SERIES	PART No.	FLANGE HOLES DETAIL	BOLT No.	PLATE DIA (D)	HEIGHT	TYPE		
22 X 55	TATA ACE MAGIC (N/M)	RK 121 KKA758 70011448 KF5142	K282	4 Holes of 8.2mm	13 No.	SQR	65.0mm (2.5)	SQUARE	80
CROSS 23.82mm	TATA ACE (O/M)	RK 120 KKA754 5-170X KF5156	K279	4 Holes of 8.2mm	13 No.	SQR	66.0mm (2.5)	SQUARE	80
23.82 X 61.3	AMBASSADOR		K218	4 Holes of 8.2mm	13 No.	86mm (3.5)	52mm (2.0)	2	79
27 X 81.62	L/L DOST	RK 122	K505	4 Holes of 10.2mm	17 No.	SQR	65.0mm (2.5)	SQUARE	85
27 X 81.8	JEEP	RK 118 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	K227	4 Holes of 10.2mm	17 No.	97mm (3.75)	63.0mm (2.5)	2	79
			K395	4 Holes of 9.7mm	15 No.	SQR	62.0mm (2.5)	SQUARE	84
			K658	4 Holes of 8.2mm	13 No.	SQR	----	SQUARE	87
			K663	4 Holes of 8.2mm	13 No.	SQR	----	SQUARE	87
30 X 81.80	TATA 407 (O/M)	RK 113 KKA750, RTB830 KF5155, NDB530 DT121, GX02	K91	6 Holes of 8.2mm	13 No.	100mm (4.0)	73.0mm (3.0)	2	78
30.17 X 92	407 MSL TYPE	RK 114 5-178X, NDB506 DT131, GX55TR	K264	6 Holes of 8.2mm	13 No.	100mm (4.0)	70.0mm (2.75)	2	79
30.17 X 106	CANTER	RK 108 KKA748 RLL500, KF5181 NDB510, 5-160X DT117, GX60	K241	4 Holes of 12.2mm	19 No.	SQR	75.0mm (3.0)	SQUARE	79
			K291	6 Holes of 10.2mm	17 No.	120mm (4.75)	87.0mm (3.5)	2	80
			K369	4 Holes of 11.1mm	18 No.	120mm (4.75)	82.0mm (3.25)	SERRATED	83
			K561	4 Holes of 11.1mm	18 No.	120mm (4.75)	61.0mm (2.5)	2	86
34.92 X 106	TATA 407 PICKUP	RK 115 TATA407 PICK-UP, NDB548N 5-188X, DT151	K291A	6 Holes of 10.2mm	17 No.	120mm (4.75)	88.0mm (3.5)	2	80
			K571	4 Holes of 11.1mm	18 No.	120mm (4.75)	89.0mm (3.5)	SERRATED	86
			K793	4 Holes of 11.1mm	18 No.	120mm (4.75)	85.0mm (3.25)	SERRATED	87
34.92 X 106	JCB	RK 131	K651	4 Holes of 13.0mm	19 or 21 No.	SQR	76.5mm (3.0)	SQUARE	86
34.92 X 126.2	L/L TUSKER	RK 107 KKA741 RLL790, KF5110 NDB522, 5-275X DT105, GX10	K14B	4 Holes of 12.8mm	21 No.	SQR	105mm (4.0)	SQUARE	77
			K186	4 Holes of 12.8mm	21 No.	SQR	80.0mm (3.0)	SQUARE	79
			K335	8 Holes of 10.2mm	17 No.	130mm (5.0)	115mm (4.5)	2	82
			K335A	6 Holes of 10.2mm	17 No.	120mm (4.75)	90.0mm (3.5)	2	82
			K375	4 Holes of 11.1mm	18 No.	120mm (4.75)	91.0mm (3.5)	SERRATED	84
			K542	4 Holes of 13.0mm	19 No.	150mm (6.0)	93.0mm (3.75)	SERRATED	85
CROSS 38mm	TATA 1210	RK 103 KKA731 RTB490, 5-1506X KF5101, NDB514 DT146, GX101	K60	6 Holes of 10.2mm	17 No.	120mm (4.75)	90.0mm (3.5)	1	78
			K60A	8 Holes of 10.2mm	17 No.	130mm (5.0)	90.0mm (3.5)	1	78
39.68 X 115.4	L/L 370	RK110 KKA736, RLL493 KF5111, NDB 505 DT113, GX06	K167	4 Holes of 12.8mm	21 No.	146mm (6.0)	98.0mm (4.0)	2	79

Part No. STRIKETHROUGH with Red Colour is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

UJ CROSS			PART DETAIL						PAGE No.	
CROSS SIZE	SERIES		PART No.	FLANGE HOLES DETAIL	BOLT No.	PLATE DIA (D)	HEIGHT	TYPE		
41.27 X 126	L/L 2214 SPL 90	RK 102	K14C	8 Holes of 12.2mm	19 No.	150mm (6.0)	116mm (4.5)	2	77	
		KKA744	K14EX	8 Holes of 10.2mm	17 No.	130mm (5.0)	113mm (4.5)	2	77	
		RLL796	K151	8 Holes of 9.7mm	15 No.	175mm (7.0)	116mm (4.5)	2	78	
		KF5120	K285	4 Holes of 13.0mm	19 No.	150mm (6.0)	104mm (4.0)	SERRATED	80	
		NDB 546	K299	4 Holes of 12.8mm	21 No.	SQR	105mm (4.25)	SQUARE	81	
		SPL 90X	K370	4 Holes of 13.0mm	19 No.	150mm (6.0)	118mm (4.75)	SERRATED	83	
		DT106	K373	8 Holes of 16.2mm	24 No.	165mm (6.5)	133mm (5.25)	2	83	
		GX600	K374	4 Holes of 11.1mm	18 No.	130mm (5.0)	107mm (4.25)	SERRATED	83	
42 X 119	RSB 325 RSB 325 HS	RK 104	K14FX	8 Holes of 10.2mm	17 No	130mm (5.0)	114mm (4.5)	2	77	
		KKA746	K276	8 Holes of 12.2mm	19 No.	150mm (6.0)	107mm (4.25)	2	80	
		KF5123, NDB 554	K329	4 Holes of 11.1mm	18 No.	130mm (5.0)	107mm (4.25)	SERRATED	82	
		2632 4110 0117	K329A	4 Holes of 13.0mm	19 No.	150mm (6.0)	110mm (4.25)	SERRATED	82	
		DT109, GX151	K581	4 Holes of 13.0mm	19 No.	150mm (6.0)	128mm (5.0)	SERRATED	86	
42 X 129	RSB 403 MSL 403	RK 105	K14G	8 Holes of 16.2mm	24 No.	165mm (6.5)	133mm (5.25)	2	78	
		KKA747	K292	4 Holes of 13.0mm	19 No.	150mm (6.0)	128mm (5.0)	SERRATED	81	
		KF5121, NDB 556	K292A	4 Holes of 13.0mm	19 No.	150mm (6.0)	110mm (4.25)	SERRATED	81	
		2171 4112 0127	K298	8 Holes of 12.2mm	19 No.	150mm (6.0)	116mm (4.5)	2	81	
		DT132, GX152	K368	8 Holes of 9.7mm	15 No.	175mm (7.0)	136mm (5.5)	2	83	
CROSS 46mm	TATA 1312 RSB 135	RK 101	K14	8 Holes of 10.2mm	17 No.	130mm (5.0)	114mm (4.5)	1	77	
		KKA734	K14A	6 Holes of 10.2mm	17 No.	120mm (4.75)	114mm (4.5)	1	77	
		INSKU100233	K14H	8 Holes of 12.2mm	19 No.	150mm (6.0)	124mm (5.0)	1	78	
		RTB690, KF5103	K274	8 Holes of 10.2mm	17 No.	130mm (5.0)	116mm (4.5)	1	80	
		NDB526, DT102	K782	4 Holes of 11.1mm	18 No.	120mm (4.75)	99mm (4.0)	SERRATED	87	
47.62 X 135	L/L TAURUS	RK 111								
		KKA743A, RLL793, KF5119, NDB 536, DT112, GX08	K202	8 Holes of 9.7mm	15 No.	175mm (7.0)	110mm (4.25)	2	79	
47.68 X 135	SPR 2040 MSL 2040	RK 112	K478	4 Holes of 13.0mm	19 No.	150mm (6.0)	138mm (5.5)	SERRATED	84	
		SDUJ2040L135R	K543	4 Holes of 15.0mm	22 No.	180mm (7.0)	130mm (5.0)	SERRATED	85	
		NDB569	K631	4 Holes of 15.0mm	22 No.	180mm (7.0)	115mm (4.5)	SERRATED	86	
			K637	4 Holes of 13.0mm	19 No.	150mm (6.0)	119mm (4.75)	SERRATED	86	
48 X 135	RSB 490 RSB 490M	RK106	K14-I	8 Holes of 16.2mm	24 No.	165mm (6.5)	125mm (5.0)	2	78	
		KKA757	K294	4 Holes of 13.0mm	19 No.	150mm (6.0)	119mm (4.75)	SERRATED	81	
		KF5122,NDB555	K331	4 Holes of 13.0mm	19 No.	150mm (6.0)	133mm (5.25)	SERRATED	82	
		2167 4112 0105	K371	4 Holes of 15.0mm	22 No.	180mm (7.0)	112mm (4.5)	SERRATED	83	
		DT133, GX153	K372	4 Holes of 15.0mm	22 No.	180mm (7.0)	126mm (5.0)	SERRATED	83	
48 X 152	RSB 585	RK 119	K739	4 Holes of 15.0mm	22 No.	180mm (7.0)	135mm (5.25)	SERRATED	87	
49.20 X 154.80	TATA 4018 (PATTI TYPE)	RK109	K14D	8 Holes of 16.2mm	24 No.	165mm (6.5)	134mm (5.25)	ROUND	77	
		KKA745	K295	4 Holes of 13.0mm	19 No.	150mm (6.0)	113mm (4.5)	SERRATED	81	
		5-280X, NDB 553	K295A	4 Holes of 15.0mm	22 No.	180mm (7.0)	120mm (4.75)	SERRATED	81	
		DT110, GX5280	K304	4 Holes of 13.0mm	19 No.	150mm (6.0)	115mm (4.5)	SERRATED (W/O PATTI TYPE)	82	
			K330	12 Holes of 12.2mm	19 No.	200mm (8.0)	109mm (4.25)	ROUND	82	
			K477	4 Holes of 13.0mm	19 No.	150mm (6.0)	124mm (5.0)	SERRATED	84	
52 X 133		RK 132, NDB559	K480	4 Holes of 15.0mm	22 No.	180mm (7.0)	130mm (5.0)	SERRATED	84	
52 X 147	RSB 590 RSB 590 H SPR 2045 SPR 2047	RK116	K479	4 Holes of 13.0mm	19 No.	150mm (6.0)	125mm (5.0)	SERRATED	84	
		SPR 2040	K479A	4 Holes of 15.0mm	22 No.	180mm (7.0)	123mm (4.75)	SERRATED	84	
		216741120159	K528	4 Holes of 13.0mm	19 No.	150mm (6.0)	140mm (5.5)	SERRATED	85	
		SCP590X	K529	4 Holes of 15.0mm	22 No.	180mm (7.0)	140mm (5.5)	SERRATED	85	
		SDUJ2045L147L	~~K545~~	4 Holes of 15.0mm	22 No.	180mm (7.0)	140mm (5.5)	SERRATED	86	
57 X 152	RSB 620 SPR 2055	RK 117	K481	4 Holes of 15.0mm	22 No.	180mm (7.0)	137mm (5.5)	SERRATED	85	
57 X 172.5	RSB 680		K773	4 Holes of 15.0mm	22 No.	180mm (7.0)	142mm (5.5)	SERRATED	87	
59 X 167.7	SPR 2060	RK 129	SDUJ2060L168L	K482	4 Holes of 15.0mm	22 No.	180mm (7.0)	143mm (5.75)	SERRATED	85
65 X 172	SPR 2065	RK 134	K691	4 Hole of 15.0mm	22 No.	180mm (7.0)	152.5mm (6.0)	SERRATED	87	


Part No. STRIKETHROUGH with Red Colour is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K14 TATA I312	8 Holes 17 No. BOLT 10.2mm 130mm (5.0) CROSS 46mm	TATA I312/I612 2416/ 2213	RK 101 KKA734 INSKU100233 RTB690,KF5103 NDB526,DT102 GX104	257641115110
K14A TATA I312	6 Holes 17 No. BOLT 10.2mm 120mm (4.75) CROSS 46mm	TATA I312 N/M, 2515 N/M, TIPPER	RK 101 KKA734 INSKU100233 RTB690,KF5103 NDB526,DT102 GX104	
K14B L/L TUSKER	4 Holes 21 No. BOLT 12.8mm 105mm (4.0) SQUARE 34.92 X 126.2	TATA 2515 TC L/L2516, TUSKER LONG INTERAXLE	RK 107 KKA741 RLL790,KF5110 NDB522,GX10 5-275X,DT105	INSKU-100082 217141125102 P450 1332
K14C L/L 2214	8 Holes 19 No. BOLT 12.2mm 150mm (6.0) 41.27 X 126	TATA 2518 LPO 1616 BUS 1625 BUS LPO 1628/LPO 2521	RK 102 KKA744 RLL796,KF5120 NDB546,GX600 SPL90X,DT106	90-2-29 280941103701
K14D TATA 4018 (PATTI TYPE)	8 Holes 24 No. BOLT 16.2mm 165mm (6.5) 49.2 X 154.8	TATA 4018	RK 109 KKA745 5-280X,NDB553 DT110,GX5280	6-2-1259 2841 4112 5101
K14EX L/L 2214	8 Holes 17 No. BOLT 10.2mm 130mm (5.0) 41.27 X 126	TATA 2515 EX (BIG NUT)	RK 102 KKA744 RLL796,KF5120 NDB546,GX600 SPL90X,DT106	INSKU-100860 885441022515
K14FX RSB 325	8 Holes 17 No. BOLT 10.2mm 130mm (5.0) 42 X 119	TATA 2515 EX, LPT 1510,1613 (BIG NUT)	RK 104 KKA746,KF5123 NDB 554 263241100117 DT109,GX151, S203325201202	263241105105 206741125103


TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X133	AMBASSADOR		
TATA I312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA I210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	JCB	RSB 680

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
KI4G RSB 403		TATA-LPK 2516, 2518	RK 105 KKA747,KF5121 NDB 556 217141120127 DT132,GX152, S203403201202	
KI4H TATA I312		TATA 2518 LPK	RK 101 KKA734 INSKU100233 RTB690,KF5103 NDB526,DT102 GX104	
KI4-I RSB 490		TATA 4018	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	
K60 TATA I210		TATA I210	RK 103 KKA731 RTB490,5-1506X KF5101,NDB514 DT146,GX101	3124111111
K60A TATA I210		TATA I210 N/M	RK 103 KKA731 RTB490,5-1506X KF5101,NDB514 DT146,GX101	3124111111
K91 TATA 407 (O/M)		TATA 407	RK 113 KKA750 RTB830,KF5155 NDB530,DT121 GX02	265141105102
KI51 L/L 2214		L/L 2214 3516, 2516,1616, TC AC, EICHER 30.25	RK 102 KKA744 RLL796,KF5120 NDB546,GX600 SPL90X,DT106	90-2-19 P 450 0532


TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X133	AMBASSADOR		
TATA I312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA I210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	JCB	RSB 680

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
KI67 L/L 370	 4 Holes 21 No. BOLT 12.8mm 146mm (6.0) 98mm (4.0) 39.68 X 115.4	L/L 350,370 BEDFORD	RK 110 KKA736 RLL493,KF5111 NDB505 DT113,GX06	K4-2GB-231
KI86 L/L TUSKER	 4 Holes 21 No. BOLT 12.8mm 146mm (6.0) 80mm (3.0) 34.92 X 126.2	L/L TUSKER	RK 107 KKA741 RLL790,KF5110 NDB522,GX10 5-275X,DT105	F2133311
K202 L/L TAURUS	 8 Holes 15 No. BOLT 9.7mm 175mm (7.0) 110mm (4.25) 47.62 X 135	L/L TAURUS	RK 111 KKA743A RLL793 KF5119,NDB536 DT112,GX08	MSL3502027
K218 AMBASSADOR	 4 Holes 13 No. BOLT 8.2mm 86mm (3.5) 52mm (2.0) 23.82 X 61.3	AMBASSADOR		
K227 JEEP	 4 Holes 17 No. BOLT 10.2mm 97mm (3.75) 63mm (2.5) 27 X 81.8	CROSS HOLDER (ROUND)	RK 118 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	
K241 CANTER	 4 Holes 19 No. BOLT 12.2mm 146mm (6.0) 75mm (3.0) 30.17 X 106	CANTER	RK 108 KKA748 RLL500,KF5181 NDB510,5-160X DT117,GX60	
K264 407 MSL TYPE	 6 Holes 13 No. BOLT 8.2mm 100mm (4.0) 70mm (2.75) 30.17 X 92	TATA 407 TURBO N/M MSL	RK 114 5-178X,NDB506 DT131,GX55TR	

TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X 133	AMBASSADOR		
TATA 1312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA 1210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	JCB	RSB 680

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K274 TATA I312	 8 Holes 17 No. BOLT 10.2mm 116mm (4.5) 130mm (5.0) CROSS 46mm	TATA I312 O.E TYPE	RK 101 KKA734 INSKU100233 RTB690,KF5103 NDB526,DT102 GX104	257641115110
K276 RSB 325	 8 Holes 19 No. BOLT 12.2mm 107mm (4.25) 150mm (6.0) 42 X 119	TATA- LPT 2518 N/M (RSB TYPE) 697 6X2 BS3, LPT 2516 697 TC IC BS2 6X2	RK 104 KKA746,KF5123 NDB 554 263241100117 DT109,GX151, S203325201202	219441105101
K279 TATA ACE	 4 Holes 13 No. BOLT 8.2mm 66mm (2.5) SQUARE CROSS 23.82mm	TATA ACE	RK120 KKA754 5-170X KF5156	
K282 TATA ACE MAGIC	 4 Holes 13 No. BOLT 8.2mm 65mm (2.5) SQUARE 22 X 55	TATA ACE N/M MAGIC	RK121 KKA758 70011448 KF5142	
K285 L/L 2214	 4 Holes 19 No. BOLT 13.0mm 104mm (4.0) 150mm (6.0) 41.27 X 126	TATA 3118,2521 L/L 3116, 1616 AMW 2518, MAN 25T	RK 102 KKA744 RLL796,KF5120 NDB546,GX600 SPL90X,DT106	90-2-15 P 450 2232 280941103703
K291 CANTER	 6 Holes 17 No. BOLT 10.2mm 87mm (3.5) 120mm (4.75) 30.17 X 106	TATA 407 TURBO EX 410, 709, 909	RK 108 KKA748 RLL500,KF5181 NDB510,5-160X DT117,GX60	3-2-0058
K291A TATA 407 PICK UP	 6 Holes 17 No. BOLT 10.2mm 88mm (3.5) 120mm (4.75) 34.92 X 106	TATA 407 PICK UP, 712	RK 115 NDB548N 5-188X,DT151	

TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X133	AMBASSADOR		
TATA I312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA I210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	JCB	RSB 680



PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K292 RSB 403	 4 Holes 19 No. BOLT 13.0mm 128mm (5.0) 150mm (6.0) 42 X 129	TATA 2518	RK 105 KKA747,KF5121 NDB 556 217141120127 DT132,GX152, S203403201202	216741125105
K292A RSB 403	 4 Holes 19 No. BOLT 13.0mm 110mm (4.25) 150mm (6.0) 42 X 129	TATA-LPT1615, SKI613, LPT1613, SK-1613, LPK1518, LPK1616, LPK1618	RK 105 KKA747,KF5121 NDB 556 217141120127 DT132,GX152, S203403201202	217141125104 217141125108
K294 RSB 490	 4 Holes 19 No. BOLT 13.0mm 119mm (4.75) 150mm (6.0) 48 X 135	TATA 4018	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	216741125101
K295 TATA 4018 (PATTI TYPE)	 4 Holes 19 No. BOLT 13.0mm 113mm (4.5) 150mm (6.0) 49.2 X 154.8	TATA 3118, 1618, 2518 2521, AMW 2518 L/L 2516, 4921 3121, MAN-25 T	RK 109 KKA745 5-280X,NDB553 DT110,GX5280	6-2-15 P 450 2532 2846 4112 5101
K295A TATA 4018 (PATTI TYPE)	 4 Holes 22 No. BOLT 15.0mm 120mm (4.75) 180mm (7.0) 49.2 X 154.8	TATA 1623, 1625, 1628	RK 109 KKA745 5-280X,NDB553 DT110,GX5280	279 000 142 6-2-25
K298 RSB 403	 8 Holes 19 No. BOLT 12.2mm 116mm (4.5) 150mm (6.0) 42 X 129	TATA 2518 N/M (RSB BIG TYPE)	RK 105 KKA747,KF5121 NDB 556 217141120127 DT132,GX152, S203403201202	
K299 L/L 2214	 4 Holes 21 No. BOLT 12.8mm 105mm (4.25) SQUARE 41.27 X 126	TATA 2518 TC N/M TUSKER LONG	RK 102 KKA744 RLL796,KF5120 NDB546,GX600 SPL90X,DT106	

TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X133	AMBASSADOR		
TATA 1312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA 1210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	JCB	RSB 680


PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K304 TATA 4018	4 Holes 19 No. BOLT 13.0mm 115mm (4.5) 150mm (6.0) CROSS 49.2 mm	TATA 4018		
K329 RSB 325	4 Holes 18 No. BOLT 11.1mm 107mm (4.25) 130mm (5.0) 42 X 119	TATA 2515 EX, LPT 1510,1613	RK 104 KKA746,KF5123 NDB 554 263241100117 DT109,GX151, S203325201202	284841110102
K329A RSB 325	4 Holes 19 No. BOLT 13.0mm 110mm (4.25) 150mm (6.0) 42 X 119	TATA-LPO 1616, SE 1613, 2515 EX, LPT 1510	RK 104 KKA746,KF5123 NDB 554 263241100117 DT109,GX151, S203325201202	222141105101 216341109901 275441995101
K330 TATA 4018 (PATTI TYPE)	12 Holes 19 No. BOLT 12.2mm 109mm (4.25) 200mm (8.0) 49.2 X 154.8	AMW 2518 6X2 HL 180 HP, AMW TRACTOR 6X4 3820 WB & 4300 WB, EICHER 40.40 25 T 6X4 TIPPER	RK 109 KKA745 5-280X,NDB553 DT110,GX5280	6-2-1279 IA222173 P 450 2732
K331 RSB 490	4 Holes 19 No. BOLT 13.0mm 133mm (5.25) 150mm (6.0) 48 X 135	TATA 4018	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	281941125102
K335 L/L TUSKER	8 Holes 17 No. BOLT 10.2mm 115mm (4.5) 130mm (5.0) 34.92 X 126.2	TATA 1109	RK 107 KKA741 RLL790,KF5110 NDB522,GX10 5-275X,DT105	282141115202
K335A L/L TUSKER	6 Holes 17 No. BOLT 10.2mm 90mm (3.5) 120mm (4.75) 34.92 X 126.2	TATA 1109	RK 107 KKA741 RLL790,KF5110 NDB522,GX10 5-275X,DT105	

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K368 RSB 403		L/L 2516	RK 105 KKA747,KF5121 NDB 556 217141120127 DT132,GX152, S203403201202	
K369 CANTER		CANTER	RK 108 KKA748 RLL500,KF5181 NDB510,5-160X DT117,GX60	
K370 L/L 2214		TATA 2518	RK 102 KKA744 RLL796,KF5120 NDB546,GX600 SPL90X,DT106	
K371 RSB 490		TATA 4018 L/L 4921	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	
K372 RSB 490		TATA 4018, LPS 4923 L/L 4921	RK 106 KKA757,KF5122 216741120105 NDB555 DT133, GX153, S203490201202	501141125109
K373 L/L 2214		TATA 4018 HYWA	RK 102 KKA744 RLL796,KF5120 NDB546,GX600 SPL90X,DT106	
K374 L/L 2214		TATA 2518	RK 102 KKA744 RLL796,KF5120 NDB546,GX600 SPL90X,DT106	

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K375 L/L TUSKER	4 Holes 18 No. BOLT 11.1mm 91mm (3.5) 120mm (4.75) 34.92 X 126.2	L/L IVECO	RK 107 KKA741 RLL790,KF5110 NDB522,GX10 5-275X,DT105	A 450 0332
K395 JEEP	4 Holes 15 No. BOLT 9.7mm 62mm (2.5) SQUARE 27 X 81.8	CROSS HOLDER (SQUARE)	RK 118 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	
K477 TATA 4018 (PATTI TYPE)	4 Holes 19 No. BOLT 13.0mm 124mm (5.0) 150mm (6.0) 49.2 X 154.8	TATA 3118/1618/2518 2521/AMW 2518 L/L 2516/4921/3121 MAN-25 T	RK 109 KKA745 5-280X,NDB553 DT110,GX5280	6-2-15
K478 SPR 2040	4 Holes 19 No. BOLT 13.0mm 138mm (5.50) 150mm (6.0) 47.68 X 135	TATA LPS 4928, LPTA 3138, LPK 2528, L/L3119N, BHARAT BENZ 2523C, 2528C, 3128C, 4928TT	RK 112 SDUJ2040L135R NDB569	66874070802040261
K479 SPR 2045	4 Holes 19 No. BOLT 13.0mm 125mm (5.0) 150mm (6.0) 52 X 147	TATA- LPK2523, LPK 2518HD, LPK2518, 3118TC-LPK, PRIMA- 2525, PRIMA- 2523, PRIMA- 2528, PRIMA- 3130, LPT-4223, LPT-4823, LPT-4923, LPS 4923, LPT-3718 Pusher VECV- PRO 6025, PRO 6037	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	66874070802040261 287941109901
K479A SPR 2045	4 Holes 22 No. BOLT 15.0mm 123mm (4.75) 180mm (7.0) 52 X 147	TATA- LPK 2518/2523- HD, LPK 3118, LPTK 3718, LPK 2518 38WB, PRIMA LX 3525.K, PRIMA LX 2525.K.	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	66874570802070273 VECV-ID 802369/ ID322448 500841990101 2687452000500
K480 52 X 133	4 Holes 22 No. BOLT 15.0mm 130mm (5.0) 180mm (7.0) 52 X 133	TATA LPTA1828, LPO 2138, L/L HMV 6X6 SHA-8T MERITOR AXLE, EICHER TIPPER 25T 250HP, MAN LPTA1828 6X6	RK 132 NDB559	


PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K481 SPR 2055	 57 X 152	TATA LPTA-1628, 2038-L/L 4936, BHARAT BENZ LTPA-1628,LTPA 2038	RK 117 281941120104 SCPR20X SDUJ2055L152L	66875570802000294
K482 SPR 2060	 59 X 167.7	TATA LPK 3138, L/L-FV-2636, EICHER 40T TIPPER,MAN 31.28	RK 129 SDUJ2060L168L	66876070802000310
K505 L/L DOST	 27 X 81.62	L/L DOST	RK 122	
K528 RSB 590	 52 X 147	TATA- 3118, LPK 218, LPK 2523, LPK 3118, LPTK 3718. VECV-VE 100	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	502141125101 2687452727500
K529 SPR 2045 RSB 590	 52 X 147	TATA 4028, 3138, 3118	RK 116 2167 4112 0159, SCP590X, SDUJ2045L147L, S243590242202	500841990101
K542 L/L TUSKER	 34.92 X 126.2	L/L 2516, E-COMET, IEVACO CARGO 712, TATA 36 SEATER LP BUS 5300 WB	RK 107 KKA741 RL790,KF5110 NDB522 5-275X DT105,GX10	A4004111511
K543 SPR 2040	 47.68 X 135	TATA 3118	RK 112 SDUJ2040L135R NDB569	

TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X 133	AMBASSADOR		
TATA 1312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA 1210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	JCB	RSB 680

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K545	NOTE : Part No. K545 is DISCONTINUED, replacement for this is Part No. K529.			
SPR 2045 RSB 590				
K561		SWARAJ MAZDA	RK 108 KKA748 RLL500,KF181 NDB510,5-160X DT117,GX60	
CANTER				
K571		TATA 909 LPK LPO 407/LPT 709 (3-2-15)	RK 115 NDB548N 5-188X,DT151	P 450 0132
TATA 407 PICK UP				
K581		TATA 2518	RK 104 KKA746 KF5123,NDB554 263241100117 DT109,GX151	
RSB 325				
K631		TATA 3118	RK 112 SDUJ2040LI35R NDB569	
SPR 2040				
K637		TATA 2518	RK 112 SDUJ2040LI35R NDB569	
SPR 2040				
K651		JCB 3DX	RK 131	
JCB				

PART No.	PRODUCT	APPLICATION	CROSS REF.	O.E.M REF.
K658 JEEP	 4 Holes 13 No. BOLT 8.2mm SQUARE 27 X 81.8	TATA SUPER ACE	RK 118 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	
K663 JEEP	 4 Holes 13 No. BOLT 8.2mm SQUARE 27 X 81.8	MAHINDRA MAXXIMO	RK 118 KKA741, RLL790 KF5110, NDB522, 5-275X, DT105, GX10	
K691 SPR 2065	 4 Holes 22 No. BOLT 15.0mm 152.50mm (6.0) 180mm (7.0) 65 X 172	TATA 2528, L/L 4928 EICHER PRO 8000	RK 134	2687652000510
K739 RSB 585	 4 Holes 22 No. BOLT 15.0mm 135mm (5.25) 180mm (7.0) 48 X 152	L/L U4923	RK 119	
K773 RSB 680	 4 Holes 22 No. BOLT 15mm 142mm (5.5) 180mm (7.0) 57x172.5	RSB 680 AL 3532/4932- EICHER PRO8000		
K782 RSB 135	 4 Holes 18 No. BOLT 11.1mm 99mm (4.0) 120mm (4.75) CROSS 46mm	TATA 1212	RK 101 KKA734 INSKU100233 RTB690, KF5103 NDB526, DT102 GX104	
K793 TATA 407 PICK UP	 4 Holes 18 No. BOLT 11.1mm 85mm (3.25) 120mm (4.75) 34.92X106	TATA 1109	RK 115 NDB548N, 5-188X, DT151	

TATA ACE MAGIC	RSB 325 RSB 325 HS	RSB 403 MSL 403	TATA ACE	RSB 490 RSB 490M	RSB 585	SPR 2040 MSL 2040	RSB 590 RSB 590 H SPR 2045 SPR 2047	RSB 620 SPR 2055	SPR 2060	SPR 2065	52 X 133	AMBASSADOR		
TATA 1312 RSB 135	TATA 4018 (PATTI TYPE)	L/L TAURUS	TATA 1210	JEEP	L/L TUSKER	TATA 407 (O/M)	TATA 407 PICK UP	CANTER	L/L 370	407 MSL TYPE	L/L 2214 SPL 90	L/L DOST	JCB	RSB 680




No. OF SPLINES	PART DETAIL				PAGE No.
	PART NO.	PIPE DIA (A)	LENGTH (L)	BEARING SIZE (mm)/No.	
10 SPLINE OD - 38.0mm	K120	84.30mm (3.50)	145.50mm (5.75)	45 / 88509	90
	K243	71.50mm (2.75)	146.00mm (5.75)	40 / 6208	91
10 SPLINE OD - 44.4mm	K182	71.50mm (2.75)	208.00mm (8.25)	44.45 / MSN14	90
	K183	82.50mm (3.25)	226.50mm (9.00)	44.45 / MSN14	90
14 SPLINE OD - 39.7mm	K32	68.20mm (2.75)	191.00mm (7.50)	40 / 6208	89
	K32A	84.00mm (3.50)	191.00mm (7.50)	40 / 6208	89
	K58	64.00mm (2.50)	191.00mm (7.50)	40 / 6208	89
16 SPLINE OD - 34.8mm	K89	54.00mm (2.0)	175.00mm (7.00)	35 / 6207	89
16 SPLINE OD - 38.0mm	K582	70.00mm (2.75)	144.5mm (5.75)	40 / 88508	93
16 SPLINE OD - 50.5mm	K200	82.70mm (3.50)	177.50mm (7.00)	55 / 6211	90
16 SPLINE OD - 59.6mm	K350	95.00mm (4.00)	189.00mm (7.50)	60 / 88512	91
	K351	107.7mm (4.25)	190mm (7.50)	60 / 88512	91
20 SPLINE OD - 54.4mm	K512	112.40mm (4.50)	148.00mm (6.00)	55 / ----	92
	K512A	95.00mm (4.00)	158.50mm (6.25)	60 / 88512	92
26 SPLINE OD - 54.5mm	K10	68.2mm (2.75)	196mm (8.00)	55 / 6211	89
	K11	84.0mm (3.50)	198mm (8.00)	55 / 6211	89
	K11A	84.0mm (3.50)	197mm (8.00)	55 / 6211	89
	K307	95.0mm (4.00)	197mm (8.00)	55 / 6211	91
	K307A	95.0mm (4.00)	196mm (8.00)	55 / 62211	91
	K380	95.0mm (4.00)	174.50mm (7.00)	65 / 6013	92
	K380A	95.0mm (4.00)	174mm (7.00)	65 / 6013	92
	K556	112.4mm (4.50)	177mm (7.00)	55 / ----	92
	K556A	95.0mm (4.00)	178mm (7.00)	55 / ----	93
	K562	95.0mm (4.00)	168.5mm (6.50)	55 / ----	93
	~~K573~~	Part No. K573 is DISCONTINUED.			93
	K724	95.0mm (4.00)	151.50mm (6.00)	55 / ----	94
	K725	112.4mm (4.50)	151.50mm (6.00)	55 / ----	94
26 SPLINE OD - 69.35mm	K533	108.4mm (4.25)	148.50mm (6.00)	70 / 6014	92
28 SPLINE OD - 44.7mm	K564	84.00mm (3.50)	149.5mm (6.00)	45 / 88509	93
	K565	94.30mm (4.00)	153mm (6.00)	45 / 88509	93
30 SPLINE OD - 61.85mm	K503	108.40mm (4.25)	224.50mm (9.00)	62 / ----	92
	K769	108.40mm (4.25)	224.50mm (9.00)	75 / 6015	94
	K775	130.40mm (5.00)	209.00mm (8.25)	75 / 6015	94
34 SPLINE OD - 44.5mm	K147	95.00mm (4.00)	166.50mm (6.75)	45 / 88509	90
	K147A	84.00mm (3.50)	158.50mm (6.25)	45 / 88509	90
	K148	97.00mm (4.00)	166.50mm (6.50)	45 / 88509	90
	K308	95.00mm (4.00)	159.00mm (6.25)	55 / 62211	91
	K308A	84.00mm (3.50)	159.00mm (6.25)	55 / 62211	91
	K595	84.30mm (3.50)	143.00mm (5.50)	45 / 88509	93
39 SPLINE OD - 50.65mm	K712	91.40mm (3.50)	160.00mm (6.25)	55 / ----	94
46 SPLINE OD - 59.7mm	K563	95.00mm (4.00)	189.00mm (7.50)	60 / 88512	93

Part No. STRIKETHROUGH with **Red Colour** is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

TATA

LEYLAND

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K10 TATA		TATA I312 (72 mm)	
K11 TATA		TATA I312 (90 mm) 2416, 1612	257641115104 263241110135
K11A TATA		TATA 2518 N/M	2632411105104
K32 TATA		TATA I210 SE	3134111702
K32A TATA		TATA I210 SE N/M	
K58 TATA		TATA I210	3134111702
K89 TATA		TATA 407	
TATA		LEYLAND	



PART No.	PRODUCT	APPLICATION	O.E.M REF.
KI20 TATA	145.5mm (5.75) 38.0mm (1.5) 84.3mm (3.5) BEARING 88509 (SIZE 45mm) 10 SPL	TATA I510TC, L/LI613 TURBO (HEAVY DUTY)	INSKU-100557 IA 217486
KI47 LEYLAND	166.5mm (6.75) 44.5mm (1.75) 95.0mm (4.0) BEARING 88509 (SIZE 45mm) 34 SPL	L/L 2214, TC AC 2416	P 450 0933
KI47A TATA	158.5mm (6.25) 44.5mm (1.75) 84.0mm (3.5) BEARING 88509 (SIZE 45mm) 34 SPL	TATA 2515, 3516	
KI48 LEYLAND	166.5mm (6.5) 44.5mm (1.75) 97mm (4.0) BEARING 88509 (SIZE 45mm) 34 SPL	L/L 2214	5-53-271
KI82 LEYLAND	208mm (8.25) 44.4mm (1.75) 71.5mm (2.75) BEARING MSN14 (SIZE 44.45mm) 10 SPL	LEYLAND TUSKER 3", 3507, 370, BEDFORD	P I502733
KI83 LEYLAND	226.5mm (9.0) 44.4mm (1.75) 82.5mm (3.25) BEARING MSN14 (SIZE 44.45mm) 10 SPL	LEYLAND TUSKER 3.5	P I502535
K200 LEYLAND	177.5mm (7.0) 50.5mm (2.0) 82.7mm (3.5) BEARING 6211 (SIZE 55mm) 16 SPL	LEYLAND TAURUS	

TATA

LEYLAND

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K243 LEYLAND	10 SPL	CANTER	
K307 TATA	26 SPL	TATA 2515, 2518, 2416, L/L BIG HEAD	INSKU-I00853
K307A TATA	26 SPL	TATA 2515, 2518, 2416 L/L BIG HEAD DOUBLE STEP (WITH LONG COLLER)	
K308 TATA	34 SPL	TATA 2518 N/M, 2515, 1518 PH2 L/L 3516	
K308A TATA	34 SPL	TATA LPT 1112, 912, LP 913, 1613, 1616 SE SK	INSKU-90-53-0020
K350 TATA	16 SPL	TATA LPO 1618, LPT 3118, 2518, 2521 3116, 4923, AMW 2518 HL, 2516, 4921, 3121, BHARAT BENZ 2523R, MAN 25T, MAHINDRA NAVISTAR 25T	279-00-0227
K351 TATA	16 SPL	TATA 4018	
TATA		LEYLAND	

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K380 TATA		TATA 2518 3118,L/L 3116 DOUBLE STEP	
K380A TATA		TATA 2518, 3118,L/L 3116 SINGLE STEP	284641105101
K503 TATA		TATA LPK 3118 RSB 690	
K512 TATA		3128. K 8X4 TIPPER 5250 WB AL 3518, MNAL 35T, TATA 3127, 2517, LPS 4921, LPO 1625,1624, BENZ 3123	
K512A TATA		TATA 3118 LPT, 2518,3718, AL 3119, MNAL	
K533 TATA		LPTA 5252, FV 3116, CLA 31.28, PRO 8000 SDMT2055	2113-77016-00002
K556 TATA		TATA 4018	
TATA		LEYLAND	

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K556A TATA	 178mm (7.0) 54.5mm (2.0) 95mm (4.0) BEARING --- (SIZE 55mm) 26 SPL	TATA 2518 SINGLE STEP	
K562 TATA	 168.5mm (6.5) 54.5mm (2.0) 95mm (4.0) BEARING --- (SIZE 55mm) 26 SPL	TATA 3118	
K563 TATA	 189mm (7.5) 59.7mm (2.25) 95mm (4.0) BEARING 88512 (SIZE 60mm) 46 SPL	TATA 4018	PF 700094
K564 TATA	 149.5mm (6.0) 44.7mm (1.75) 84mm (3.5) BEARING 88509 (SIZE 45mm) 28 SPL	TATA 2518	
K565 TATA	 153mm (6.0) 44.7mm (1.75) 94.3mm (4.0) BEARING 88509 (SIZE 45mm) 28 SPL	TATA - 3118, LPO1515, LPO1618, LPT1615 CAR CARRIER, LPI515, LPI512, LPO1512, VECV - 20.15 BUS L/L VIKING 193, 222, 210, 203	
K573 TATA	Note : Part No. K573 is DISCONTINUED.		
K582 TATA	 144.5mm (5.75) 38.0mm (1.5) 70mm (2.75) BEARING 88508 (SIZE 40mm) 16 SPL	TATA 709, 909 MSL TYPE	
K595 LEYLAND	 143mm (5.5) 44.5mm (1.75) 84.3mm (3.5) BEARING 88509 (SIZE 45mm) 34 SPL	L/L 1613	





TATA

LEYLAND

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K712 LEYLAND	160mm (6.25) 50.65mm (2.0) 91.4mm (3.5) BEARING ---- (SIZE 55mm) 39 SPL	FRONT TEETH L/L 2516 MSL 2040	
K724 TATA	151.5mm (6.0) 54.5mm (2.0) 95mm (4.0) BEARING ---- (SIZE 55mm) 26 SPL	TATA-LPT 3718, LPT 4318, SIGNA 4323, LPT1615, LPT 3118, LPT 2518, 4825, 4925, LPT 4325, 3518, PRIMA FORZA 43T TRUCK, LPT 4923, 4225, MTBL 25T & 31T, VE2100 8X2 & 6X2, PRO 6037 10X2, L/L 1618, 3118, 2518	
K725 TATA	151.5mm (6.0) 54.5mm (2.0) 112.4mm (4.5) BEARING ---- (SIZE 55mm) 26 SPL	TATA- SIGNA 4323.T, LPK 3118, LPT 2518, LPT 2523, PRIMA 4225, FORZA43 TRUCK, LX3525, SIGNA 4825, 492 SINGLE STEP	
K769 TATA	224.5mm (9.0) 61.85mm (2.5) 108.40mm (4.25) BEARING 6015 (SIZE 75mm) 30 SPL	TATA LPK 3118 RSB 620 SERIES	
K775 TATA	209mm (8.25) 61.85mm (2.5) 130.4mm (5.0) BEARING 6015 (SIZE 75mm) 30 SPL	RSB 680 AL 3532 / 4932 EICHER PRO 8000	

TATA

LEYLAND



ROUND TYPE

SQUARE TYPE

SPICER TYPE END YOKE

SERRATED TYPE

No. OF SPLINES

PART DETAIL

PAGE No.

	PART No.	FLANGE HOLES DETAIL	BOLT No.	PLATE DIA (D)	HEIGHT	OIL SEAL SIZE (S)	TYPE	
6 BORE - 41.25mm	K168	4 Holes of 12.8mm	21 No.	SQUARE	99mm (4.0)	62.85mm (2.5)	SQUARE	105
	K169	4 Holes of 12.8mm	21 No.	146mm (6.0)	99.5mm (4.0)	62.8mm (2.5)	ROUND	105
10 BORE - 34.70mm	K122	4 Holes with Thread	$\frac{3}{8}$ 24 UNF	PATTI TYPE	97.5mm (3.75)	56.6mm (2.25)	END YOKE	103
	K123	8 Holes of 10.2mm	17 No.	130mm (5.0)	98mm (4.0)	55.5mm (2.25)	ROUND	103
	K123A	4 Holes of 12.8mm	21 No.	150mm (6.0)	62.5mm (2.5)	55.6mm (2.25)	ROUND	103
	K526	4 Holes of 12.2mm	19 No.	SQUARE	62.0mm (2.5)	50.0mm (2.0)	SQUARE	112
	K530	4 Holes of 11.1mm	18 No.	120mm (4.75)	59.0mm (2.25)	49.3mm (2.0)	SERRATED	112
	K584	4 Holes of 13.0mm	19 No.	150mm (6.0)	62.5mm (2.5)	55.60mm (2.25)	SERRATED	116
10 BORE - 40.50mm	K187	4 Holes of 12.8mm	21 No.	SQUARE	75.0mm (3.0)	69.85mm (2.75)	SQUARE	105
	K205A	8 Holes of 9.7mm	15 No.	175mm (7.0)	86.0mm (3.5)	69.5mm (2.75)	ROUND	106
10 BORE - 46.50mm	K170	4 Holes of 12.8mm	21 No.	146mm (6.0)	84.0mm (3.5)	69.85mm (2.75)	ROUND	105
	K555	8 Holes of 9.7mm	15 No.	175mm (7.0)	93.5mm (3.75)	69.85mm (2.75)	ROUND	114
14 BORE - 28.00mm	K522	4 Holes of 12.2mm	19 No.	125mm (5.0)	66.5mm (2.75)	56.0mm (2.25)	ROUND	112
	K679	4 Holes of 12.2mm	19 No.	SQUARE	----	----	SQUARE	119
14 BORE - 35.60mm	K16	8 Holes of 10.2mm	17 No.	130mm (5.0)	64.5mm (2.5)	52.5mm (2.0)	ROUND	99
	K61	6 Holes of 10.2mm	17 No.	120mm (4.75)	62.0mm (2.5)	52.5mm (2.0)	ROUND	102
	K62	6 Holes of 10.2mm	17 No.	120mm (4.75)	62.0mm (2.5)	52.5mm (2.0)	ROUND	102
16 BORE - 31.25mm	K92	6 Holes of 8.2mm	13 No.	100mm (4.0)	57.0mm (2.25)	48.0mm (2.0)	ROUND	102
	K93	6 Holes of 8.2mm	13 No.	100mm (4.0)	57.0mm (2.25)	48.0mm (2.0)	ROUND	102
	K94	6 Holes of 8.2mm	13 No.	100mm (4.0)	57.0mm (2.25)	48.0mm (2.0)	ROUND	102
	K98	6 Holes of 10.2mm	17 No.	120mm (4.75)	54.5mm (2.25)	48.0mm (2.0)	ROUND	103
	K99	6 Holes of 10.2mm	17 No.	120mm (4.75)	54.5mm (2.25)	48.0mm (2.0)	ROUND	103
	K100	6 Holes of 10.2mm	17 No.	120mm (4.75)	54.5mm (2.25)	48.0mm (2.0)	ROUND	103
16 BORE - 33.00mm	K583	6 Holes of 10.2mm	17 No.	120mm (4.75)	71.5mm (2.75)	49.4mm (2.0)	ROUND	115
16 BORE - 41.10mm	K17	8 Holes of 10.2mm	17 No.	130mm (5.0)	69.5mm (2.75)	58.0mm (2.25)	ROUND	99
	K17A	8 Holes of 10.2mm	17 No.	130mm (5.0)	61.0mm (2.5)	58.0mm (2.25)	ROUND	99
	K36	6 Holes of 10.2mm	17 No.	120mm (4.75)	63.0mm (2.5)	58.0mm (2.25)	ROUND	102
	K124	4 Holes with Thread	----	PATTI TYPE	100.5mm (4.0)	58.0mm (2.25)	END YOKE	103
	K536	6 Holes of 10.2mm	17 No.	120mm (4.75)	58.0mm (2.25)	58.0mm (2.25)	ROUND	113
	K697	4 Holes of 11.1mm	18 No.	120mm (4.75)	64.0mm (2.5)	58.00mm (2.25)	SERRATED	120
	K750	8 Holes of 10.2mm	17 No.	130mm (5.0)	59.0mm (2.25)	58.00mm (2.25)	ROUND	121
	K797	4 Holes of 11.1mm	18 No.	120mm (4.75)	89.0mm (3.5)	58.00mm (2.25)	SERRATED	124
16 BORE - 43.60mm	K205	8 Holes of 9.7mm	15 No.	175mm (7.0)	92.0mm (3.75)	62.25mm (2.5)	ROUND	106

Part No. STRIKETHROUGH with Red Colour is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

TATA

LEYLAND

EICHER

MAHINDRA

EATON

No. OF SPLINES

PART DETAIL

PAGE No.

	PART No.	FLANGE HOLES DETAIL	BOLT No.	PLATE DIA (D)	HEIGHT	OIL SEAL SIZE (S)	TYPE	
16 BORE - 48.00mm	K519	4 Holes of 12.8mm	21 No.	SQUARE	97.0mm (4.0)	69.9mm (2.75)	SQUARE	111
	~~K678~~	4 Holes of 12.8mm	21 No.	SQUARE	97.0mm (4.0)	69.9mm (2.75)	SQUARE	118
	K684	4 Holes of 13.0mm	19 No.	155mm (6.0)	95.5mm (3.75)	69.95mm (2.75)	SERRATED	119
	K686	8 Holes of 9.7mm	15 No.	175mm (7.0)	97.0mm (3.75)	70.00mm (2.75)	ROUND	120
16 BORE - 54.35mm	K376	4 Holes of 13.0mm	19 No.	150mm (6.0)	80.0mm (3.25)	73.2mm (3.0)	SERRATED	110
18 BORE - 30.00mm	K593	4 Holes of 12.2mm	19 No.	SQUARE	102.5mm (4.0)	48.00mm (2.0)	SQUARE	117
18 BORE - 36.00mm	K520	4 Holes of 12.2mm	19 No.	125mm (5.0)	66.5mm (2.75)	56.00mm (2.25)	ROUND	111
18 BORE - 46.15mm	K23	8 Holes of 10.2mm	17 No.	130mm (5.0)	90.0mm (3.5)	64.85mm (2.5)	ROUND	101
	K23A	8 Holes of 16.2mm	24 No.	165mm (6.5)	76.0mm (3.0)	64.85mm (2.5)	ROUND	101
	K23B	8 Holes of 12.2mm	19 No.	150mm (6.0)	63.0mm (2.5)	62.50mm (2.5)	ROUND	101
	K315	4 Holes of 13.0mm	19 No.	150mm (6.0)	61.0mm (2.5)	62.50mm (2.5)	SERRATED	107
	K315A	4 Holes of 13.0mm	19 No.	150mm (6.0)	61.0mm (2.5)	62.45mm (2.5)	SERRATED	107
19 BORE - 45.80mm	K751	4 Holes of 15.0mm	22 No.	180mm (7.0)	73.5mm (3.0)	68.10mm (2.75)	SERRATED	122
20 BORE - 33.30mm	K681	4 Holes of 12.2mm	19 No.	SQUARE	102.5mm (4.0)	47.95mm (2.0)	SQUARE	119
20 BORE - 50.20mm	K483	4 Holes of 15.0mm	22 No.	180mm (7.0)	70.5mm (2.75)	63.00mm (2.5)	SERRATED	111
	K483A	4 Holes of 13.0mm	19 No.	150mm (6.0)	73.5mm (3.0)	63.00mm (2.5)	SERRATED	111
	K527	4 Holes of 13.0mm	19 No.	155mm (6.0)	71.0mm (2.75)	----	SERRATED	112
	K572	4 Holes of 13.0mm	19 No.	150mm (6.0)	70.5mm (2.75)	63.00mm (2.5)	SERRATED	115
21 BORE - 63.50mm	K365	4 Holes of 15.0mm	22 No.	180mm (7.0)	62.5mm (2.5)	90.3mm (3.5)	SERRATED	110
24 BORE - 60.00mm	K753	4 Holes of 13.0mm	19 No.	150mm (6.0)	88.0mm (3.5)	85.00mm (3.25)	SERRATED	122
26 BORE - 50.15mm	K15	8 Holes of 10.2mm	17 No.	130mm (5.0)	76.0mm (3.0)	69.00mm (2.75)	ROUND	99
	K18	8 Holes of 10.2mm	17 No.	130mm (5.0)	61.0mm (2.5)	68.00mm (2.75)	ROUND	99
	K22C	8 Holes of 12.2mm	19 No.	150mm (6.0)	63.0mm (2.5)	68.00mm (2.75)	ROUND	101
	K22E	8 Holes of 16.2mm	24 No.	165mm (6.5)	76.0mm (3.0)	68.00mm (2.75)	ROUND	101
	K63	6 Holes of 10.2mm	17 No.	120mm (4.75)	61.0mm (2.5)	68.00mm (2.75)	ROUND	102
	K125	4 Holes with Thread	----	PATTI TYPE	112.5mm (4.5)	68.00mm (2.75)	END YOKE	104
	K277	8 Holes of 10.2mm	17 No.	130mm (5.0)	92.0mm (3.75)	68.70mm (2.75)	ROUND	106
	K316	4 Holes of 13.0mm	19 No.	150mm (6.0)	61.0mm (2.5)	68.00mm (2.75)	SERRATED	107
	K316A	4 Holes of 13.0mm	19 No.	150mm (6.0)	61.0mm (2.5)	68.00mm (2.75)	SERRATED	107
	K317	4 Holes of 13.0mm	19 No.	150mm (6.0)	79.5mm (3.25)	69.00mm (2.75)	SERRATED	107
	K317A	8 Holes of 12.2mm	19 No.	150mm (6.0)	79.5mm (3.25)	69.00mm (2.75)	ROUND	108
	K319	4 Holes of 13.0mm	19 No.	150mm (6.0)	109.5mm (4.25)	68.00mm (2.75)	SERRATED	108
	K366	4 Holes of 15.0mm	22 No.	180mm (7.0)	109.5mm (4.25)	68.00mm (2.75)	SERRATED	110
	K377	4 Holes of 13.0mm	19 No.	150mm (6.0)	95.0mm (3.75)	72.20mm (2.75)	SERRATED	110
	K379	8 Holes of 9.7mm	15 No.	175mm (7.0)	95.0mm (3.75)	72.00mm (2.75)	ROUND	110
	K547	4 Holes of 13.0mm	19 No.	150mm (6.0)	89.0mm (3.5)	85.00mm (3.25)	SERRATED	113
	~~K570~~	4 Holes of 13.0mm	19 No.	150mm (6.0)	96.0mm (3.75)	72.00mm (2.75)	SERRATED	115
	K574	4 Holes of 13.0mm	19 No.	150mm (6.0)	109.5mm (4.25)	67.85mm (2.75)	SERRATED	115
	K638	4 Holes of 13.0mm	19 No.	150mm (6.0)	96.0mm (3.75)	72.00mm (2.75)	SERRATED	117
	K652	4 Holes of 15.0mm	22 No.	180mm (7.0)	95.0mm (3.75)	72.00mm (2.75)	SERRATED	118
	K670	4 Holes of 15.0mm	22 No.	180mm (7.0)	89.0mm (3.5)	84.95mm (3.25)	SERRATED	118
	K729	4 Holes of 15.0mm	22 No.	180mm (7.0)	61.0mm (2.5)	68.00mm (2.75)	SERRATED	121
	K754	4 Holes of 15.0mm	22 No.	180mm (7.0)	89.0mm (3.5)	85.00mm (3.25)	SERRATED	122

Part No. STRIKETHROUGH with Red Colour is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

TATA

LEYLAND

EICHER

MAHINDRA

EATON

All O.E.M. & Other Manufacturer Part Nos. are for Reference Only
Values in Brackets are Approximate Value in Inches and are for Reference Only

No. OF SPLINES		PART DETAIL						PAGE No.	
		PART No.	FLANGE HOLES DETAIL	BOLT No.	PLATE DIA (D)	HEIGHT	OIL SEAL SIZE (S)	TYPE	
26	BORE - 62.80mm	K484	4 Holes of 13.0mm	19 No.	150mm (6.0)	84.0mm (3.5)	90.00mm (3.5)	SERRATED	111
		K551	4 Holes of 15.0mm	22 No.	180mm (7.0)	83.5mm (3.25)	90.00mm (3.5)	SERRATED	113
		K567	4 Holes of 13.0mm	19 No.	150mm (6.0)	90.0mm (3.5)	79.90mm (3.25)	SERRATED	114
		K568	4 Holes of 15.0mm	22 No.	180mm (7.0)	90.0mm (3.5)	79.90mm (3.25)	SERRATED	114
26 BORE - 65.20mm		K532	4 Holes of 15.0mm	22 No.	180mm (7.0)	95.5mm (3.75)	79.55mm (3.25)	SERRATED	112
28	BORE - 42.40mm	K153	8 Holes of 9.7mm	15 No.	175mm (7.0)	61.5mm (2.5)	54.35mm (2.25)	ROUND	104
		K153A	8 Holes of 9.7mm	15 No.	175mm (7.0)	114.5mm (4.5)	54.35mm (2.25)	ROUND	104
		K168A	4 Holes of 12.8mm	21 No.	SQUARE	83.0mm (3.25)	54.35mm (2.25)	SQUARE	105
		K203	8 Holes of 9.7mm	15 No.	175mm (7.0)	61.5mm (2.5)	54.35mm (2.25)	ROUND	105
		K320	4 Holes of 13.0mm	19 No.	150mm (6.0)	99.5mm (4.0)	54.00mm (2.25)	SERRATED	108
		K566	4 Holes of 13.0mm	19 No.	150mm (6.0)	77.5mm (3.0)	56.00mm (2.25)	SERRATED	114
		K592	4 Holes of 11.1mm	18 No.	120mm (4.75)	90.5mm (3.5)	54.30mm (2.25)	SERRATED	117
		K654	8 Holes of 10.2mm	17 No.	130mm (5.0)	77.0mm (3.0)	59.00mm (2.25)	ROUND	118
	K788	4 Holes of 15.0mm	22 No.	180mm (7.0)	100.0mm (4.0)	54.30mm (2.25)	SERRATED	123	
28	BORE - 54.20mm	K513	4 Holes of 13.0mm	19 No.	150mm (6.0)	94.5mm (3.75)	78.00mm (3.0)	SERRATED	111
		K577	4 Holes of 13.0mm	19 No.	150mm (6.0)	60.0mm (2.5)	70.25mm (2.75)	SERRATED	115
		K795	4 Holes of 13.0mm	19 No.	150mm (6.0)	76.0mm (3.0)	77.75mm (3.0)	SERRATED	123
30	BORE - 58.30mm	K504	4 Holes of 15.0mm	22 No.	180mm (7.0)	117.5mm (4.5)	75.00mm (3.0)	SERRATED	111
		K549	4 Holes of 13.0mm	19 No.	150mm (6.0)	75.5mm (3.0)	70.00mm (2.75)	SERRATED	113
		K550	4 Holes of 15.0mm	22 No.	180mm (7.0)	75.0mm (3.0)	70.00mm (2.75)	SERRATED	113
		K776	4 Holes of 15.0mm	22 No.	180mm (7.0)	93.0mm (3.75)	75.40mm (3.0)	SERRATED	122
		K789	4 Holes of 15.0mm	22 No.	180mm (7.0)	96.0mm (3.75)	72.50mm (2.75)	SERRATED	123
31 BORE - 60.90mm		K364	4 Holes of 15.0mm	22 No.	180mm (7.0)	81.5mm (3.25)	85.00mm (3.25)	SERRATED	109
31	BORE - 66.20mm	K575	4 Holes of 13.0mm	19 No.	150mm (6.0)	132.0mm (5.25)	80.00mm (3.25)	SERRATED	115
		K576	4 Holes of 15.0mm	22 No.	180mm (7.0)	122.5mm (4.75)	80.00mm (3.25)	SERRATED	115
32	BORE - 49.35mm	K619	4 Holes of 13.0mm	19 No.	155mm (6.0)	88.0mm (3.5)	68.00mm (2.75)	SERRATED	117
		K687	8 Holes of 9.7mm	15 No.	175mm (7.0)	88.0mm (3.5)	68.00mm (2.75)	ROUND	120
34	BORE - 42.10mm	K19	8 Holes of 10.2mm	17 No.	130mm (5.0)	77.0mm (3.0)	63.50mm (2.5)	ROUND	99
		K19A	4 Holes of 12.8mm	21 No.	SQUARE	78.5mm (3.0)	63.55mm (2.5)	SQUARE	99
		K19B	4 Holes with Thread $\frac{3}{8}$ " 24UNF	PATTI TYPE	122.0mm (4.75)	63.50mm (2.5)	END YOKE	100	
		K152	8 Holes of 9.7mm	15 No.	175mm (7.0)	61.0mm (2.5)	55.65mm (2.25)	ROUND	104
		K152A	4 Holes with Thread	----	PATTI TYPE	109.0mm (4.25)	55.60mm (2.25)	END YOKE	104
		K313	8 Holes of 12.2mm	19 No.	150mm (6.0)	78.5mm (3.0)	65.65mm (2.5)	ROUND	106
		K313A	4 Holes of 13.0mm	19 No.	150mm (6.0)	78.5mm (3.0)	65.65mm (2.5)	SERRATED	106
		K314	4 Holes of 13.0mm	19 No.	150mm (6.0)	60.5mm (2.5)	55.75mm (2.25)	SERRATED	107
		K314A	4 Holes of 13.0mm	19 No.	150mm (6.0)	84.5mm (3.5)	63.50mm (2.5)	SERRATED	107
		K332	8 Holes of 10.2mm	17 No.	130mm (5.0)	77.5mm (3.0)	65.75mm (2.5)	ROUND	108
		K433	8 Holes of 12.2mm	19 No.	150mm (6.0)	77.0mm (3.0)	55.75mm (2.25)	ROUND	110
		K521	4 Holes of 12.8mm	21 No.	SQUARE	72.5mm (3.0)	57.95mm (2.25)	SQUARE	112
		K531	4 Holes of 11.1mm	18 No.	120mm (4.75)	61.0mm (2.5)	55.65mm (2.25)	SERRATED	112
		K596	4 Holes of 12.8mm	21 No.	150mm (6.0)	61.5mm (2.5)	55.75mm (2.25)	ROUND	117
		K613	8 Holes of 10.2mm	17 No.	130mm (5.0)	77.5mm (3.0)	55.75mm (2.25)	ROUND	117
		K676	4 Holes of 13.0mm	19 No.	150mm (6.0)	74.5mm (3.0)	58.00mm (2.25)	SERRATED	118
		K683	4 Holes of 12.8mm	21 No.	SQUARE	72.5mm (3.0)	58.00mm (2.25)	SQUARE	119
		K685	4 Holes of 12.8mm	21 No.	SQUARE	72.5mm (3.0)	57.95mm (2.25)	SQUARE	119
		K688	4 Holes of 13.0mm	19 No.	150mm (6.0)	80.0mm (3.25)	63.85mm (2.5)	SERRATED	120
		K689	8 Holes of 9.7mm	15 No.	175mm (7.0)	83.0mm (3.25)	58.05mm (2.25)	ROUND	120
		K759	4 Holes of 11.1mm	18 No.	120mm (4.75)	88.0mm (3.5)	63.5mm (2.5)	SERRATED	122

Part No. STRIKETHROUGH with Red Colour is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.

TATA

LEYLAND

EICHER

MAHINDRA

EATON

No. OF SPLINES		PART DETAIL						PAGE No.		
		PART No.	FLANGE HOLES DETAIL	BOLT No.	PLATE DIA (D)	HEIGHT	OIL SEAL SIZE (S)	TYPE		
38 BORE - 47.60mm		K787	4 Holes of 13.0mm	19 No.	150mm (6.0)	80.0mm (3.25)	70.20mm (2.75)	SERRATED	122	
		K20	8 Holes of 10.2mm	17 No.	130mm (5.0)	86.0mm (3.5)	71.30mm (2.75)	ROUND	100	
		K21	8 Holes of 10.2mm	17 No.	130mm (5.0)	93.0mm (3.75)	76.30mm (3.0)	ROUND	100	
		K21A	4 Holes of 12.8mm	21 No.	SQUARE	87.0mm (3.5)	76.30mm (3.0)	SQUARE	100	
		K21B	4 Holes with Thread $\frac{3}{8}$ " 24UNF	PATTI TYPE	121.0mm (4.75)	76.40mm (3.0)	END YOKE	100		
		K154	8 Holes of 9.7mm	15 No.	175mm (7.0)	88.5mm (3.5)	69.85mm (2.75)	ROUND	104	
		K155	8 Holes of 9.7mm	15 No.	175mm (7.0)	90.0mm (3.5)	76.30mm (3.0)	ROUND	104	
		~~K204~~	8 Holes of 9.7mm	15 No.	175mm (7.0)	90.0mm (3.5)	76.30mm (3.0)	ROUND	106	
		K305	4 Holes of 12.8mm	21 No.	150mm (6.0)	85.5mm (3.5)	66.70mm (2.75)	ROUND	106	
		K318	4 Holes of 13.0mm	19 No.	150mm (6.0)	87.0mm (3.5)	69.85mm (2.75)	SERRATED	108	
		K318A	4 Holes of 13.0mm	19 No.	150mm (6.0)	95.0mm (3.75)	76.30mm (3.0)	SERRATED	108	
		K338	8 Holes of 16.2mm	24 No.	165mm (6.5)	109.0mm (4.25)	76.30mm (3.0)	ROUND	109	
		K360	4 Holes of 15.0mm	22 No.	180mm (7.0)	110.5mm (4.25)	69.85mm (2.75)	SERRATED	109	
	39 BORE - 48.75mm		K378	4 Holes of 12.8mm	21 No.	150mm (6.0)	103.0mm (4.0)	76.30mm (3.0)	ROUND	110
			K585	8 Holes of 9.7mm	15 No.	175mm (7.0)	103.0mm (4.0)	76.25mm (3.0)	ROUND	116
			K589	4 Holes of 13.0mm	19 No.	150mm (6.0)	104.5mm (4.25)	76.25mm (3.0)	SERRATED	116
			K590	4 Holes of 13.0mm	19 No.	150mm (6.0)	73.0mm (3.0)	69.80mm (2.75)	SERRATED	116
			K591	4 Holes of 13.0mm	19 No.	150mm (6.0)	75.0mm (3.0)	69.80mm (2.75)	SERRATED	117
		K677	4 Holes of 13.0mm	19 No.	150mm (6.0)	85.5mm (3.5)	66.70mm (2.75)	SERRATED	118	
		K682	4 Holes of 12.8mm	21 No.	SQUARE	75.5mm (3.0)	70.00mm (2.75)	SQUARE	119	
		K700	4 Holes of 15.0mm	22 No.	180mm (7.0)	90.0mm (3.5)	----	SERRATED	120	
		K710	4 Holes of 11.1mm	18 No.	130mm (5.0)	79.0mm (3.25)	69.00mm (2.75)	SERRATED	121	
		K713	4 Holes of 13.0mm	19 No.	150mm (6.0)	81.5mm (3.25)	63.10mm (2.5)	SERRATED	121	
		~~K722~~	4 Holes of 13.0mm	19 No.	150mm (6.0)	87.0mm (3.5)	69.85mm (2.75)	SERRATED	121	
		K726	4 Holes of 11.1mm	18 No.	120mm (4.75)	74.0mm (3.0)	76.25mm (3.0)	SERRATED	121	
41 BORE - 51.20mm			K22	8 Holes of 10.2mm	17 No.	130mm (5.0)	93.0mm (3.75)	76.30mm (3.0)	ROUND	100
			K22A	4 Holes of 12.8mm	21 No.	SQUARE	87.0mm (3.5)	76.30mm (3.0)	SQUARE	100
		K22B	4 Holes with Thread $\frac{3}{8}$ " 24UNF	PATTI TYPE	118.5mm (4.75)	76.30mm (3.0)	END YOKE	101		
		K22D	8 Holes of 16.2mm	24 No.	165mm (6.5)	92.5mm (3.75)	76.30mm (3.0)	ROUND	101	
		K156	8 Holes of 9.7mm	15 No.	175mm (7.0)	90.0mm (3.5)	76.30mm (3.0)	ROUND	105	
		K333	4 Holes of 13.0mm	19 No.	150mm (6.0)	93.0mm (3.75)	76.30mm (3.0)	SERRATED	108	
		K339	8 Holes of 16.2mm	24 No.	165mm (6.5)	109.0mm (4.25)	76.30mm (3.0)	ROUND	109	
		K361	4 Holes of 15.0mm	22 No.	180mm (7.0)	110.5mm (4.25)	76.30mm (3.0)	SERRATED	109	
		K699	4 Holes of 15.0mm	22 No.	180mm (7.0)	90.0mm (3.5)	----	SERRATED	120	
		K711	4 Holes of 11.1mm	18 No.	130mm (5.0)	79.0mm (3.25)	69.00mm (2.75)	SERRATED	121	
44 BORE - 55.15mm		K790	4 Holes of 13.0mm	19 No.	150mm (6.0)	119.0mm (4.75)	67.00mm (2.75)	SERRATED	123	
		K362	4 Holes of 15.0mm	22 No.	180mm (7.0)	109.5mm (4.25)	76.20mm (3.0)	SERRATED	109	
		K548	4 Holes of 13.0mm	19 No.	150mm (6.0)	99.0mm (4.0)	76.40mm (3.0)	SERRATED	113	
		K553	8 Holes of 9.7mm	15 No.	175mm (7.0)	110.0mm (4.5)	76.65mm (3.0)	ROUND	114	
		K588	4 Holes of 13.0mm	19 No.	150mm (6.0)	91.0mm (3.5)	74.65mm (3.0)	SERRATED	116	
		K791	4 Holes of 15.0mm	22 No.	180mm (7.0)	80.0mm (3.25)	76.25mm (3.0)	SERRATED	123	
		K792	4 Holes of 13.0mm	19 No.	150mm (6.0)	82.0mm (3.25)	74.65mm (3.0)	SERRATED	123	
46 BORE - 57.50mm		K363	4 Holes of 15.0mm	22 No.	180mm (7.0)	69.0mm (2.75)	83.00mm (3.25)	SERRATED	109	
		K546	4 Holes of 13.0mm	19 No.	150mm (6.0)	87.0mm (3.5)	82.50mm (3.25)	SERRATED	113	
		K552	8 Holes of 9.7mm	15 No.	175mm (7.0)	85.0mm (3.5)	85.25mm (3.25)	ROUND	114	
		K554	4 Holes of 15.0mm	22 No.	180mm (7.0)	87.0mm (3.5)	85.35mm (3.25)	SERRATED	114	
		K680	4 Holes of 13.0mm	19 No.	150mm (6.0)	81.5mm (3.25)	73.10mm (3.0)	SERRATED	119	
	K796	4 Holes of 15.0mm	22 No.	180mm (7.0)	87.0mm (3.5)	82.50mm (3.25)	SERRATED	124		
49 BORE - 61.50mm		K794	4 Holes of 15.0mm	22 No.	180mm (7.0)	81.0mm (3.25)	97.0mm (3.75)	SERRATED	123	
61 BORE - 78.25mm		K752	4 Holes of 15.0mm	22 No.	180mm (7.0)	87.0mm (3.5)	95.0mm (3.75)	SERRATED	122	
		K586	4 Holes of 11.3mm	----	SQUARE	101.0mm (4.0)	----	SQUARE	116	
		K587	4 Holes of 11.7mm	----	SQUARE	84.0mm (3.5)	----	SQUARE	116	
		K675	8 Holes	----	140mm (5.5)	----	----	ROUND	118	

Part No. STRIKETHROUGH with Red Colour is Discontinued and Replacement for this Part No. is Mentioned on its Respective Page No.




TATA


LEYLAND

EICHER

MAHINDRA





EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
KI5 TATA		CENTRE COUP. TATA 2416	263241110111 257641115105
KI6 TATA		CENTRE COUP. TATA 1312	257541100104 25754110 01042
KI7 TATA		GEAR COUP. TATA 1312	250726205001
KI7A TATA		GEAR COUP. TATA 909	
KI8 TATA		DIFF. COUP. TATA 1312	267635200110 2576 3530 0110
KI9 TATA		CENTRE COUP. CONVT. TATA 2515, 3516	
KI9A TATA		CENTRE COUP TATA 2516 TC	
TATA	LEYLAND	EICHER	MAHINDRA
			EATON



PART No.	PRODUCT	APPLICATION	O.E.M REF.	
K19B TATA	OIL SEAL SIZE - 63.5mm (2.5) 4 Holes 3/8" 24 UNF THREAD 122mm (4.75) PATTI TYPE 34 SPL 	CENTRE COUP. TATA 2515, 3516 SPICER TYPE CROSS TUSKER, PATTI TYPE	4-4-4101-I	
K20 TATA	OIL SEAL SIZE - 71.3mm (2.75) 8 Holes 17 No. BOLT 10.2mm 86mm (3.5) 130mm (5.0) 39 SPL 	DIFF. COUP. CONVT TATA 2515, 3516		
K21 TATA	OIL SEAL SIZE - 76.3mm (3.0) 8 Holes 17 No. BOLT 10.2mm 93mm (3.75) 130mm (5.0) 39 SPL 	DIFF. COUP. CONVT. TATA 3516, 2516		
K21A TATA	OIL SEAL SIZE - 76.3mm (3.0) 4 Holes 21 No. BOLT 12.8mm 87mm (3.5) SQUARE 39 SPL 	DIFF. COUP. 2516 TC		
K21B TATA	OIL SEAL SIZE - 76.4mm (3.0) 4 Holes 3/8" 24 UNF THREAD 121mm (4.75) PATTI TYPE 39 SPL 	DIFF. COUP. TATA 2515 3516 SPICER TYPE CROSS TUSKER, PATTI TYPE	INSKU-100476	
K22 TATA	OIL SEAL SIZE - 76.3mm (3.0) 8 Holes 17 No. BOLT 10.2mm 93mm (3.75) 130mm (5.0) 41 SPL 	DIFF. COUP. CONVT. TATA 2515, 3516		
K22A TATA	OIL SEAL SIZE - 76.3mm (3.0) 4 Holes 21 No. BOLT 12.8mm 87mm (3.5) SQUARE 41 SPL 	DIFF. COUP. TATA 2516 TC		
TATA	LEYLAND	EICHER	MAHINDRA	EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.	
K22B TATA	OIL SEAL SIZE - 76.3mm (3.0) 4 Holes 3/8" 24 UNF THREAD 118.5mm (4.75) PATTI TYPE 4I SPL 	DIFF. COUP. TATA 2515 3516 SPICER TYPE CROSS SPL 90, 4I.28,PATTI TYPE	INSKU-100475	
K22C TATA	OIL SEAL SIZE - 68mm (2.75) 8 Holes 19 No. BOLT 12.2mm 63mm (2.5) 150mm (6.0) 26 SPL 	DIFF. COUP. TATA 2518	2732 3530 0180	
K22D TATA	OIL SEAL SIZE - 76.3mm (3.0) 8 Holes 24 No. BOLT 16.2mm 92.5mm (3.75) 165mm (6.5) 4I SPL 	DIFF COUP. TATA 4018		
K22E TATA	OIL SEAL SIZE - 68mm (2.75) 8 Holes 24 No. BOLT 16.2mm 76mm (3.0) 165mm (6.5) 26 SPL 	DIFF COUP. TATA 4018 N/M		
K23 TATA	OIL SEAL SIZE - 64.85mm (2.5) 8 Holes 17 No. BOLT 10.2mm 90mm (3.5) 130mm (5.0) 18 SPL 	GEAR COUP GB 60	2691 2620 0172	
K23A TATA	OIL SEAL SIZE - 64.85mm (2.5) 8 Holes 24 No. BOLT 16.2mm 76mm (3.0) 165mm (6.5) 18 SPL 	GEAR COUP. TATA 4018	2691 2620 0173	
K23B TATA	OIL SEAL SIZE - 62.5mm (2.5) 8 Holes 19 No. BOLT 12.2mm 63mm (2.5) 150mm (6.0) 18 SPL 	GEAR COUP. TATA 2518	2691 2620 0174	
TATA	LEYLAND	EICHER	MAHINDRA	EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.	
K36 TATA	OIL SEAL SIZE - 58mm (2.25) 6 Holes 17 No. BOLT 10.2mm 120mm (4.75) 63mm (2.5) 16 SPL 	GEAR COUP. GBS-40		
K61 TATA	OIL SEAL SIZE - 52.5mm (2.0) 6 Holes 17 No. BOLT 10.2mm 120mm (4.75) 62mm (2.5) 14 SPL 	CENTRE COUP. TATA 1210	312-410-1430	
K62 TATA	OIL SEAL SIZE - 52.5mm (2.0) 6 Holes 17 No. BOLT 10.2mm 120mm (4.75) 62mm (2.5) 14 SPL 	GEAR COUP. TATA 1210		
K63 TATA	OIL SEAL SIZE - 68mm (2.75) 6 Holes 17 No. BOLT 10.2mm 120mm (4.75) 61mm (2.5) 26 SPL 	DIFF. COUP. TATA 1210	312-350-1245	
K92 TATA	OIL SEAL SIZE - 48mm (2.0) 6 Holes 13 No. BOLT 8.2mm 100mm (4.0) 57mm (2.25) 16 SPL 	CENTRE COUP. TATA 407	265141100122	
K93 TATA	OIL SEAL SIZE - 48mm (2.0) 6 Holes 13 No. BOLT 8.2mm 100mm (4.0) 57mm (2.25) 16 SPL 	GEAR COUP. TATA 407	251526200111	
K94 TATA	OIL SEAL SIZE - 48mm (2.0) 6 Holes 13 No. BOLT 8.2mm 100mm (4.0) 57mm (2.25) 16 SPL 	DIFF COUP. TATA 407	266433350101	
TATA	LEYLAND	EICHER	MAHINDRA	EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.	
K98 TATA	OIL SEAL SIZE - 48mm (2.0) 6 Holes 17 No. BOLT 10.2mm 120mm (4.75) 54.5mm (2.25) 16 SPL 	CENTRE COUP. CONV.T. 407, I210		
K99 TATA	OIL SEAL SIZE - 48mm (2.0) 6 Holes 17 No. BOLT 10.2mm 120mm (4.75) 54.5mm (2.25) 16 SPL 	GEAR COUP. CONV.T. 407, I210		
K100 TATA	OIL SEAL SIZE - 48mm (2.0) 6 Holes 17 No. BOLT 10.2mm 120mm (4.75) 54.5mm (2.25) 16 SPL 	DIFF COUP. CONV.T. 407, I210, 909		
K122 TATA	OIL SEAL SIZE - 55.6mm (2.25) 4 Holes 3/8" 24 UNF THREAD PATTI TYPE 97.5mm (3.75) 10 SPL 	CENTRE COUP. I510 TC	263241115104	
K123 TATA	OIL SEAL SIZE - 55.5mm (2.25) 8 Holes 17 No. BOLT 10.2mm 130mm (5.0) 98mm (4.0) 10 SPL 	CENTRE COUP. CONVT. I510 TC		
K123A LEYLAND	OIL SEAL SIZE - 55.6mm (2.25) 4 Holes 21 No. BOLT 12.8mm 150mm (6.0) 62.5mm (2.5) 10 SPL 	CENTRE COUP. L/L I613 TURBO	4-I-540I	
K124 TATA	OIL SEAL SIZE - 58.0mm (2.25) 4 Holes with Thread PATTI TYPE 100.5mm (4.0) 16 SPL 	GEAR COUP. I510 TC	250526205101	
TATA	LEYLAND	EICHER	MAHINDRA	EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.	
K125 TATA	OIL SEAL SIZE - 68.0mm (2.75) 4 Holes with Thread 112.5mm (4.5) PATTI TYPE 26 SPL 	DIFF. COUP. 1510 TC SPICER TYPE	257535300120	
K152 LEYLAND	OIL SEAL SIZE - 55.65mm (2.25) 8 Holes 15 No. BOLT 9.7mm 61mm (2.5) 175mm (7.0) 34 SPL 	CENTRE COUP. L/L 2214	5-1-6501	
K152A LEYLAND	OIL SEAL SIZE - 55.6mm (2.25) 4 Holes WITH THREAD 109mm (4.25) PATTI TYPE 34 SPL 	CENTRE COUP. L/L 2214 PATTI TYPE SPICER TYPE	90-4-11-1	
K203 K153 LEYLAND	OIL SEAL SIZE - 54.35mm (2.25) 8 Holes 15 No. BOLT 9.7mm 61.5mm (2.5) 175mm (7.0) 28 SPL 	GEAR COUP. L/L 2214, TAURAS	F14351711	
K153A LEYLAND	OIL SEAL SIZE - 54.35mm (2.25) 8 Holes 15 No. BOLT 9.7mm 114.5mm (4.5) 175mm (7.0) 28 SPL 	GEAR COUP Z/F TYPE L/L ZF (BELL TYPE)		
K154 LEYLAND	OIL SEAL SIZE - 69.85mm (2.75) 8 Holes 15 No. BOLT 9.7mm 88.5mm (3.5) 175mm (7.0) 39 SPL 	DIFF. COUP. L/L 2214 TAURUS		
K204 K155 LEYLAND	OIL SEAL SIZE - 76.3mm (3.0) 8 Holes 15 No. BOLT 9.7mm 90mm (3.5) 175mm (7.0) 39 SPL 	DIFF. COUP. L/L 2214 TAURUS	P4300214	
TATA	LEYLAND	EICHER	MAHINDRA	EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
KI56 LEYLAND	 OIL SEAL SIZE - 76.3mm (3.0) 8 Holes 15 No. BOLT 9.7mm 175mm (7.0) 90mm (3.5) 4I SPL	DIFF COUP. L/L 2214	
KI68 LEYLAND	 OIL SEAL SIZE - 62.85mm (2.5) 4 Holes 21 No. BOLT 12.8mm SQUARE 99mm (4.0) 6 SPL	GEAR COUP. L/L 350/370 TUSKER	
KI68A LEYLAND	 OIL SEAL SIZE - 54.35mm (2.25) 4 Holes 21 No. BOLT 12.8mm SQUARE 83mm (3.25) 28 SPL	GEAR COUP. L/L INTERAXLE	
KI69 LEYLAND	 OIL SEAL SIZE - 62.8mm (2.5) 4 Holes 21 No. BOLT 12.8mm 146mm (6.0) 99.5mm (4.0) 6 SPL	GEAR COUP. L/L 350/370 TUSKER	FI431022
KI70 LEYLAND	 OIL SEAL SIZE - 69.85mm (2.75) 4 Holes 21 No. BOLT 12.8mm 146mm (6.0) 84mm (3.5) 10 SPL	DIFF. COUP. L/L 350/370 TUSKER	FI432611
KI87 LEYLAND	 OIL SEAL SIZE - 69.85mm (2.75) 4 Holes 21 No. BOLT 12.8mm SQUARE 75mm (3.0) 10 SPL	CENTRE COUP. L/L TUSKER	FI430211
K203 LEYLAND	NOTE : Part No. K203 is DISCONTINUED, replacement for this is Part No. KI53.		






TATA








LEYLAND

EICHER


MAHINDRA



EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K204	NOTE : Part No. K204 is DISCONTINUED, replacement for this is Part No. KI 55.		
LEYLAND			
K205	 OIL SEAL SIZE - 62.25mm (2.5) 8 Holes 15 No. BOLT 9.7mm 175mm (7.0) 92mm (3.75) 16 SPL	CENTRE COUP. L/L TAURUS 1616	F 1433311
LEYLAND			
K205A	 OIL SEAL SIZE - 69.5mm (2.75) 8 Holes 15 No. BOLT 9.7mm 175mm (7.0) 86mm (3.5) 10 SPL	CENTRE COUP. L/L TAURUS 1616	F 1433311
LEYLAND			
K277	 OIL SEAL SIZE - 68.7mm (2.75) 8 Holes 17 No. BOLT 10.2mm 130mm (5.0) 92mm (3.75) 26 SPL	CENTRE COUP. 2416 N/M TATA 2515	INSUK-100847 263241105103
TATA			
K305	 OIL SEAL SIZE - 66.7mm (2.75) 4 Holes 21 No. BOLT 12.8mm 150mm (6.0) 85.5mm (3.5) 39 SPL	DIFF. COUP. 2518 N/M	
TATA			
K313	 OIL SEAL SIZE - 65.65mm (2.5) 8 Holes 19 No. BOLT 12.2 mm 150mm (6.0) 78.5mm (3.0) 34 SPL	CENTRE COUP. TATA 2518	INSUK-100851 8854-4102-2518
TATA			
K313A	 OIL SEAL SIZE - 65.65mm (2.5) 4 Holes 19 No. BOLT 13.0 mm 150mm (6.0) 78.5mm (3.0) 34 SPL	CENTRE COUPLING BIG TATA 2518	2194-4110-5110
TATA			
TATA	LEYLAND	EICHER	MAHINDRA
			EATON








PART No.	PRODUCT	APPLICATION	O.E.M REF.	
K314 LEYLAND	OIL SEAL SIZE - 55.75mm (2.25) 4 Holes 19 No. BOLT 13.0mm 60.5mm (2.5) 150mm (6.0) 34 SPL 	CENTRE COUP. L/L 3116	19-1-15 279000207	
K314A TATA	OIL SEAL SIZE - 63.5mm (2.5) 4 Holes 19 No. BOLT 13.0mm 84.5mm (3.5) 150mm (6.0) 34 SPL 	CENTRE COUP. TATA 2515/2518 INTERAXLE		
K315 TATA	OIL SEAL SIZE - 62.5mm (2.5) 4 Holes 19 No. BOLT 13.0mm 61mm (2.5) 150mm (6.0) 18 SPL 	GEAR COUPLING FLANGE TATA 2518	2691 2620 0193	
K315A TATA	OIL SEAL SIZE - 62.45mm (2.5) 4 Holes 19 No. BOLT 13.0mm 61mm (2.5) 150mm (6.0) 18 SPL 	CENTRE COUP. / GEAR BOX FLANGE TATA 2518		
K316 TATA	OIL SEAL SIZE - 68.0mm (2.75) 4 Holes 19 No. BOLT 13.0mm 61mm (2.5) 150mm (6.0) 26 SPL 	CENTRE / DIFF. FLANGE SMALL TATA 2518	90-1-0017	
K316A TATA	OIL SEAL SIZE - 68mm (2.75) 4 Holes 19 No. BOLT 13.0mm 61mm (2.5) 150mm (6.0) 26 SPL 	DIFF COUP. TATA 2518		
K317 TATA	OIL SEAL SIZE - 69mm (2.75) 4 Holes 19 No. BOLT 13.0mm 79.5mm (3.25) 150mm (6.0) 26 SPL 	CENTRE / DIFF. FLANGE BIG TATA 2518		
TATA	LEYLAND	EICHER	MAHINDRA	EATON






PART No.	PRODUCT	APPLICATION	O.E.M REF.	
K317A TATA	OIL SEAL SIZE - 69mm (2.75) 8 Holes 19 No. BOLT 12.2mm 79.5mm (3.25) 150mm (6.0) 26 SPL 	CENTRE / DIFF. FLANGE BIG TATA 2518		
K318 TATA	OIL SEAL SIZE - 69.85mm (2.75) 4 Holes 19 No. BOLT 13.0mm 87mm (3.5) 150mm (6.0) 39 SPL 	PINION COUP FLANGE TATA 2518/ 4018		
K318A TATA	OIL SEAL SIZE - 76.3mm (3.0) 4 Holes 19 No. BOLT 13.0mm 95mm (3.75) 150mm (6.0) 39 SPL 	PINION COUP FLANGE TATA 2518/ 4018		
K319 TATA	OIL SEAL SIZE - 68mm (2.75) 4 Holes 19 No. BOLT 13.0mm 109.5mm (4.25) 150mm (6.0) 26 SPL 	GEAR COUP. TATA GBS 75 2518, 4018	2715 2620 0126	
K320 LEYLAND	OIL SEAL SIZE - 54mm (2.25) 4 Holes 19 No. BOLT 13.0mm 99.5mm (4.0) 150mm (6.0) 28 SPL 	GEAR COUPLING FLANGE L/L ZF		
K332 TATA	OIL SEAL SIZE - 65.75mm (2.5) 8 Holes 17 No. BOLT 10.2mm 77.5mm (3.0) 130mm (5.0) 34 SPL 	CENTRE COUP TATA 1616, 1613		
K333 TATA	OIL SEAL SIZE - 76.3mm (3.0) 4 Holes 19 No. BOLT 13.0mm 93mm (3.75) 150mm (6.0) 41 SPL 	PINION COUP FLANGE TATA 2518, 4018		
TATA	LEYLAND	EICHER	MAHINDRA	EATON



PART No.	PRODUCT	APPLICATION	O.E.M REF.
K338 TATA		DIFF. COUP. TATA 4018	
K339 TATA		DIFF. COUP. TATA 4018	
K360 LEYLAND		DIFF. COUPLING TATA 4018, L/L 2518	
K361 LEYLAND		DIFF. COUPLING TATA 4018, L/L 2518	
K362 LEYLAND		DIFF. COUPLING TATA 4018, L/L 2518	
K363 LEYLAND		DIFF. COUPLING TATA 4018, L/L 2518	
K364 LEYLAND		CENTRE COUPLING TATA 4018, L/L 2518	19-1-15
TATA	LEYLAND	EICHER	MAHINDRA
			EATON





PART No.	PRODUCT	APPLICATION	O.E.M REF.	
K365 LEYLAND	OIL SEAL SIZE - 90.3mm (3.5) 4 Holes 22 No. BOLT 15.0mm 62.5mm (2.5) 180mm (7.0) 21 SPL 	GEAR COUPLING TATA 4018, L/L 2518		
K366 LEYLAND	OIL SEAL SIZE - 68mm (2.75) 4 Holes 22 No. BOLT 15.0mm 109.5mm (4.25) 180mm (7.0) 26 SPL 	GEAR COUPLING GB -75 TATA 4018,L/L 2518		
K376 TATA	OIL SEAL SIZE - 73.2mm (3.0) 4 Holes 19 No. BOLT 13.0mm 80mm (3.25) 150mm (6.0) 16 SPL 	CENTRE COUP. TATA 3118	2846-4110-5104	
K377 TATA	OIL SEAL SIZE - 72.2mm (2.75) 4 Holes 19 No. BOLT 13.0mm 95mm (3.75) 150mm (6.0) 26 SPL 	CENTRE COUP. TATA 2518	284641105102	
K378 LEYLAND	OIL SEAL SIZE - 76.30mm (3.0) 4 Holes 21 No. BOLT 12.8mm 103mm (4.0) 150mm (6.0) 39 SPL 	DIFF. COUP. L/L 2516		
K379 LEYLAND	OIL SEAL SIZE - 72mm (2.75) 8 Holes 15 No. BOLT 9.7mm 95mm (3.75) 175mm (7.0) 26 SPL 	DIFF. COUP. L/L 2516		
K433 TATA	OIL SEAL SIZE - 55.75mm (2.25) 8 Holes 19 No. BOLT 12.2mm 77mm (3.0) 150mm (6.0) 34 SPL 	CENTRE COUPLING TATA 1616		
TATA	LEYLAND	EICHER	MAHINDRA	EATON



PART No.	PRODUCT	APPLICATION	O.E.M REF.
K483 TATA	OIL SEAL SIZE - 63mm (2.5) 4 Holes 22 No. BOLT 15.0mm 180mm (7.0) 70.5mm (2.75) 20 SPL	CENTRE JOINT FLANGE TATA LPT 3127, 2527, LPK 3128, L/L FVDP 3123, 2523	2113-5552-00504
K483A TATA	OIL SEAL SIZE - 63mm (2.5) 4 Holes 19 No. BOLT 13.0mm 150mm (6.0) 73.5mm (3.0) 20 SPL	CENTRE COUP. TATA 3118	5039-4110-5102
K484 TATA	OIL SEAL SIZE - 90mm (3.5) 4 Holes 19 No. BOLT 13.0mm 150mm (6.0) 84mm (3.5) 26 SPL	TATA 2518, 4018	
K504 TATA	OIL SEAL SIZE - 75mm (3.0) 4 Holes 22 No. BOLT 15.0mm 180mm (7.0) 117.5mm (4.5) 30 SPL	CENTRE COUP. TATA LPK 2518 TATA LPK 2523	
K513 LEYLAND	OIL SEAL SIZE - 78mm (3.0) 4 Holes 19 No. BOLT 13.0mm 150mm (6.0) 94.5mm (3.75) 28 SPL	GEAR COUPLING	
K519 EICHER	OIL SEAL SIZE - 69.9mm (2.75) 4 Holes 21 No. BOLT 12.8mm SQUARE 97mm (4.0) 16 SPL	CENTRE COUP. EICHER 11.10	
K520 EICHER	OIL SEAL SIZE - 56mm (2.25) 4 Holes 19 No. BOLT 12.2mm 125mm (5.0) 66.5mm (2.75) 18 SPL	DIFF. COUP. EICHER 11.10XP, HCV	
TATA	LEYLAND	EICHER	MAHINDRA
			EATON





PART No.	PRODUCT	APPLICATION	O.E.M REF.	
K685 K521 EICHER	OIL SEAL SIZE - 57.95mm (2.25) 4 Holes 21 No. BOLT 12.8mm 72.5mm (3.0) SQUARE 34 SPL 	GEAR BOX FLANGE EICHER TERRA 16		
K522 EICHER	OIL SEAL SIZE - 56mm (2.25) 4 Holes 19 No. BOLT 12.2mm 66.5mm (2.75) 125mm (5.0) 14 SPL 	DIFF. COUP. EICHER 10.90 LCV		
K526 TATA	OIL SEAL SIZE - 50mm (2.0) 4 Holes 19 No. BOLT 12.2mm 62mm (2.5) SQUARE 10 SPL 	CENTRE COUP. EICHER CANTER		
K527 TATA	4 Holes 19 No. BOLT 13.0mm 71mm (2.75) 155mm (6.0) 20 SPL 	CENTRE COUP. TATA 3118, 3718		
K530 TATA	OIL SEAL SIZE - 49.3mm (2.0) 4 Holes 18 No. BOLT 11.1mm 59mm (2.25) 120mm (4.75) 10 SPL 	TATA 709, 909, 1109 CENTRE FLANGE 3-I-15 TATA ULTRA BS-3		
K531 TATA	OIL SEAL SIZE - 55.65mm (2.25) 4 Holes 18 No. BOLT 11.1mm 61mm (2.5) 120mm (4.75) 34 SPL 	TATA 407 LPO CENTRE FLANGE 4-I-35	ID 300947 A4004130045	
K532 TATA	OIL SEAL SIZE - 79.55mm (3.25) 4 Holes 22 No. BOLT 15.0mm 95.5mm (3.75) 180mm (7.0) 26 SPL 	CENTRE COUP. TATA 3138 SDCF 2065	2113-7052-00503	
TATA	LEYLAND	EICHER	MAHINDRA	EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K552 TATA	 OIL SEAL SIZE - 85.25mm (3.25) 8 Holes 15 No. BOLT 9.7mm 175mm (7.0) 85mm (3.5) 46 SPL	DIFF. COUP. TATA 4018	
K553 TATA	 OIL SEAL SIZE - 76.65mm (3.0) 8 Holes 15 No. BOLT 9.7mm 175mm (7.0) 110mm (4.5) 44 SPL	DIFF. COUP. TATA 4018 (ROUND TYPE)	
K554 TATA	 OIL SEAL SIZE - 85.35mm (3.25) 4 Holes 22 No. BOLT 15.0mm 180mm (7.0) 87mm (3.5) 46 SPL	DIFF. COUP. TATA 4018	
K555 TATA	 OIL SEAL SIZE - 69.85mm (2.75) 8 Holes 15 No. BOLT 9.70mm 175mm (7.0) 93.5mm (3.75) 10 SPL	DIFF. COUP. L/L 2516	
K566 TATA	 OIL SEAL SIZE - 56mm (2.25) 4 Holes 19 No. BOLT 13.0mm 150mm (6.0) 77.5mm (3.0) 28 SPL	CENTRE COUP. TATA 2518	
K567 TATA	 OIL SEAL SIZE - 79.9mm (3.25) 4 Holes 19 No. BOLT 13.0mm 150mm (6.0) 90mm (3.5) 26 SPL	GEAR COUP. GBS-I 150	
K568 TATA	 OIL SEAL SIZE - 79.9mm (3.25) 4 Holes 22 No. BOLT 15.0mm 180mm (7.0) 90mm (3.5) 26 SPL	GEAR COUP. GBS-I 150	
TATA	LEYLAND	EICHER	MAHINDRA
			EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K570	NOTE : Part No. K570 is DISCONTINUED, replacement for this is Part No. K638.		
TATA			
K572		CENTRE COUP. TATA 3118	
TATA			
K574		GEAR BOX TATA 2518 (K319 CUT TYPE)	
TATA			
K575		COUP. FLANGE EATON GEAR 8 SPEED ASHOK LEYLAND	
TATA			
K576		GEAR BOX COUP. EATON GEAR 9 SPEED ASHOK LEYLAND	
TATA			
K577		COUP. FLANGE TATA GB950	
TATA			
K583		CENTRE COUP. TATA 709/909 MSL TYPE	
TATA			
TATA	LEYLAND	EICHER	MAHINDRA
			EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K584 TATA	OIL SEAL SIZE - 55.6mm (2.25) 4 Holes 19 No. BOLT 13.0mm 62.5mm (2.5) 150mm (6.0) 10 SPL 	CENTRE COUP. L/L 1613	
K585 TATA	OIL SEAL SIZE - 76.25mm (3.0) 8 Holes 15 No. BOLT 9.7mm 103mm (4.0) 175mm (7.0) 39 SPL 	DIFF. COUP. TATA 2518	
K586 TATA	4 Holes 11.3mm 101mm (4.0) SQUARE 	THROUGH SHAFT HOUSING OLD MODEL	
K587 TATA	4 Holes 11.7mm 84mm (3.5) SQUARE 	THROUGH SHAFT HOUSING NEW MODEL	
K588 TATA	OIL SEAL SIZE - 74.65mm (3.0) 4 Holes 19 No. BOLT 13.0mm 91mm (3.5) 150mm (6.0) 44 SPL 	DIFF. COUPLING TATA 2518	
K589 TATA	OIL SEAL SIZE - 76.3mm (3.0) 4 Holes 19 No. BOLT 13.0mm 104.5mm (4.25) 150mm (6.0) 39 SPL 	DIFF COUPLING TATA 2518	
K590 TATA	OIL SEAL SIZE - 69.8mm (2.75) 4 Holes 19 No. BOLT 13.0mm 73mm (3.0) 150mm (6.0) 39 SPL 	DIFF COUPLING TATA 2518	
TATA	LEYLAND	EICHER	MAHINDRA
			EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K591 TATA	 	DIFF COUPLING TATA 2518	
K592 TATA	 	GEAR COUP. L/L IVECO E-COMET	
K593 TATA	 	GEAR COUP. CANTER N/M LONG	
K596 TATA	 	CENTRE COUP. L/L 1613 E-COMET 1512	
K613 TATA	 	CENTRE COUP. TATA/1616/1613 EICHER	2187-4111-3701
K619 EICHER	 	GEAR BOX FLANGE EICHER TERRA - 16HD, 25HD	
K638 TATA	 	CENTRE COUP. TATA 2518	
TATA	LEYLAND	EICHER	MAHINDRA
			EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K652 TATA	OIL SEAL SIZE - 72mm (2.75) 4 Holes 22 No. BOLT 15.0mm 95mm (3.75) 180mm (7.0) 26 SPL 	CENTRE COUPLING TATA 3718, LPT 2518, 3118, SIGNA 4323, PRIMA 3525	
K654 TATA	OIL SEAL SIZE - 59mm (2.25) 8 Holes 17 No. BOLT 10.2mm 77mm (3.0) 130mm (5.0) 28 SPL 	CENTRE COUP. TATA 1612 L/L VIKING RSB 325HS	
K670 TATA	OIL SEAL SIZE - 84.95mm (3.25) 4 Holes 22 No. BOLT 15.0mm 89mm (3.5) 180mm (7.0) 26 SPL 	DIFF COUPLING TATA 1613	
K675 TATA	8 Holes 140mm (5.5) 	CUP CONE ASSY. THROUGH SHAFT HOUSING 3118	
K676 EICHER	OIL SEAL SIZE - 58mm (2.25) 4 Holes 19 No. BOLT 13.0mm 74.5mm (3.0) 150mm (6.0) 34 SPL 	GEAR COUPLING EICHER TERRA 16	
K677 TATA	OIL SEAL SIZE - 66.7mm (2.75) 4 Holes 19 No. BOLT 13.0mm 85.5mm (3.5) 150mm (6.0) 39 SPL 	DIFF COUPLING LIKE (K305) SERRATED	
K678 EICHER	NOTE : Part No. K678 is DISCONTINUED, replacement for this is Part No. K519.		

TATA

LEYLAND

EICHER

MAHINDRA

EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K679 EICHER	 4 Holes 19 No. BOLT 12.2mm SQUARE 14 SPL	DIFF COUPLING EICHER CANTER	
K680 EICHER	 OIL SEAL SIZE - 73.1mm (3.0) 4 Holes 19 No. BOLT 13.0mm 81.5mm (3.25) 150mm (6.0) 46 SPL	CENTRE COUPLING EICHER AL-3718, 2518, BS-4 (MSL DESIGN)	
K681 EICHER	 OIL SEAL SIZE - 47.95mm (2.0) 4 Holes 19 No. BOLT 12.2mm 102.5mm (4.0) SQUARE 20 SPL	GEAR COUPLING EICHER 11.10	ID 207704
K682 EICHER	 OIL SEAL SIZE - 70mm (2.75) 4 Holes 21 No. BOLT 12.8mm 75.5mm (3.0) SQUARE 39 SPL	DIFF COUPLING EICHER 11.10	ID 231003
K683 EICHER	 OIL SEAL SIZE - 58mm (2.25) 4 Holes 21 No. BOLT 12.8mm 72.5mm (3.0) SQUARE 34 SPL	GEAR COUPLING EICHER TERRA 16	ID 302279
K684 EICHER	 OIL SEAL SIZE - 69.95mm (2.75) 4 Holes 19 No. BOLT 13.0mm 95.5mm (3.75) 155mm (6.0) 16 SPL	DIFF COUPLING EICHER TERRA 16	ID 310124M
K685 EICHER	NOTE : Part No. K685 is DISCONTINUED, replacement for this is Part No. K521.		


TATA




LEYLAND








EICHER

MAHINDRA


EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.	
K686 EICHER	OIL SEAL SIZE - 70.00mm (2.75) 8 Holes 15 No. BOLT 9.7mm 175mm (7.0) 97.0mm (3.75) 16 SPL 	DIFF COUPLING EICHER	IA 222684	
K687 EICHER	OIL SEAL SIZE - 68.00mm (2.75) 8 Holes 15 No. BOLT 9.7mm 175mm (7.0) 88mm (3.5) 32 SPL 	GEAR COUPLING EICHER 40.40	205427	
K688 TATA	OIL SEAL SIZE - 63.85mm (2.5) 4 Holes 19 No. BOLT 13.0mm 150mm (6.0) 80mm (3.25) 34 SPL 	THROUGH SHAFT COUPLING HEAVY DUTY		
K689 EICHER	OIL SEAL SIZE - 58.05mm (2.25) 8 Holes 15 No. BOLT 9.7mm 175mm (7.0) 83mm (3.25) 34 SPL 	GEAR COUPLING EICHER 30.25		
K697 TATA	OIL SEAL SIZE - 58mm (2.25) 4 Holes 18 No. BOLT 11.1mm 120mm (4.75) 64mm (2.5) 16 SPL 	GEAR COUPLING TATA 1212		
K699 TATA	4 Holes 22 No. BOLT 15.0mm 180mm (7.0) 90mm (3.5) 41 SPL 	DIFF COUPLING TATA 2518 (SERRATED)		
K700 TATA	4 Holes 22 No. BOLT 15.0mm 180mm (7.0) 90mm (3.5) 39 SPL 	DIFF COUPLING TATA 2518 (SERRATED)		
TATA	LEYLAND	EICHER	MAHINDRA	EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K710 TATA		DIFF COUPLING TATA 1616/1612	
K711 TATA		DIFF COUPLING TATA 1616/1612	
K713 LEYLAND		CENTRE COUPLING L/L 2516	
K722 TATA	NOTE : Part No. K722 is DISCONTINUED, replacement for this is Part No. K318.		
K726 TATA		DIFF COUPLING TATA	
K729 TATA		DIFF COUPLING TATA 4923	
K750 TATA		DIFF. COUP. TATA LPT 909, 1109, EURO - II, BS3	266135300130
TATA	LEYLAND	EICHER	MAHINDRA
			EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K751	OIL SEAL SIZE - 68.10mm (2.75) 4 Holes 22 No. BOLT 15.0mm 180mm (7.0) 73.5mm (3.0) 19 SPL 	VOLVO	
K752	OIL SEAL SIZE - 95.0mm (3.75) 4 Holes 22 No. BOLT 15.0mm 180mm (7.0) 87.0mm (3.5) 61 SPL 	VOLVO	
K753	OIL SEAL SIZE - 85.0mm (3.25) 4 Holes 19 No. BOLT 13.0mm 150mm (6.0) 88.0mm (3.5) 24 SPL 	TATA 2518, 4018	
K754	OIL SEAL SIZE - 85.0mm (3.25) 4 Holes 22 No. BOLT 15.0mm 180mm (7.0) 89.0mm (3.5) 26 SPL 	TATA 2518, 4018	
K759	OIL SEAL SIZE- 63.50mm (2.5) 4 Holes 18 No. BOLT 11.1mm 120mm (4.75) 88.0mm (3.5) 34 SPL 	CENTRE COUP. LL ECO1112	
LEYLAND			
K776	OIL SEAL SIZE- 75.40mm (3.0) 4 Holes 22 No. BOLT 15mm 180mm (7.0) 93mm (3.75) 30 SPL 	RSB 680 AL 3532/4932 EICHER PRO8000	
EICHER			
K787	OIL SEAL SIZE- 70.20mm (2.75) 4 Holes 19 No. BOLT 13mm 150mm (6.0) 80.0mm (3.25) 38 SPL 	GEAR BOX FLANGE MAHINDRA NAVISTAR TATA, L/L, EATON, BHARAT BENZ	
MAHINDRA			
TATA	LEYLAND	EICHER	MAHINDRA
			EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K788 LEYLAND	OIL SEAL SIZE- 54.30mm (2.25) 4 Holes 22 No. BOLT 15mm 100mm (4.0) 180mm (7.0) 28 SPL	GEAR BOX FLANGE AL 2518, 2523, ZF U TRUCK, 3718, BS 4 L/L ZF GEAR	
K789 TATA	OIL SEAL SIZE- 72.50mm (2.75) 4 Holes 22 No. BOLT 15mm 96mm (3.75) 180mm (7.0) 30 SPL	TATA 4018 30 SPL RSB 590 SERIES CUT TYPE 7" DIA SERRATED HT 95MM	
K790 TATA	OIL SEAL SIZE- 67.0mm (2.75) 4 Holes 19 No. BOLT 13mm 119mm (4.75) 150mm (6.0) 41 SPL	TATA 3018 41 SPL 6" DIA HT 120 MM SERRARED	
K791 TATA	OIL SEAL SIZE- 76.25mm (3) 4 Holes 22 No. BOLT 15mm 80mm (3.25) 180mm (7.0) 44 SPL	TATA 4018 44 SPL 7" DIA SERRATED HT 79MM	
K792 TATA	OIL SEAL SIZE- 74.65mm (3.0) 4 Holes 19 No. BOLT 13mm 82mm (3.25) 150mm (6.0) 44 SPL	TATA 4018 44 SPL 7" DIA SERRATED HT 82MM	
K794 LEYLAND	OIL SEAL SIZE- 97.0mm (3.75) 4 Holes 22 No. BOLT 15mm 81.0mm (3.25) 180mm (7.0) 49 SPL	49 SPL 7" SERRATED HT 81.5MM	
K795 EATON	OIL SEAL SIZE- 77.75mm (3.0) 4 Holes 19 No. BOLT 13mm 76mm (3.0) 150mm (6.0) 28 SPL	GEAR BOX FLANGE TATA 4928, EATON, BHARAT BENZ, LEYLAND 2523 N/M	
TATA	LEYLAND	EICHER	MAHINDRA
			EATON

PART No.	PRODUCT	APPLICATION	O.E.M REF.
K796 LEYLAND		DIFF. COUP. L/L 3920 TIPPER	
K797 TATA		GEAR COUP. TATA I 109 / 909 ULTRA	
TATA	LEYLAND	EICHER	MAHINDRA
			EATON

AUTO PARTS

SLIP YOKE ASSY. / SLEEVE YOKE ASSY.

PART No.	APPLICATION	UJ CROSS	No. OF SPLINES	MATING SLEEVE YOKE	MATING CROSS HOLDER	PRODUCT
KI TATA 1312	TATA 1312, 1612, 1510 2416, 2213 O.E.M No. 2576 4112 0121	RK 101 CROSS 46mm	16	K6 Length 265mm (10.5)	K14 Height 114mm (4.5)	
K27 TATA 1210	TATA 1210 SE O.E.M No. 2573 4112 0109	RK 103 CROSS 38mm	10	K30 Length 215mm (8.5)	K60 Height 90mm (3.5)	
K53 TATA 1210	TATA 1210 O.E.M No. 312 410 2108	RK 103 CROSS 38mm	10	K56 Length 207mm (8.0)	K60 Height 90mm (3.5)	
K80 TATA 407 (O/M)	TATA 407	RK 113 30 X 81.8	16	K85 Length 168mm (6.5)	K91 Height 73mm (3.0)	
K136 L/L 2214	L/L 2214 9"/10" TATA 2516	RK 102 41.27 X 126	30	K141 Length 296mm (11.75)	K151 Height 116mm (4.5)	
K136A L/L 2214	L/L 2214 9"/10" TATA 2516	RK 102 41.27 X 126	16	K141A Length 296mm (11.75)	K151 Height 116mm (4.5)	
K137 L/L 2214	L/L 2214, 3516-8"	RK 102 41.27 X 126	30	K143 Length 253mm (10.0)	K151 Height 116mm (4.5)	
K137A L/L 2214	L/L 2214, 3516-8"	RK 102 41.27 X 126	16	K143A Length 253mm (10.0)	K151 Height 116mm (4.5)	
K157 L/L 370	L/L 350, 370	RK 110 39.68 X 115.4	16	K162 Length 202mm (8.0)	K167 Height 98mm (4.0)	
K174 L/L TUSKER	L/L TUSKER TATA 1510 TC	RK 107 34.92 X 126.2	16	K179 Length 203mm (8.0)	K186 Height 80mm (3.0)	
K192 L/L TAURUS	L/L TAURUS	RK 111 47.62 X 135	16	K196 Length 240mm (9.5)	K202 Height 110mm (4.25)	
K287A CANTER	TATA 407 TURBO EX, 709, 909	RK 108 30.17 X 106	16	K288 Length 195mm (7.75)	K241 Height 75mm (3.0)	
K569 RSB 490	RSB 490	RK 106 48 X 135	30	K324 K258 P LONG FORK WITH DUST COVER Length 323mm (12.75)	K294 Height 119mm (4.75)	
K650A(C) JCB	JCB 3DX (JCB FORK WITH UJ CROSS)	RK 131 34.92 X 106	16	K650(C) LONG FORK Length 234mm (9.25)	----	

AUTO PARTS

HALF YOKE ASSY.

PART No.	APPLICATION	UJ CROSS	PIPE DIA	MATING HALF YOKE	MATING CROSS HOLDER	PRODUCT
K2 TATA I312	TATA I312 (72MM) (BUS)	RK 101 CROSS 46mm	72mm (2.75)	K12 Height 136mm (5.25)	K14 Height 114mm (4.5)	
K3 TATA I312	TATA I312 (90MM) (TRUCK)	RK 101 CROSS 46mm	84mm (3.5)	K13 Height 136mm (5.25)	K14 Height 114mm (4.5)	
K28 TATA I210	TATA I210 SE	RK 103 CROSS 38mm	68.2mm (2.75)	K33 Height 120mm (4.75)	K60 Height 90mm (3.5)	
K54 TATA I210	TATA I210	RK 103 CROSS 38mm	64mm (2.5)	K59 Height 122mm (4.75)	K60 Height 90mm (3.5)	
K82 TATA 407 (O/M)	TATA 407	RK 113 30 X 81.8	54mm (2.0)	K90 Height 95mm (3.75)	K91 Height 73mm (3.0)	
K158 L/L 370	L/L 350, 370 - 3"	RK 110 39.68 X 115.4	71.5mm (2.75)	K165 Height 123mm (4.75)	K167 Height 98mm (4.0)	
K159 L/L 370	L/L 350, 370 - 3.5"	RK 110 39.68 X 115.4	84.2mm (3.5)	K166 Height 131mm (5.0)	K167 Height 98mm (4.0)	
K175 L/L TUSKER	L/L TUSKER - 3"	RK 107 34.92 X 126.2	71.5mm (2.75)	K184 Height 109mm (4.25)	K186 Height 80mm (3.0)	
K176 L/L TUSKER	L/L TUSKER 3.5	RK 107 34.92 X 126.2	84.2mm (3.5)	K185 Height 103mm (4.0)	K186 Height 98mm (4.0)	
K193 L/L TAURUS	L/L TAURUS	RK 111 47.62 X 135	82.5mm (3.25)	K201 Height 156mm (6.0)	K202 Height 110mm (4.25)	

AUTO PARTS

FLY WHEEL RING GEARS

PART No.	APPLICATION	No. OF TEETH	INNER DIA (mm)	OUTER DIA (mm)	THICKNESS (mm)
K46	TATA 1210 SE	125	335.00	381.00	16.00
K75	TATA 1210	125	335.00	381.00	21.00
K105	TATA 407	114	304.00	337.20	16.00
K106	TATA 608	114	295.00	347.50	16.00
K107	TATA 709	125	335.00	381.00	21.00
K127	TATA 1612 TC SMALL	159	383.00	407.50	14.25
K128	TATA 2516 TC BIG	173	412.30	443.50	14.25
K128A	TATA 2516 HYWA	138	412.30	443.50	14.25
K129	TATA 2416,4 HOLE	159	361.00	407.50	15.30
K129A	TATA TC HOLE TYPE N/M	127	316.00	407.50	15.30
K129B	TATA TC N/M	146	412.50	441.00	16.00
K171	L/L PLAIN	136	381.00	436.70	16.00
K171A	L/L HINO	136	402.00	436.70	16.00
K171B	L/L HINO	126	369.50	405.00	16.00
K172	L/L CUT	136	381.00	436.70	16.00
K191	TUSKER	136	381.00	436.70	16.00
K206	TAURUS	136	405.30	436.70	16.00
K206A	L/L 680/DOUBLE DECKER	159	444.70	509.50	22.00
K286	TATA 3118 HOLE TYPE	138	408.85	443.20	16.00
K486	EICHER CANTER 1108	124	343.00	379.00	15.00
K487	EICHER JUMBO	140	392.00	428.00	15.00
K578	GEAR TATA PRIMA	149	435.00	475.00	22.30
K579	GEAR TATA NOVA	158			
K718	FLY WHEEL RING GEAR BHARAT BENZ 2523 TIPPER	146	392.00	443.00	16.00
K719	FLY WHEEL RING GEAR BHARAT BENZ	160	430.00	484.00	17.75
K720	FLY WHEEL RING GEAR BHARAT BENZ 1112	114	315.00	350.00	15.00
K721	FLY WHEEL RING GEAR MAHINDRA NAVI STAR	145	410.00	445.00	12.50
K755	FLY WHEEL RING GEAR TATA ULTRA	144	398.00	435.00	25.00



TATA

LEYLAND

BHARAT BENZ

MAHINDRA

THROUGH SHAFTS

PART No.	APPLICATION	No. OF SPLINES	LENGTH	PRODUCT
K397	TATA 2516 (L/L2214)	34 SPL X 32 SPL	385mm (15.0)	
K398	TATA 2518	39 SPL X 20 SPL	430mm (17.0)	
K399	MERITOR TYPE	26 SPL X 35 SPL	523mm (21.0)	
K400	DANA SPICER TYPE	39 SPL X 34 SPL	379mm (15.0)	
K745	TATA LPK 2528 T.C, O.E.M No. 273935107902	24 SPL X 40 SPL	458mm (18.0)	

STEERING CROSS ROD

PART No.	APPLICATION	PRODUCT
K620	ACE	
K621	MAGIC	
K622	MAXIMO	
K623	ACE SUPER	
K624	IRIS	
K625	ACE NEW MODEL	
K626	IRIS/ ZIP PLATE TYPE	
K627	LEYLAND U-TRUCK (305mm ROD LENGTH)	
K628	LEYLAND U-TRUCK (255mm ROD LENGTH)	
K629	LEYLAND U-TRUCK (196mm ROD LENGTH)	

GEAR HOUSING BLOCK (JHAMELA)

PART No.	APPLICATION	PRODUCT
K489	TATA 1613 TC	
K490	TATA 1312 TC	
K491	TATA 1313 TC	
K492	TATA 1616 TC	
K493	TATA 2515 TC	
K494	TATA 2516 TC	

WHEEL SPANNER

PART No.	APPLICATION	PRODUCT
K71	TATA ALL SIZES (16.0)	
K173	L/L 33X33	
K284	TATA ALL SIZES (20.0)	
K427	ALL SIZE (22.0)	

GEAR RETAINER

PART No.	APPLICATION	PRODUCT
K49	TATA I210 SE (WITH OIL SEAL) O.E.M No. 2505 3013 4501	
K73	TATA I210 (WITH OIL SEAL) O.E.M No. 312 261 1918	
K267	TATA I613 TURBO (EURO II) (WITH OIL SEAL)	
K272	TATA GBS 50	
K273	TATA GBS 60	
K336	GEAR RETAINER TATA GBS 75	
K488	GEAR RETAINER I I 50 TATA GBS 90	
K705	GEAR RETAINER L/L EATON LEG TYPE SMALL	
K706	GEAR RETAINER TATA I I 09 ULTRA	
K707	GEAR RETAINER EATON L/L ROUND- O.E.M No. EE330109	
K708	GEAR RETAINER TATA 750 LEG TYPE- O.E.M No. 58302623701	
K709	GEAR RETAINER 9 SPEED O.E.M No. ZF-F5J00322	

STG. UJ CROSS ASSY.

PART No.	APPLICATION	PRODUCT
K52	92 MODEL N/M O.E.M No. 321 460 0157	
K52A	TATA I613 N/M (TURBO)	
K78	TATA I210 O.E.M No. 321 460 0157	
K110	TATA 407 O.E.M No. 2651 4600 0102	
K617	RANE TYPE	

CROWN WHEEL CHECK NUT

PART No.	APPLICATION	PRODUCT
K68	TATA I210 SMALL O.E.M No. 312 353 0052	
K69	TATA I210 BIG O.E.M No. 327 353 1025	
K245	TATA 407 BIG	
K246	TATA 407 SMALL	
K247	TATA 2416 SMALL	
K248	TATA 2416 BIG	

STEERING YOKE & TEETH

PART No.	APPLICATION	TOTAL LENGTH	TEETH LENGTH	YOKE LENGTH	PRODUCT
K598(C)	TATA 407	(17.5)	(6.0)	(15.8)	
K599(C)	TATA 709	425mm (16.75)	275mm (11.0)	342mm (13.5)	
K600(C)	TATA 2515 (RANE),(2515EX)	463mm (18.25)	275mm (11.0)	430mm (17.0)	
K601(C)	TATA 1613 TC 3015,1512	385mm (15.25)	275mm (11.0)	355mm (14.0)	
K602(C)	TATA 1613 SFC	446mm (17.5)	275mm (11.0)	412mm (16.25)	
K603(C)	TATA 4018	412mm (16.25)	205mm (8.0)	380mm (15.0)	
K604(C)	TATA 4018 (N/M)	350mm (14.0)	205mm (8.0)	320mm (12.75)	
K605(C)	TATA 1109	405mm (16.0)	275mm (11.0)	320mm (12.75)	
K606(C)	TATA 1109(EX)	503mm (20.0)	275mm (11.0)	420mm (16.5)	
K607(C)	TATA 410	501mm (20.0)	145mm (6.0)	460mm (18.0)	
K608(C)	TATA 712	350mm (14.0)	145mm (6.0)	305mm (12.0)	
K609(C)	TATA 4923	350mm (14.0)	205mm (8.0)	315mm (12.5)	
K610(C)	TATA 1109 BS-3	415mm (16.5)	275mm (11.0)	382mm (15.0)	
K611(C)	TATA 1613 BS-3 TATA 3118	389mm (15.25)	205mm (8.0)	352mm (14.0)	

CLUTCH FORK

PART No.	APPLICATION	PRODUCT
K24	TATA 1312 O.E.M No. 2596 2560 0102	
K40	GB-40 (SHORT) O.E.M No. 2573 2560 5102	
K41	GB-30 (LONG) O.E.M No. 312 293 1211	
K65	TATA 1210 O.E.M No. 312 293 1211	
K102	TATA 407 O.E.M No. 2651 2560 0107	
K126	TATA 1510 T.C. O.E.M No. 2574 2560 0107	
K263(S)	TATA 1613 T.C, SHORT, LENGTH (13.0)	
K263(L)	TATA 1613 T.C, LONG, LENGTH (14.5)	
K746	TATA LPK 2518 T.C, LENGTH (18.0) O.E.M No. 272425605123	

CLUTCH HUB SLEEVE

PART No.	APPLICATION	PRODUCT
K25	TATA 1312 O.E.M No. 322 250 0215	
K72	TATA 1210 O.E.M No. 312 254 1110	

STG. SECTOR SHAFT

PART No.	APPLICATION	PRODUCT
K51	TATA 1210 SE O.E.M No. 321 460 0911	
K79	TATA 1210	

PITMAN ARM

PART No.	APPLICATION	PRODUCT
K44	TATA 1210 SE-TRUCK(SMALL) O.E.M No. 2574 4630 6001	
K45	TATA 1210 SE- BUS L.P. MODEL O.E.M No. 2574 4631 6002	
K66	TATA 1210-TRUCK (LONG) O.E.M No. 342 463 0201	

STG. COLUMN (YOKE & TEETH) SHORT / LONG

PART No.	APPLICATION	O.E.M REF	PRODUCT
K111	407 SHORT	265146200146	
K112	407 LONG	265146200146	
K113	407 N/M HEAVY DUTY		
K114	TATA 709		

GEAR GUIDE PLATE

PART No.	APPLICATION	PRODUCT
K47	GBS-40 O.E.M No. 321 260 0846	

U TRUCK ASSEMBLY

PART No.	APPLICATION	PRODUCT
K765	U TRUCK AASY. TEETH L-305MM FITTING WITH K627	
K766	U TRUCK AASY. TEETH L-255MM FITTING WITH K628	
K767	U TRUCK AASY. TEETH L-196MM FITTING WITH K629	



RKI READY RECKONER OF RSB SHAFT COMPONENT

SERIES	U.J CROSS	LONG FORK WITHOUT DUST COVER	SLEEVE BOTTLE	HALF YOKE	CROSS HOLDER	SLEEVE BOTTLE WITH HALF YOKE	FRONT TEETH	COUPLING
RSB 325	RK 104 42 X I 19 	 K254 Page - 17 K321 Page - 17 K275B Page - 17 K321A Page - 17	 K255(C) Page - 23 K257(C) Page - 23 K293B(C) Page - 23	 K260 Page - 70 K261A Page - 70	 K14FX Page - 77 K276 Page - 80 K329 Page - 82 K329A Page - 82 K581 Page - 86		 K11 Page - 89 K11A Page - 89	 K15 Page - 99 K277 Page - 104
RSB 325HS	RK 104 42 X I 19 	K714 Page - 20 K717 Page - 20	K715(C) Page - 26				K565 Page - 93	K566 Page - 114 K654 Page - 118
RSB 403		K256 Page - 17 K322 Page - 17	K257(C) Page - 23 K580(C) Page - 26	K261 Page - 70 K261B Page - 70	K14G Page - 78 K292 Page - 81 K292A Page - 81 K298 Page - 81 K368 Page - 83	K359 Page - 45 K359A Page - 45 K359B Page - 45 K438 Page - 46	K307A Page - 91	
	RK 105 42 X I 19 	K275A Page - 17 K323 Page - 17	K293A(C) Page - 23 K560(C) Page - 26					
		K275 Page - 17 K323A Page - 17	K293(C) Page - 23					
	RK 106 48 X I 35 	K258 Page - 17 K324 Page - 17 K325 Page - 17 K327 Page - 17 K426 Page - 18 K426A Page - 18	K259(C) Page - 23 K326A(C) Page - 24 K538(C) Page - 25 ~~K559(C) Page - 25~~ K326(C) Page - 24 K326(C) Page - 24	K262 Page - 70 K388 Page - 71	K294 Page - 81 K331 Page - 82 K371 Page - 83 K372 Page - 83	K434 Page - 45 K435 Page - 45 K437 Page - 46	K380A Page - 92 K556A Page - 93 K724 Page - 94	K377 Page - 110 K638 Page - 117
RSB 585	RK 119 48 X I 52 	----	K326A(C) Page - 24	K740 Page - 74	K739 Page - 87			
RSB 590	RK 116 52 X I 47 	K495 Page - 19 K501 Page - 19 ----	K497(C) Page - 25 K742(C) Page - 27	K474 Page - 72	K479 Page - 84 K479A Page - 84 K529 Page - 85 ~~K545~~ Page - 86		K725 Page - 94	K652 Page - 118
RSB 590H		K557 Page - 19 K557A Page - 19	K259(C) Page - 23 K558(C) Page - 25					
	RK 116 52 X I 47 	K537 Page - 19 K540 Page - 19	K326A(C) Page - 24 K538(C) Page - 25 ~~K559(C) Page - 25~~	K541 Page - 72	K479 Page - 84 K528 Page - 85	K544(C) Page - 46 K614(C) Page - 46	K724 Page - 94	K638 Page - 117
		K723 Page - 20 K723A Page - 20	K293(C) Page - 23					
RSB 620	RK 117 57 X I 52 	K496 Page - 19 K502 Page - 19	K498(C) Page - 25	K475 Page - 72	K481 Page - 85		K503 Page - 92	

RKI READY RECKONER OF SPICER/MSL SHAFT COMPONENTS

SERIES	U.J CROSS	LONG FORK WITHOUT DUST COVER	SLEEVE BOTTLE	HALF YOKE	CROSS HOLDER	SLEEVE BOTTLE WITH HALF YOKE	FRONT TEETH	COUPLING
SPR 2040								
	RK 112 Page - 1 47.68 X 135	K639 Page - 19 K640 Page - 19 K441 Page - 18 K458 Page - 18 K439 Page - 18 K457 Page - 18	K442(C) Page - 24 K440B(C) Page - 24 K674(C) Page - 26 K440B(C) Page - 26 K674(C) Page - 26 K440(C) Page - 24 K440A(C) Page - 24 K673(C) Page - 26 K701(C) Page - 26	K472 Page - 72 K630 Page - 73 K704 Page - 73	K478 Page - 84 K543 Page - 85 K631 Page - 86 K637 Page - 86	K472A Page - 46 K525 Page - 46		
SPR 2045	RK 116 Page - 2 52 X 147	K443 Page - 18 K459 Page - 18	K444(C) Page - 24	K474 Page - 72 K616 Page - 73	K479 Page - 84 K479A Page - 84 K528 Page - 85 K529 Page - 85 ~~K545~~ Page - 86			
SPR 2047	RK 116 Page - 2 52 X 147	K445 Page - 18 K460 Page - 18	K446(C) Page - 25	K474 Page - 72 K616 Page - 73	K479 Page - 84 K479A Page - 84 K528 Page - 85 K529 Page - 85 ~~K545~~ Page - 86			
SPR 2055	RK 117 Page - 2 57 X 152	K447 Page - 18 K461 Page - 18	K448(C) Page - 25	K475 Page - 72	K481 Page - 85			
SPR 2060	RK 129 Page - 3 59 X 167.7	K449 Page - 19 K462 Page - 19	K450(C) Page - 25	K476 Page - 72	K482 Page - 85			
SPR 2065	RK 134 Page - 3 65 X 172	---- K734P Page - 20	K736(C) Page - 27	K692 Page - 73	K691 Page - 87			
MSL 2040	RK 112 Page - 1 47.68 X 135	K728 Page - 20 K702 Page - 20	K271(C) Page - 23					
MSL 403	RK 105 Page - 1 42 X 129	K747 Page - 21 K747P Page - 21	K748(C) Page - 27					

RKI READY RECKONER FOR LEYLAND ALL MODEL


MODEL	U.J CROSS	CROSS HOLDER	SLEEVE YOKE	REAR TEETH	HALF YOKE	FRONT TEETH	DIFF. COUP.	CENT. COUP.	GEAR COUP.	SLEEVE BOTTLE
										
LEYLAND 350/370	RK 110 39.68 X115.40 Page - 1	K167 Page - 79	K162 Page - 51	~~K163~~ Page - 60 K163A Page - 60 ~~K164~~ Page - 60 K164A Page - 60	K165 Page - 68 K166 Page - 68					
LEYLAND 2214	RK 102 41.27 X126 Page - 1	K151 Page - 78	K141 K141A K143 Page - 50 Page - 50 Page - 50		K149 Page - 68 K149B Page - 68	K147 Page - 90				
LEYLAND E-COMET	RK 107 34.92 X126.20 Page - 1		K252 Page - 52	K253 Page - 62	K184 Page - 69 K185 Page - 69	K182 Page - 90 K183 Page - 90				
LEYLAND TUSKER	RK 107 34.92 X126.20 Page - 1	K186 Page - 79	K179 Page - 51	K163A Page - 60 K164A Page - 60 K180 Page - 61 K181 Page - 61	K184 Page - 69 K185 Page - 69	K182 Page - 90 K183 Page - 90				
LEYLAND TARUS	RK 111 47.62 X135 Page - 1	K202 Page - 79	K196 K197 Page - 51 Page - 51	K198 Page - 61 K199 Page - 61	K201 Page - 69	K200 Page - 90				
LEYLAND 1613 TURBO	RK 107 34.92 X126.20 Page - 1		K179A Page - 51	K164B Page - 61	K185 Page - 69	K120 Page - 90	K123A Page - 103			
L/L INTERAXLE	RK 107 34.92 X126.20 Page - 1	K14B Page - 77	K269 Page - 52	~~K270~~ Page - 62 K311 Page - 62	K13B Page - 67					
L/L INTERAXLE	RK 102 41.27 X126 Page - 1	K299 Page - 81	K269A Page - 52	~~K270~~ Page - 62 K311 Page - 62						K271 Page - 23

RKI READY RECKONER OF TATA 407 SHAFT COMPONENTS

MODEL	U.J CROSS	CROSS HOLDER	SLEEVE YOKE	REAR TEETH	HALF YOKE	FRONT TEETH	DIFF. COUP.	CENT. COUP.	GEAR COUP.
TATA 407	RK 113 Page - 1 30 X 81.80	K91 Page - 78	K85 Page - 50	K87 Page - 59	K90 Page - 67	K89 Page - 89	K94 Page - 102	K92 Page - 102	K93 Page - 102
TATA 407 TURBO	RK 118 Page - 2 27 X 81.80		K86 Page - 50	K88 Page - 59					
TATA 407/1210	RK 103 Page - 1 CROSS 38mm	K60 Page - 78 K60A	K56 Page - 50	K97 Page - 59	K96 Page - 68		K100 Page - 103	K98 Page - 103	K99 Page - 103
TATA 407 MSL TYPE	RK 114 Page - 2 30.17 X 92	K264 Page - 79	K265 Page - 52	K266 Page - 62	K290A Page - 71				
TATA 407 TURBO EX	RK 108 Page - 1 30.17 X 106	K291 Page - 80	K288 Page - 53	K289 Page - 62	K290 Page - 71				
TATA 407 PICK UP	RK 115 Page - 2 34.92 X 106	K291A Page - 80	K386 Page - 53	K387 Page - 63	K392 Page - 71				
1109	RK 107 Page - 1 34.92 X 126.2	K335 Page - 82	K384 Page - 53	K385 Page - 63	K185 Page - 69 K337 Page - 71				K17 Page - 99
TATA 1212	RK 101 Page - 1 CROSS 46mm	K782 Page - 87	K783P Page - 21 FORK	K784 (C) Page - 28 BOTTLE	K13 Page - 67	K308A Page - 91			



CATALOGUE 2023



GET OUR APP
(RKI AUTO PARTS)



K.K. INDUSTRIES

AN ISO 9001:2015 CO.

Street No.6, Abadpura, Nakodar Road, Jalandhar (Punjab) INDIA.

Ph.: (O) +91-181-2271181, 4601181

Customer Care No. : +9198729 89131

E-mail : info@kkautoparts.com

website : rkpropshaft.com