


STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY



C1 C2

PART NO.
ITEM DESCRIPTION
**A
HOUSING
THREAD**
**B
BALL PIN
THREAD**
UNIT
**S
SPANNER
SIZE**
TATA TRUCK HCV ,MCV SECTION

BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-401	Tie Rod Repair Kit N/M, 1210, 1510, 1516, 1612, 2213, 2416, (TURBO) EN-18-Both Ball Pin Head Dia.30 MM	NA	M18X1.5	KIT	27 MM
BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-402	Tie Rod End (RHS+LHS)-1210, 1510, 1516, 1612, 2213, 2416 (TURBO),1109	M24X1.5	M18X1.5	SET	27 MM
BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-402A	Tie Rod End (RHS+RHS)-1210, 1510, 1516, 1612, 2213, 2416 (TURBO),1109	M24X1.5	M18X1.5	SET	27 MM
BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-402 B	Tie Rod End (LHS+LHS)-1210, 1510, 1516, 1612, 2213, 2416 (TURBO),1109	M24X1.5	M18X1.5	SET	27 MM
PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø38.0MM FITTED WITH - VXL-402 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-403	Tie Rod Assembly - 1210, 1510, 1516, 1612, 2213- Fitted with VXL-402 (Pipe Length 62" , Pipe Dia. Ø 38.0 MM	M24X1.5	M18X1.5	EACH	27 MM
PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø38.0MM	VXL-403 A	Tie Rod Pipe - (Tube) W/Clamp, Tata 1210 - (Pipe Length 62") Pipe Dia. Ø 38.0 MM	M24X1.5	NA	EACH	NA

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-404	DRAG Link Repair Kit-1210, 1510, 1516, 1612 Ball Pin Dia. 35MM & 30MM	NA	M18X1.5	KIT	27 MM
 PIPE LENGTH - 12 INCH PIPE DIAMETER - Ø36 MM BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-405	DRAG Link-Assembly-1210 D Both Side Fixed (Pipe Length 12", Pipe Dia. 36.0 MM)	NA	M18X1.5	EACH	27 MM
 PIPE LENGTH - 13-3/4 INCH PIPE DIAMETER - Ø36.0MM FITTED WITH - VXL-402A BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-406	DRAG Link-Assembly-1210 D (Adjustable) One Side Fixed (Pipe Length 12 3/4" Pipe Dia. Ø36.0 MM)	M24X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 20-1/2 INCH PIPE DIAMETER - Ø32.0MM BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-407	DRAG Link-Assembly-1210 SE Bend Type Both Side Fixed (Pipe Length 20 1/2" Pipe Dia. Ø32.0 MM)	NA	M18X1.5	EACH	27 MM
 PIPE LENGTH - 29 INCH PIPE DIAMETER - Ø32.0MM BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-408	DRAG Link-Assembly-1210 LP, 1510-LP Bend Type Both Side Fixed -(Pipe Length 29" Pipe Dia. Ø32.0 MM)	NA	M18X1.5	EACH	27 MM
 PIPE LENGTH - 27 INCH PIPE DIAMETER - Ø40.0MM BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-409	DRAG Link-Assembly-1312 LP, 1612-LP Bend Type Both Side Fixed -(Pipe Length 27" Pipe Dia. Ø40.0 MM)	NA	M18X1.5	EACH	27 MM


STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter





C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 20 INCH PIPE DIAMETER - Ø38.0MM BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-410	DRAG Link-Assembly-1312 TRUCK, 1612 SE Bend Type Both Side Fixed- (Pipe Length 20" Pipe Dia. Ø38.0 MM)	NA	M18X1.5	EACH	27 MM
 PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-402 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-411	DRAG Link-Assembly-1312 TRUCK, 1612 SE Bend Type Both Side Fixed- (Pipe Length 20" Pipe Dia. Ø38.0 MM)	M24X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø50.0MM	VXL-411 A	Tie Rod Pipe-(Tube) W/Clamp, Tata 2416, 2213 Turbo-(Pipe Length 62" Pipe Dia. Ø50.0 MM)	NA	NA	EACH	NA
 PIPE LENGTH - 21-1/2 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - VXL-402A BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-412	DRAG Link-Assembly-1210 SE (Adjustable) Bend Type One Side Fixed- (Pipe Length 21½" Pipe Dia. Ø35.0 MM)	M24X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 29-3/4 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-402A BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-413	DRAG Link-Assembly-1210-LP (Adjustable) Bend Type One Side Fixed (Pipe Length 29¾" Pipe Dia. Ø32.0 MM)	M24X1.5	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-414	Tie Rod End (Sealed Type) [OE REF . 257401010102], 1210, 1510, 1516, 1612, 2213, 2416,-(Turbo) Tata 1312 TC	M24X1.5	M18X1.5	SET	27 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.80 MM BALL PIN MINOR TAPER (C2) - Ø14.80 MM		VXL-415	GEAR SHIFT END-Tata 1510, 1612, 2213, 2416,TURBO, (Leyland 1612, 2516, 3516, 2214 Model onwards 2002) (1Pcs. RHT - 1Pcs. LHT), (Outer Thread)	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.80 MM BALL PIN MINOR TAPER (C2) - Ø14.80 MM		VXL-415 SL	GEAR SHIFT END-Self Lubricated,Tata 1510, 1612, 2213, 2416,TURBO, (Leyland 1612, 2516, 3516, 2214 Model onwards 2002) -(1Pcs. RHT -1Pcs. LHT),(Outer Thread)	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.80 MM BALL PIN MINOR TAPER (C2) - Ø14.80 MM		VXL-415 B	GEAR SHIFT END-Tata 1510, 1612, 2213, 2416 TURBO, (Leyland 1612, 2516, 3516, 2214 Model onwards 2002) (2 Pcs. Left Outer Thread)	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.80 MM BALL PIN MINOR TAPER (C2) - Ø14.80 MM		VXL-416	GEAR SHIFT END- Tata 1510, 1612, 2213, 2416, TURBO -(2 Pcs. Right Outer Thread)	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.80 MM BALL PIN MINOR TAPER (C2) - Ø14.80 MM		VXL-416 SL	GEAR SHIFT END-Self Lubricated Tata 1510, 1612, 2213, 2416, TURBO (2 Pcs. Right Outer Thread)	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.80 MM BALL PIN MINOR TAPER (C2) - Ø14.80 MM		VXL-417	GEAR SHIFT END- (LOWER ENGINE) OE REF. 250726700152 Tata 1510, 1612, 2213, 2416, TURBO, (Leyland 1612, 2516, 3516, 2214 Model onwards 2002) (Right Outer Thread)	M18X1.5	M12X1.5	EACH	19 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.80 MM BALL PIN MINOR TAPER (C2)- Ø14.80 MM	VXL-417 SL	GEAR SHIFT END- Self Lubricated (LOWER ENGINE) Tata 1510, 1612, 2213, 2416, TURBO, (Leyland 1612, 2516, 3516, 2214 Model onwards 2002) (Right Outer Thread)	M18X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH - 20-1/2 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-402A BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2)- Ø19.80 MM	VXL-418	DRAG Link-Assembly-TATA-1312, 1612, SE (ADJUSTABLE) Bend Type One Side Fixed (Pipe Length 20" 1/2 Pipe Dia. Ø40.0 MM)	M24X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 28 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2)- Ø19.85 MM	VXL-419	DRAGLink-Assembly- TATA-1312, 1612 L.P. (ADJUSTABLE) Bend Type One Side Fixed, Fitted with VXL-423A (Pipe Length 28" Pipe Dia. Ø40.0 MM)	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 48 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2)- Ø19.85 MM	VXL-420	DRAG Link-Assembly-TATA-1210 LPO Bend Type One Side Fixed, Fitted with VXL-423A(Pipe Length 48" Pipe Dia. Ø50.0 MM)	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 52 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2)- Ø19.85 MM	VXL-421	DRAG Link-Assembly- (OE REF. 206346000112) TATA-LPO 1510 / LPO 1512 /LPO 1613/LPO 1616 LPO ,LPO 1515 ,1615 LPO Bend Type One Side Fixed, Fitted with VXL-423A(Pipe Length 52" Pipe Dia. Ø50.0 MM)	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 28 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2)- Ø19.85 MM	VXL-422	DRAG Link-Assembly-TATA-1616, 2416, 2516, 3516, 2213, TC.2515 EX Bend TypeOne Side Fixed, Fitted with VXL-423A (Pipe Length 28" & Dia 50mm)	M30X1.5	M18X1.5	EACH	27 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-423	DRAG Link End (RHT)- 1616, 2416, 2516, 3516, 2213, 2515 Ex	M28X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-423 LT	DRAG Link End (Left Thread M 28x1.5)- 1616, 2416, 2516, 3516, 2213, 2515 Ex	M28X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-423 A	DRAG Link End (Right Thread M 30 x 1.5) - 1616, 2416, 2516, 3516, 2213, 2515 Ex	M30X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-423 B	DRAG Link End (Left Thread M 30 x 1.5)- 1616, 2416, 2516, 3516, 2213, 2515 Ex	M30X1.5	M18X1.5	SET	27 MM
	VXL-424	TATA DRAG Link Repair Kit TATA-1312	NA	M18X1.5	KIT	27 MM
 PIPE LENGTH - 18 INCH PIPE DIAMETER - Ø45.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-671	Drag Link Assembly -(OE Ref. No. : 207846000105) SK1613 TC Tipper, SK 1616 TCIC, BS-II Turbo, SE 1616(697 TCIC, BS-II, Bend Type One Side Fixed, Fitted with VXL-423A Pipe Length-18" , Pipe Dia. Ø45.0 MM	M30X1.5	M18X1.5	EACH	27 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 33 INCH PIPE DIAMETER - Ø42.0MM FITTED WITH - VXL-430 A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM BALL PIN MAJOR TAPER (C1)- Ø18.66 MM BALL PIN MINOR TAPER (C2) - Ø16.20 MM		VXL-672	Drag Link Assy. (Bend Type) (O.E. No.- 264146600160/165/158) TATA- LP709 BS-II, LP709EX, LPT EX BS-II LP909 CNG BS-III, LP709EX, LP909EX, BS-IILPK407/27EX TURBO, LPT709EX, BS-II STAR BUS407LP CNG, LP 712/42.LPT 810 /LP 912 /LPT 1010 Sub Part Suitable For VXL-461 Drag Link Repair Kit, Fitted with Kit VXL-463 (Pipe length 33 inch.,Pipe Dia. Ø42.0 MM)	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 31 INCH PIPE DIAMETER - Ø42.0MM FITTED WITH - VXL-430A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-673	Drag Link Assy. (O.E. Ref no. 282146600103/105) TATA- LPT 912 TCIC-BS III, LPT-LPK 909 EX-BS II,LP 407/34 TURBO EX BS II LPT 712 EX BS III LPT 407/34 EX BS III(STAR BUS 24 SEATER), Sub Part Suitable For VXL-461 Drag Link Repair Kit, Fitted with Kit VXL-463 Bend Type One Side Fixed(Pipe Length 31" Pipe Dia. Ø42.0 MM)	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 13-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-430 A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-675	DRAG LINK ASSY (Straight) (O.E.Ref. PART NO.- 282246600102) TATA SFC 909 E/38 TURBO EX BS II,SFC 712,709 Fitted with Kit VXL-463(Pipe length- 13" 1/2 ,Pipe Dia. Ø32.0 MM)	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 32.5 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-676	DRAG LINK ASSY. (OE.Ref. PART NO.- 278246600101) TATA 2515 TILT LPK 1613/32, 1613/36 TCIC BS IIPower Steering Tipper Version (TILT CAB),LPK1618C BS-II(TILT CAB),LPT 2515,LPT 2518C,3118 C , Fitted with VXL-423A, Bend Type One Side Fixed (Pipe Length-32.5",Pipe Dia. Ø50.0 MM)	M30X1.5	M18X1.5	EACH	27 MM
TATA RANGE OF DRAG LINK / TIE ROD ASSEMBLY FOR ALL MODELS							
 PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø38.0MM FITTED WITH - VXL-402 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-403	Tie Rod Assembly - 1210, 1510, 1516, 1612, 2213 Fitted with VXL-402 (Pipe Length 62" Pipe Dia. Ø38.0 MM)	M24X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 12 INCH PIPE DIAMETER - Ø36.0MM BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-405	DRAG Link-Assembly-1210 D Both Side Fixed(Pipe Length12" ,Pipe Dia. Ø36.0 MM)	NA	M18X1.5	EACH	27 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



TIE ROD END




TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY


C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 12-3/4 INCH PIPE DIAMETER - Ø36.0MM FITTED WITH - VXL-402A BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-406	DRAG Link-Assembly-1210 D (Adjustable) One Side Fixed Fitted With VXL-402 A (Pipe Length 12¾", Pipe Dia. Ø36.0 MM)	M24X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 20-1/2 INCH PIPE DIAMETER - Ø32.0MM BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-407	DRAG Link-Assembly-1210SE Bend Type Both Side Fixed (Pipe Length 20½", Pipe Dia. Ø32.0 MM)	NA	M18X1.5	EACH	27 MM
 PIPE LENGTH - 29 INCH PIPE DIAMETER - Ø32.0MM BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-408	DRAG Link-Assembly-1210 LP, 1510-LP Bend Type Both Side Fixed - (Pipe Length 29", Pipe Dia. Ø32.0 MM)	NA	M18X1.5	EACH	27 MM
 PIPE LENGTH - 27 INCH PIPE DIAMETER - Ø40.0MM BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-409	DRAG Link-Assembly-1312 LP, 1612-LP Bend Type Both Side Fixed - (Pipe Length 27", Pipe Dia. Ø40.0 MM)	NA	M18X1.5	EACH	27 MM
 PIPE LENGTH - 20 INCH PIPE DIAMETER - Ø38.0MM BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-410	DRAG Link-Assembly-1312 TRUCK, 1612 SE Bend Type Both Side Fixed (Pipe Length 20", Pipe Dia. Ø38.0 MM)	NA	M18X1.5	EACH	27 MM
 PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-402 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-411	Tie Rod Assembly-2416, 2213 Turbo Bend at Both Side Fitted With VXL-402 (Pipe Length 62", Pipe Dia. Ø36.0 MM)	M24X1.5	M18X1.5	EACH	27 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 21-1/2 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - VXL-402A BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-412	DRAG Link-Assembly-1210 SE (Adjustable) Bend Type One Side Fixed Fitted With VXL-402 A (Pipe Length 21½" ,Pipe Dia. Ø35.0 MM))	M24X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 29-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-402A BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-413	DRAG Link-Assembly-1210-LP (Adjustable) Bend Type One Side Fixed Fitted With -VXL-402 A (Pipe Length 29¾" ,Pipe Dia. Ø32.0 MM))	M24X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 20-1/2 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-402 A BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-418	DRAG Link-Assembly-TATA-1312, 1612, SE (ADJUSTABLE) Bend Type One Side Fixed Fitted With VXL-402 A ,(Pipe Length 20" 1/2 ,Pipe Dia. Ø40.0 MM)	M24X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 28 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-419	DRAG Link-Assembly- TATA-1312, 1612 L.P. (ADJUSTABLE) Bend Type One Side Fixed, Fitted with VXL-423A (Pipe Length 28" ,Pipe Dia. Ø40.0 MM)	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 48 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-420	DRAG Link-Assembly-TATA-1210 LPO Bend Type One Side Fixed, Fitted with VXL-423A(Pipe Length 48" ,Pipe Dia. Ø50.0 MM))	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 52 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-421	DRAG Link-Assembly- (OE REF. 206346000112) TATA-LPO 1510 / LPO 1512 /LPO 1613/LPO 1616 LPO ,LPO 1515 ,1615 LPO Bend Type One Side Fixed, Fitted with VXL-423A(Pipe Length 52" Pipe Dia. Ø50.0 MM)	M30X1.5	M18X1.5	EACH	27 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



TIE ROD END






TIE ROD ASSEMBLY




DRAG LINK ASSEMBLY

C1 C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
PIPE LENGTH - 28 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-422	DRAG Link-Assembly-TATA-1616, 2416, 2516, 3516, 2213, TC,2515 EX Bend TypeOne Side Fixed, Fitted with VXL-423A (Pipe Length 28" & Dia 50mm)	M30X1.5	M18X1.5	EACH	27 MM
PIPE LENGTH - 18 INCH PIPE DIAMETER - Ø45.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-671	Drag Link Assembly (OE Ref. No. : 207846000105) SK1613 TC Tipper, SK 1616 TCIC, BS-II Turbo, SE 1616(697 TCIC, BS-II, Bend Type One Side Fixed, Fitted with VXL-423A Pipe Length-18",Pipe Dia. Ø45.0 MM)	M30X1.5	M18X1.5	EACH	27 MM
PIPE LENGTH - 33 INCH PIPE DIAMETER - Ø42.0MM FITTED WITH - VXL-430 A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM BALL PIN MAJOR TAPER (C1)- Ø18.66 MM BALL PIN MINOR TAPER (C2) - Ø16.20 MM	VXL-672	Drag Link Assy. (Bend Type) (O.E. No.- 264146600160/165/158) TATA- LP709 BS-II, LP709EX, LPT EX BS-II LP909 CNG BS-III, LP709EX, LP909EX, BS-IILPK407/27EX TURBO, LPT709EX, BS-II STAR BUS407LP CNG, LP 712/42,LPT 810 /LP 912 /LPT 1010 Sub Part Suitable For VXL-461 Drag Link Repair Kit, Fitted with Kit VXL-463 (Pipe length 33 inch. Pipe Dia.-42.0 MM)	M20X1.5	M14X1.5	EACH	22 MM
PIPE LENGTH - 31 INCH PIPE DIAMETER - Ø042.0MM FITTED WITH - VXL-430 A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-673	Drag Link Assy. (O.E. Ref no. 282146600103/105) TATA- LPT 912 TCIC-BS III, LPT-LPK 909 EX- BS II,LP 407/34 TURBO EX BS II LPT 712 EX BS III LPT 407/34 EX BS III(STAR BUS 24 SEATER), Sub Part Suitable For VXL-461 Drag Link Repair Kit,Fitted with Kit VXL-463 Bend Type One Side Fixed (Pipe Length 31" Pipe Dia.- 42.0 MM)	M20X1.5	M14X1.5	EACH	22 MM
PIPE LENGTH - 33 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - VXL-430A/490B BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM	VXL-674	Drag Link Assembly (Both Side Adjustable) Bend Type Fitted With VXL-430 A / VXL-490 B (Pipe Length 33", Pipe Dia.- 35.0 MM)	M20X1.5	M14X1.5	EACH	19 MM OR 22 MM
PIPE LENGTH - 13-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-430 A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-675	DRAG LINK ASSY (Straight) [O.E.Ref. PART NO.- 282246600102] TATA SFC 909 E/38 TURBO EX BS II,SFC 712,709 Fitted with Kit VXL-463(Pipe length- 13" 1/2 ,Pipe Dia. 32 MM)	M20X1.5	M14X1.5	EACH	22 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 32.5 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-676	DRAG LINK ASSY. OE.Ref. PART NO.- 278246600101 TATA 2515 TILT LPK 1613/32, 1613/36 TCIC BS II Power Steering Tipper Version (TILT CAB), LPK1618C BS-II (TILT CAB), LPT 2515, LPT 2518C, 3118 C, Fitted with VXL-423A, Bend Type One Side Fixed (Pipe Length-32.5", Pipe Length -50.0 MM)	M30X1.5	M18X1.5	EACH	27 MM
CENTER TO CENTER - 219 MM  BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.80 MM BALL PIN MAJOR TAPER (C1)- Ø32.40 MM BALL PIN MINOR TAPER (C2) - Ø29.25 MM		VXL-666	STABILIZER LINK ASSY, [O.E.Ref No. 288032900101] Straight TML Rear Suspension, Tata LPK 2518 HD 6/4 DS IV Tipper, LPK 2523 TC, 1516 Non Sleeper Cab,,, Both Side Fixed (Pipe Length- 5'1/8")	NA	M24X1.5	EACH	41 MM
 PIPE LENGTH - 25-1/2 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-667	Drag Link Assy, Bend Type - (O.E.Ref. NO.206046000121/263246000103-105) (Tata LP1510/50, LP/LPO1613, LP1512TC, LP O1512TC, LPT1616, LPT1613, LPT1613 (COW L), LP BUS 1112, LP 1515 TC (Kit VXL-424), Fitted With VXL-423, One Side Fixed (Pipe Length 25-1/2", Pipe Dia. 50.0 MM)	M28X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 27-1/2 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-668	Drag Link Assy, Bend Type (OE.ref no. 284646000125/126/12) / 257646000115/257646000121 ,TATA-LPT3118COWL, LPS3518, LPS4018, 4923, LPT2518, LPK2516C, LPT2518TC 48, 38L PK3516, LPK1618, LPK 1613 8, One Side Fixed, Fitted with VXL-423A (PIPE LENGTH 27"1/2, Pipe Dia. 50.0 MM)	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 50 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-425 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-426	TIE ROD ASSEMBLY Tata 407 LP/SFC Fitted With - VXL 425 (Pipe Length 50", Pipe Dia. 32.0 MM)	M18X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH - 50 INCH PIPE DIAMETER - Ø32.0MM		VXL-426 A	Tie Rod Pipe (Tube) W/Clamp. Tata 407 (PIPE LENGTH 50", Pipe Dia. 32.0 MM)	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 15-1/2 INCH PIPE DIAMETER - Ø28.0MM FITTED WITH - VXL-425A BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-427	DRAG Link-Assembly--[OE REF. 265146600119] Straight (Fix-Type One Side) Tata 407 SF Fitted With VXL-425 A (Pipe Length 15½",Pipe Dia. 28.0 MM)	M18X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH - 15-1/2 INCH PIPE DIAMETER - Ø28.0MM FITTED WITH - VXL-425 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-428	DRAG Link-Assembly -Straight, Both Side Adjustable Tata 407 SFC (Fitted With VXL-425) (Pipe Length 15½",Pipe Dia. 28.0 MM)	M18X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH - 32 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-425A/430B BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-429	DRAG LINK - Assembly 407 (L.P.) - Straight Both Side Adjustable Fitted with VXL-425A/430 B (Pipe Length 32",Pipe Length-32.0 MM)	M18X1.5 OR M20X1.5	M12X1.5 OR M14X1.5	EACH	19 MM OR 22 MM
 PIPE LENGTH - 33 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - VXL-490 A BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-492	Drag Link Assembly 407 TURBO LP Bend Type One Side Fixed ,Fitted With VXL-490 A,(Pipe Length 33",Pipe Dia.- 35.0 MM)	M20X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH - 33.5 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - VXL-430 B/490 A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-493	Drag Link Assembly 407 TURBO LP (Adjustable) Bend Type One Side Fixed Fitted With VXL-430 B/VXL-490 A (Pipe Length 33.5",Pipe Dia.-35.0 MM)	M20X1.5	M12X1.5 OR M14X1.5	EACH	19 MM OR 22 MM
 PIPE LENGTH - 33 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - VXL-425 A BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-494	Drag Link Assembly 407 TURBO BUS Bend Type, One Side Fixed Fitted With VXL-425 A (Pipe Length 33",Pipe Dia. 35.0 MM) Repair Kit VXL-461	M20X1.5	M12X1.5 M14X1.5	EACH	19 MM OR 22 MM



STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 51-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-430 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-431	TIE ROD Assembly Tata 608LP/SFC, Fitted with VXL-430 (Pipe Length 51½" Pipe Dia. 32.0 MM)	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 51-1/2 INCH PIPE DIAMETER - Ø32.0MM	VXL-431 A	TIE ROD Assembly Tata 608LP/SFC, Fitted with VXL-430 (Pipe Length 51½",Pipe Dia. 32.0 MM)	NA	NA	EACH	NA
 PIPE LENGTH - 13 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-430A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-432	DRAG Link Assembly (Straight) (Fix-Type) Tata 608 SFC, One Side Fixed, Fitted with VXL-430A (Pipe Length 13" ,{Pipe Dia.-32.0 MM)	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 13-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-430 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-433	DRAG Link Assembly (Straight) Both Side Adjustable Tata 608 SFC Fitted With VXL-430 (Pipe Length 13½",Pipe Dia. 32.0 MM)	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 13-1/2 INCH PIPE DIAMETER - Ø32.0MM	VXL-433 A	Drag Link Pipe (Pipe Length 13½",Pipe Dia. 32.0 MM)	NA	NA	EACH	NA
 PIPE LENGTH - 51-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-435 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM	VXL-436	TIE ROD Assembly Tata 609 SFC/LP,Fitted With VXL-435(Pipe Length 51½",Pipe Dia. 32.0 MM)	M20X1.5	M16X1.5	EACH	24 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -51-1/2INCH PIPE DIAMETER - Ø32.0MM		VXL-436 A	Tie Rod Pipe (Tube) W/Clamp, Tata 609 (Pipe Length 51½",Pipe Dia. 32.0 MM)	NA	NA	EACH	NA
 PIPE LENGTH -14-1/2INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-430 A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-437	DRAG Link Assembly, 609, 709, TRUCK (SFC) -Straight, Fitted with VXL-430 A (Pipe Length 14½",Pipe Dia. 32.0 MM) Repair Kit VXL-463	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH -32-1/2INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-430 A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-438	DRAG Link Assembly 609 LP 709 LP - Straight(Pipe Length 32 ½",Pipe Dia. 32.0 MM) Fitted with VXL-430 A , Repair Kit VXL-463	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH -52 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - VXL-660 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-1660	TIE ROD ASSEMBLY PIPE [OE Ref No. 264133200121] Tata 709 EXFitted with VXL -660 (Pipe Length 52",Pipe Dia. 35.0 MM)	M22X1.5	M16X1.5	EACH	24 MM
 PIPE LENGTH 33-1/2INCH PIPE DIAMETER - Ø42.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-662	Drag Link ASSEMBLY Bend Type, Tata 1109 (Fitted with VXL-423A) (Pipe Length 33"½",Pipe Dia. 42.0 MM)	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH -56 INCH PIPE DIAMETER - Ø38.0MM FITTED WITH - VXL-402 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-664	Tie Rod Assembly,[OE REF. 261033800103/215333800103] Tata 1109 Ex Turbo Fitted with VXL-402 (Pipe Length 56",Pipe Dia. 38.0 MM)	M24X1.5	M18X1.5	EACH	27 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



TIE ROD END






TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -30-1/2INCH PIPE DIAMETER - Ø42.0MM FITTED WITH - VXL-2424A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-665	Drag Link Assy, [O.E.Ref No. 215346600104] Tata 1109 EX/48 HEX2, LPT 1412 CRx,LPT 1212 CRx , Seal Type End, ,One Side Fixed, Fitted with VXL-2424A Pipe Length 30- 1/2" ,Pipe Dia. 42.0 mm	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH -62 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2424 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-2423	Tie Rod Assembly (SEALED TYPE END) [OE Ref.No. 280933800101] BUS LPO 1613 ,LPK 1618,LPO 1621,LPK 2513 TC , Fitted with VXL-2424 PIPE LENGTH-62",Pipe Dia. 40.0 MM	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH -62 INCH PIPE DIAMETER - Ø40.0MM	VXL-2423 A	TIE ROD ASSEMBLY ONLY PIPE WITH CLAMP AND NUT BOLT PIPE LENGTH-62",Pipe Dia. 40.0 MM	NA	NA	EACH	NA
 PIPE LENGTH -27 INCH PIPE DIAMETER - Ø50.0MM BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-2425	DRAG LINK ASSEMBLY FRONT, FIX TYPE .STRAIGHT-[OE.Ref. no.260846000109] LPO 1623,1512,1610,LPO 1618,1621, Both Side Fixed, Tata LPO 1612, LPO 1621 PIPE LENGTH-27",Pipe Dia.50.0 mm	NA	M18X1.5	EACH	27 MM
 PIPE LENGTH -36 INCH PIPE DIAMETER - Ø60.0MM FITTED WITH - VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-2426	DRAG LINK ASSEMBLY REAR,[OE.Ref. no. 216346000101 /216346000107] TATA LPO 1612, LPO 1818TC/62, LPO1621, ,One Side Fixed, Fitted with VXL-423A PIPE LENGTH-36" Pipe Dia 60mm	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH -64 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2404 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM	VXL-2427	TIE ROD ASSEMBLY (Front Forward Axle) [OE Ref no. 288533800106] TATALPT2518TC, LPT 3118, LPK 3118TC 8X4 TIPPER,LPT 3723TC FITTED WITH VXL-2404 PIPE LENGTH 64",Pipe Dia.50.0 MM	M30X1.5	M24X1.5	EACH	36 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -64 INCH PIPE DIAMETER - Ø50.0MM		VXL-2427 A	TIE ROD . PIPE ONLY WITH CLAMP AND NUT BOLT TATA LPT 2518TC, LPT 3118,LPK 3118TC 8X4 TIPPER,LPT 3723TC PIPE LENGTH 64",Pipe Dia.50.0 MM	NA	NA	EACH	NA
 PIPE LENGTH -30.4 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2412 A BALL PIN MAJOR TAPER (C1)- Ø18.30 MM BALL PIN MINOR TAPER (C2) - Ø16.00 MM		VXL-2414	Drag Link Assy, [O.E.Ref. NO.- 550746600131] Tata Ultra Truck 812/912),ULTRA 814,ULTRA 1012/33,ULTRA 1014 , One Side Fixed Double Bend Fitted with VXL-2412 A Pipe Length-30.4",Pipe Dia. 40.0mm)	M30X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH -45.6 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2412A BALL PIN MAJOR TAPER (C1)- Ø18.30 MM BALL PIN MINOR TAPER (C2) - Ø16.00 MM		VXL-2415	Drag Link Assy,[O.E.Ref. NO.- 550746600157 /550746900101] Bend Type, Tata Ultra LPO BUS LP 812/912 BS4, LPO 7.5T, LPO 8.5T, LPO 9.6T,LPO Y1.8, 1.9, 10.2 One Side Fixed, , Fitted with VXL-2412A (Pipe Length-45.6",Pipe Dia.40.0 mm)	M30X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH -56-7/8 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2411 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-2416	TIE ROD ASSEMBLY -TATA ULTRA TRUCK ULTRA 1014,814,812,1012 OE. Ref.NO.- 550733800115,Fitted with VXL-2411(Pipe Length 56-7/8" ,Pipe Dia.-40.0mm)	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH -56-7/8 INCH PIPE DIAMETER - Ø40.0MM		VXL-2416 A	TATA TIE ROD ASSEMBLY PIPE WITH CLAMP TATA ULTRA TRUCK TRUCK 1012/45,1012/39 (Pipe Length 56-7/8" ,Pipe Dia.-40.0mm))	M30X1.5	NA	EACH	NA
 PIPE LENGTH -59 INCH PIPE DIAMETER - Ø45.0MM FITTED WITH - VXL-2401 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-2402	Tie Rod Assy, (Tata Prima), Fitted with VXL-2401 Pipe Length 59",Pipe Dia.- 45.0mm	M38X1.5	M24X1.5	EACH	41 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 59 INCH PIPE DIAMETER - Ø45.0MM	VXL-2402 A	TIE ROD PIPEWITH CLAMP AND NUT BOLT PIPE LENGTHH 59",Pipe Dia.-45.0mm	M38X1.5	NA	EACH	NA
 PIPE LENGTH - 46 INCH PIPE DIAMETER - Ø60.0 MM FITTED WITH - VXL-2421 A BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM	VXL-2422	Drag Link Assy, Bend Type One Side Fixed [OE.Ref. 284946000113] TATA LPT 2518TC BS-III,LPT 2518 COWL LPT 3118TC BS-III, LPT 3118 COWL BODY ,Fitted with VXL-2421 A Pipe length 46",Pipe Dia.60.0mm	M30X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH - 64 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2404 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM	VXL-2405	Tie Rod Assy, [OE.Ref. 502133800101] Tata Prima 1528K, LX2528, 2528K (6X4) fitted with VXL-2404(Pipe Length 64",Pipe Dia.-50.0mm)	M30X1.5	M24X1.5	EACH	36 MM
 PIPE LENGTH - 25-1/2 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2424 A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-2407	DRAG LINK ASSEMBLY [OE REF. 277046000118/124/123] (TATA LP-1613/152, HEAVY BUS)- FITTED WITH VXL-2424 A (PIPE LENGTH-25-1/2" PIPE Dia.-50.0 MM)	M30X1.5	M18X1.5	EACH	27 MM
TATA HCV & MCV (LPO 1612/LPO 1613/LPT 1615 TC/LPO 1818 TC/62/ LPO 1621/ LPK 2523TC)						
 PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2424 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-2423	Tie Rod Assembly (SEALED YPE) END [OE Ref.no. 280933800101] Fitted with VXL-2424 PIPE LENGTH-62",Pipe Dia.-40.0mm	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø40.0MM	VXL-2423 A	TIE ROD ASSEMBLY -ONLY PIPE WITH CLAMP AND NUT BOLT PIPE LENGTH- 62"Pipe Dia.-40.0mm	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2)- Ø19.85 MM	VXL-2424	TIE ROD END SEALED TYPERHT+LHT [OE. Ref. no-280933800103/104]	M30X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2)- Ø19.85 MM	VXL-2424 A	TIE ROD END SEALED TYPE M30X1.5 RHT+RHT [OE.Ref. no-280933800103]	M30X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2)- Ø19.85 MM	VXL-2424 B	TIE ROD END SEALED TYPE (LHT+LHT) [OE. Ref. no-280933800104]	M30X1.5	M18X1.5	SET	27 MM
 PIPE LENGTH -27 INCH PIPE DIAMETER - Ø50.0MM BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2)- Ø19.85 MM	VXL-2425	DRAG LINK ASSEMBLY FRONT, FIX TYPE .STRAIGHT,[OE.Ref. no.260846000109] Both Side Fixed, Tata LPO 1612, LPO 1621PIPE LENGTH-27",Pipe Dia.50.0mm	NA	M18X1.5	EACH	27 MM
	VXL-424	DRAG LINK REPAIR KIT OF VXL-2425	NA	M18X1.5	KIT	27 MM
 PIPE LENGTH -36 INCH PIPE DIAMETER - Ø60.0MM FITTED WITH - VXL-423 A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2)- Ø19.85 MM	VXL-2426	DRAG LINK ASSEMBLY REAR,[OE.Ref. no.216346000101 /216346000107] TATA LPO 1612, LPO 1818TC/62, LPO1621, ,One Side Fixed, Fitted with VXL-423A PIPE LENGTH-36" (Dia 60mm)	M30X1.5	M18X1.5	EACH	27 MM

STEERING AND SUSPENSION PARTS




A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-2493	REPAIR KIT FOR DRAG LINK END [OE REF. 216346990108] - TATA ULTRA URBAN 12M EV BUS/HEAVY BUS REAR ENGINE / LPO 1613 CNG/LPO 1623 TC BS 4/LPO 1618 BS6/LPO 1612 BS6	NA	M24X1.5	KIT	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.50 MM BALL PIN MINOR TAPER (C2) - Ø27.00 MM	VXL-2494 A	DRAG LINK END [RHT] [OE REF. 410346900107] TATA ULTRA URBAN 12M EV BUS/HEAVY BUS REAR ENGINE / LPO 1613 CNG/LPO 1623 TC BS 4/LPO 1618 BS6/LPO 1612 BS6	M40X1.5	M24X1.5	EACH	36 MM
 PIPE LENGTH -34-7/8 INCH PIPE DIAMETER - Ø52.0MM FITTED WITH - VXL-2494 A BALL PIN MAJOR TAPER (C1)- Ø30.50 MM BALL PIN MINOR TAPER (C2) - Ø27.00 MM	VXL-2495	DRAG LINK ASSEMBLY [OE REF. 410646900101/ 410646900119] TATA ULTRA URBAN 12M EV BUS/HEAVY BUS REAR ENGINE / LPO 1613 CNG/LPO 1623 TC BS 4/LPO 1618 BS6/LPO 1612 BS6 - Fitted With VXL-2494 A , Pipe Dia. Ø52 MM / Length 34-7/8"	M40X1.5	M24X1.5	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.50 MM BALL PIN MINOR TAPER (C2) - Ø27.00 MM PIPE LENGTH -26.7/8" INCH PIPE DIAMETER - Ø40.0MM REPAIR KIT- VXL-2493	VXL-24118	Drag Link Assembly [FIXED TYPE STRAIGHT] OE REF. [410346900103] TATA URBAN 12 MTR EV BUS /HEAVY BUS LPO 1613/58 -/ LPO 1618/62 BS6 / LPO 1620 , Pipe Dia. Ø40.0 MM Length - 26-7/8" Inch , Repair Kit VXL-2493	NA	M24X1.5	KIT	36 MM
 PIPE LENGTH -26.0 INCH PIPE DIAMETER - Ø40.0MM REPAIR KIT- VXL-2493 BALL PIN MAJOR TAPER (C1)- Ø30.50 MM BALL PIN MINOR TAPER (C2) - Ø27.00 MM	VXL-24119	Drag Link Assembly [FIXED TYPE STRAIGHT] OE REF. [502346900110] TATA LPO 1623 TC 62WB / , Pipe Dia. Ø40.0 MM Length - 26.0 Inch , Repair Kit VXL-2493	NA	M24X1.5	KIT	36 MM
 PIPE LENGTH -50 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH -VXL-2494 A BALL PIN MAJOR TAPER (C1)- Ø30.50 MM BALL PIN MINOR TAPER (C2) - Ø27.00 MM	VXL-24126	Drag Link Assembly- [OE REF. 410546900104] TATA LPO 1618 - All Model , Fitted With VXL-2494 A , Repair KIT No. VXL-2493 ,Pipe Dia. Ø50.0 MM , Length- 50"	M40X1.5	M24X1.5	EACH	36 MM



TATA 2515 TILT, LPK 1613/32 , 1613/36

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size							
B- Ball Pin Thread Size							
S - Spanner Size							
L- Pipe Length							
Ø - Pipe Diameter							
C1C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -32.5 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423 A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-676	DRAG LINK ASSY. [OE.Ref. PART NO.- 278246600101] TATA 2515 TILT LPK 1613/32, 1613/36 TCIC BS IIPower Steering Tipper Version (TILT CAB),LPK1618C BS-II(TILT CAB),LPT 2515,LPT 2518C,3118 C , Fitted with VXL-423A, Bend Type One Side Fixed (Pipe Length-32.5",Pipe Dia.-50.0)	M30X1.5	M18X1.5	EACH	27 MM
TATA LPK 2518 HD 6/4 TIPPER							
 CENTER TO CENTER - 219 MM BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.80 MM BALL PIN MAJOR TAPER (C1)- Ø32.40 MM BALL PIN MINOR TAPER (C2) - Ø29.25 MM		VXL-666	STABILIZER LINK ASSY, [O.E.Ref No. 288032900101] Straight TML Rear Suspension, Tata LPK 2518 HD 6/4 DS IV Tipper, LPK 2523 TC, 1516Non Sleeper Cab,, Both Side Fixed (Pipe Length- 5"1/8)	NA	M24X1.5	EACH	41 MM
STABILIZER LINK / ANTI ROLLER BAR- TATA							
 Center To Center - 219 MM BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.80 MM BALL PIN MAJOR TAPER (C1)- Ø32.40 MM BALL PIN MINOR TAPER (C2) - Ø29.25 MM		VXL-666	STABILIZER LINK ASSY, [O.E.Ref No. 288032900101] Straight TML Rear Suspension, Tata LPK 2518 HD 6/4 DS IV Tipper, LPK 2523 TC, 1516 Non Sleeper Cab,, , Both Side Fixed (Pipe Length- 5"1/8) [Center to Center-219 MM]	NA	M24X1.5	EACH	41 MM
 Center To Center - 95 MM BALL PIN MAJOR TAPER (C1)- Ø30.20 MM BALL PIN MINOR TAPER (C2) - Ø27.00 MM		VXL-669	STABILIER LINK TATA [O.E.Ref No. 21863200102] LPO-1623, LPO-1616, LPO-1624 Both Side Fixed[Center to Center-95 MM]	NA	M24X1.5	EACH	41 MM
 Center To Center -380 MM BALL PIN MAJOR TAPER (C1)- Ø32.00 MM PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-2408	Stabilizer Link Assembly-Front [O.E Ref.- 501332800101] TATA LPK 3118 TC BS-III,LPTK 3118 TC,LPK 3718 TC BS-IV,SIGNA 3718 BS-IV,SIGNA 4323 BS-IV (Pipe Length -290MM, Center to Center-380MM)	NA	M24X1.5	EACH	36 MM
 Center To Center - 234 MM BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.80 MM BALL PIN MAJOR TAPER (C1)- Ø32.40 MM BALL PIN MINOR TAPER (C2) - Ø29.25 MM		VXL-2409	Stabilizer LINK REAR [OE REF. 500632900101] TATA TATA PRIMA 2530/2523/3138 LPK 2518TC [Center to Center – 234MM]	NA	M24X1.5	EACH	36 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter





C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 Center To Center - 288 MM BALL PIN MAJOR TAPER (C1)- Ø32.00 MM BALL PIN MINOR TAPER (C2)- Ø29.30 MM	VXL-2410	Stabilizer LINK FRONT [OE REF.501732800101] TATA PRIMA 2530/2338/3130 LPK 3138 [Center To Center -288MM]	NA	M24X1.5	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.20 MM BALL PIN MINOR TAPER (C2)- Ø27.00 MM	VXL-2457	Stabilizer Link Assembly-Front Suspension [O.E Ref.-410332800105] ultra bus urban 9/12 , TATA LPO 1618 TC BS4 Front Suspension , LPO 1621 TC BS4 Front Suspension , LPO 1618 BS3 Rear Suspension ,LPO 1623 Rear Engine , LPO 2630 LPO Front Suspension (Center to Center-120 MM)	NA	M24X1.5	EACH	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø32.00 MM BALL PIN MINOR TAPER (C2)- Ø29.30 MM	VXL-2462	Stabilizer Link [OE Ref.- 501332800103] TATA Signa 4221 T BS6 / LPT 1221 SL BS6 / LPT 1618 BS4 / Signa 4223 TKTC BS4 / Signa 3118 TKTC BS4 / Signa 4223 T BS4 [Pipe Dia. 40 MM , Pipe Length - 11-3/8" / Center To Center - 380 MM]	NA	M24X1.5	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.20 MM BALL PIN MINOR TAPER (C2)- Ø27.00 MM	VXL-2472	Stabilizer Link Assembly- (Center to Center-120 MM)	NA	M24X1.5	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø32.00 MM BALL PIN MINOR TAPER (C2)- Ø29.30 MM	VXL-24110	Stabilizer Link Assembly-FRONT OE Ref. [501332800108] TATA Signa 3523 TK BS6 / Signa 4925 TTC / Signa 4825 TK [Pipe Dia. 40 MM , Pipe Length - 12-5/8" / Center To Center - 410 MM]	NA	M24X1.5	EACH	36 MM
TATA LP 1510/50, LP/LPO 1613, LP 1512 TC, LPO 1512						
 PIPE LENGTH -25-1/2 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2)- Ø19.85 MM	VXL-667	Drag Link Assy, O.E.Ref. NO.206046000121/263246000103-105 Bend Type (Tata LP1510/50,LP/LPO1613,LP1512TC,LPO1512TC,LPT1616,LPT1613,LPT1613(COWL),LP BUS 1112,LP 1515 TC (Repair Kit VXL-424), Fitted With VXL-423 , One Side Fixed (Pipe Length25-1/2",Pipe Dia.50.0mm)	M28X1.5	M18X1.5	EACH	27 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-423	Drag Link End, [RHT Thread]	M28X1.5	M18X1.5	SET	27 MM
TATA LPT 3118 COWL,LPS 3518,LPS4018, LPT 2518 TC48							
 PIPE LENGTH -27-1/2 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-423 A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-668	DragLinkAssy,-[OE.Ref. no. 284646000125/126/128]/257646000115 Bend Type,TATA- LPT3118COWL,LPS3518,LPS4018, 4923,LPT2518,LPK2516C,LPT2518TC48,38L PK3516,LPK1618,LPK 1613 , One SideFixed, Fitted with VXL-423A (PIPE LENGTH 27"1/2,Pipe Dia.50.0mm)	M30X1.5	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-423 A	Drag Link End,RHT Thread	M30X1.5	M18X1.5	EACH	27 MM
TATA LPT 2518/62/,LPT 3118 Long Body							
 BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2421	Tie Rod End - Seal Type, TATA-LPT 2518TC, LPT3118TC (RHT & LHT)	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2421 A	Tie Rod End - Seal Type, TATA-LPT 2518TC, LPT3118TC (RHT & RHT)	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2421 B	Tie Rod End - Seal Type, TATA-LPT 2518TC, LPT3118TC (LHT & LHT)	M30X1.5	M20X1.5	SET	30 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter






C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -46 INCH PIPE DIAMETER - Ø60.0MM FITTED WITH - VXL-2421A BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM	VXL-2422	Drag Link Assy, [OE.Ref.No.- 284946000113] Bend Type One Side Fixed . TATA LPT 2518TC BS-III, LPT 2518 COWL LPT 3118TC BS-III, LPT 3118 COWL BODY , Fitted with VXL-2421 A (Pipe length 46", Pipe Dia. 60.0mm)	M30X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH -64 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2404 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM	VXL-2427	TIE ROD ASSEMBLY (Front Forward Axle) [OERef no. 288533800106] TATAP2518TC, LPT 3118, LPK 3118TC 8X4 TIPPER, LPT 3723TC FITTED WITH VXL-2404, Pipe Dia. 50.0 MM, Pipe Length - 64 Inch	M30X1.5	M24X1.5	EACH	36 MM
 PIPE LENGTH -64 INCH PIPE DIAMETER - Ø50.0MM	VXL-2427 A	TIE ROD PIPE ONLY WITH CLAMP AND NUT BOLT TATA LPT 2518TC, LPT 3118, LPK 3118TC 8X4 TIPPER, LPT 3723TC PIPE (PIPE LENGTH 64", Pipe Dia. -50.0mm)	NA	NA	EACH	NA
 PIPE LENGTH -56-7/8 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-423A/423B BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-2428	TIE ROD ASSY. LIFT AXLE -[O.E. REF. NO. 264233800102] FITTED WITH VXL-423 A/423-B TATA LPT 3118TC, LPT 3718, (PIPE LENGTH 56-7/8", D=40MM)	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH -61 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-423A/423B BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-2429	TIE ROD ASSEMBLY [OE REF. 284633800113] TATA SK 1613 CRDi BS IV , LPK 1613 CRDi BS IV , LPT 1613 CRDi BS IV , SK 1613 CRDi BS IV / TATA LPT 3118TC, LPT 3718, Fitted With VXL-423 A/423 B , PIPE OD 40.0MM , PIPE LENGTH 61"]	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH -59 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-423A/423B BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-2430	TIE ROD ASSY. Fitted with VXL-423A/423B (PIPE LENGTH 59", Pipe Dia. 40.0mm)	M30X1.5	M18X1.5	EACH	27 MM

TATA PRIMA / TATA LPT 2518/62/, LPT 3118, LPT 3718 / LPK 3123 /TATA PRIMA 3138 /PRIMA Lx 3530 BS6/PRIMA Lx 3130/PRIMA 3510 Lx BS6

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-2401	Tie Rod End (Bend Type), M38X1.5 [LHT/RHT], TATA LPT 2518/62TC BS III Cowl Body, Tata Prima	M38X1.5	M24X1.5	SET	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-2401 A	Tie Rod End (Bend Type), M38X1.5 [RHT/RHT], TATA LPT 2518/62TC BS III Cowl Body, Tata Prima	M38X1.5	M24X1.5	SET	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-2401 B	Tie Rod End (Bend Type), M38X1.5 [LHT/LHT], TATA LPT 2518/62TC BS III Cowl Body, Tata Prima	M38X1.5	M24X1.5	SET	41 MM
 PIPE LENGTH -59 INCH PIPE DIAMETER - Ø45.0MM FITTED WITH - VXL-2401 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-2402	Tie Rod Assy, (Tata Prima), Fitted with VXL-2401 Pipe Length 59", Pipe Dia.45.0mm	M38X1.5	M24X1.5	EACH	41 MM
 PIPE LENGTH -59 INCH PIPE DIAMETER - Ø45.0MM		VXL-2402 A	TIE ROD PIPEWITH CLAMP AND NUT BOLT PIPE LENGTHH 59",Pipe Dia.45.0mm	M38X1.5	NA	EACH	NA
 PIPE LENGTH -34 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2421A BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2403	Drag Link Assy. [O.E. Ref. No. 288046300102] / [500946300101] Tata Prima 2528K/LX 2528K, 2518TC, LPK 2518TC, LPT 3723TC ,) , TATA Prima 3128K TC BS6 , Prima Lx 3130 , Prima 3530 Lx KTC BS6 Fitted with VXL-2421A (Pipe Length- 34 INCH ,Pipe Dia. 50.0mm)	M30X1.5	M20X1.5	EACH	30 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-2404	Tie Rod End, [O.E. Ref. No. 288533800108/109], Straight type Tata Prima2528K/LX2528K TATA LPT 2518TC/LPK3118TC/LPT 3723 TC,LPT 3718 COWL,LPT 3723,PRIMA LX 4028,4928,LX 3130	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-2404 A	Tie Rod End, [O.E. Ref. No. 288533800108], Straight type Tata Prima2528K/LX2528K TATA LPT 2518TC/LPK3118TC/LPT 3723 TC,LPT 3718 COWL,LPT 3723,PRIMA LX 4028,4928,LX 3130	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-2404 B	Tie Rod End, [O.E. Ref. No. 288533800109], Straight type Tata Prima2528K/LX2528K TATA LPT 2518TC/LPK3118TC/LPT 3723 TC,LPT 3718 COWL,LPT 3723,PRIMA LX 4028,4928,LX 3130	M30X1.5	M24X1.5	SET	36 MM
 PIPE LENGTH -64 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2404 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-2405	Tie Rod Assy,[OE.Ref.no.- 502133800101] Tata Prima 1528K, LX2528, 2528K (6X4) fitted with VXL-2404 [Pipe Length 64" , Pipe Dia. 50.0 MM]	M30X1.5	M24X1.5	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2406	Hydraulic Cylinder End (Inner Thread) Tata Prima 3128K, LX 3123, LPK 3118	M26X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2465	Drag Link Assembly - (OE Ref. 500946300104) 2nd Drag Link Assembly-TATA Prima 3128K TC BS6 , Prima Lx 3130 , Prima 3530 Lx KTC BS6 (Connect From Center Threaded Jointer M38X1.5 RH/LH)	NA	M20X1.5	EACH	30 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -37-1/4 INCH PIPE DIAMETER - Ø50.0MM BALL PIN MAJOR TAPER (C1)- Ø25.85 MM BALL PIN MINOR TAPER (C2) - Ø23.35 MM	VXL-2466	Drag Link Assembly - (OE Ref. 500946300103) 2nd Relay Rod Assembly - TATA Prima 3128K TC BS6 , Prima Lx 3130 , Prima 3530 Lx KTC BS6 (Fixed Type) Pipe Dia. Ø50.0 MM / Pipe Length 37-1/4"	NA	M20X1.5	EACH	30 MM
 PIPE LENGTH -33-1/2 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2468 A BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-2467	Drag Link Assembly - (OE Ref. 504246300101) TATA PRIMA Lx2523k BS-III PRIMA Lx 2528k BS-III PRIMA Lx 2825 TKTC BS-6 FITTED WITH - VXL-2468 A Pipe Dia. Ø50.0 MM / Pipe Length 33-1/2"	M38X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-2468 A	DRAG LINK END -(M38X1.5 RH) TATA PRIMA Lx2523k BS-III PRIMA Lx 2528k BS-III PRIMA Lx 2825 TKTC BS-6	M38X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH -35 INCH PIPE DIAMETER - Ø60.0MM FITTED WITH - VXL-2421 A BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM	VXL-2471	Drag link Assembly -[OE Ref. 504046300102], -TATA Prima Lx.2523 TC BS3 /4028 TC BS3 / 4025.S BS3/4623.S TC BS4/4920.S TC BS4 / 4920.S TC BS4 Rear / 5530.S TC BS4 Fitted With VXL-2421 A , Pipe Dia. Ø60.0 MM , Pipe Length 35 Inch	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM	VXL-2473	Drag link End OE Ref. [504346800122 LH/504346800121 RH] TATA PRIMA Lx. 3123 TC BS 3/PRIMA 2530/PRIMA Lx 3125 /SIGNA 4925/PRIMA 2528/LPT 3718 TC BS4/LPT 4225 /SIGNA 4225/SIGNA 4825 /SIGNA 4925/LPT 4223 TC/LPT 4923 TC/PRIMA 3530 /LPT 4221	M30X1.5	M20X1.5	SET	30 MM
 PIPE LENGTH -34 INCH PIPE DIAMETER - Ø45.0MM FITTED WITH - VXL-2477 A BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-2474	Drag link Assembly -[OE Ref. 500646300111] IST DRAG LINK ASSEMBLY .PRIMA Lx 3530 TC / PRIMA Lx 3138 TC / PRIMA Lx 3130 TC Fitted With VXL-2477 A , Pipe Dia. Ø45.0 MM , Pipe Length 34 Inch	M30X1.5	M20X1.5	EACH	30 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size

B- Ball Pin Thread Size


S - Spanner Size

L- Pipe Length

Ø - Pipe Diameter



TIE ROD END







TIE ROD ASSEMBLY






DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-2477 A	Drag link End -RH LPK 3138 ,Suitable for VXL-2474 OE Ref. [504346800121 - RH]	M30X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH -29-1/4 INCH PIPE DIAMETER - Ø50.0MM BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.35 MM	VXL-2478	Drag link Assembly - [OE Ref. 500946300102] TATA Prima 3510 Lx BS6 / Prima 3125K TC BS4 / Prima 3525K TC / Prima 3128 TC / Prima 3530 Pipe Dia. Ø50.0 MM , Pipe Length 29-1/4 INCH	NA	M20X1.5	EACH	30 MM
 PIPE LENGTH - 33-7/8 INCH PIPE DIAMETER - Ø50.0 MM FITTED WITH - VXL-2485 A BALL PIN MAJOR TAPER (C1)- Ø25.85 MM BALL PIN MINOR TAPER (C2) - Ø23.35 MM	VXL-2484	Drag Link Assembly - [OE Ref. 504346300103] TATA PRIMA LX 3123 BS6/PRIMA 3128 LX BS6 / Fitted With VXL-2485A ,Pipe Dia. Ø50.0 MM , Pipe Length 33-7/8 INCH	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.85 MM BALL PIN MINOR TAPER (C2) - Ø23.35 MM	VXL-2485 A	Drag Link End(RHT)- TATA LPK 3123	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM	VXL-2488 A	DRAG LINK END [RH THREAD] TATA PRIMA-3718	M38X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM	VXL-2488 B	DRAG LINK END [LH THREAD] TATA PRIMA-3718	M38X1.5	M20X1.5	EACH	30 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -59 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2404 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-2463	Tie Rod Assembly - TATA Prima Pipe dia. Ø50 MM X 59 INCH - Fitted With VXL-2404	M30X1.5	M24X1.5	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM PIPE LENGTH -33 INCH PIPE DIAMETER - Ø45.0MM FITTED WITH - VXL-2473 A		VXL-2497	DRAG LINK ASSEMBLY (OE REF .504346300104) TATA Lx 3530K TC/ Lx 3123K TC /Lx 3530K / PRIMA Lx 3125 TC /Lx 3125K TC /Lx 3128K TC / Lx 3525K TC - Fitted With VXL-2473 A , Pipe Dia. Ø45.0 MM / Length 33"	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM PIPE LENGTH -34-1/4 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2482 A		VXL-2498	DRAG LINK ASSEMBLY (OE REF .504146900101) - TATA PRIMA Lx 4625S TC / Lx5530S TC / Lx 2830K / Lx 3530K /Lx 3525K TC - Fitted With VXL-2482 A , Pipe Dia. Ø50.0 MM / Length 34-1/4"	M40X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH -34.0 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2473 A BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-24114	DRAG LINK ASSEMBLY OE REF. [502146300101] TATA PRIMA 2530.K TC/PRIMA Lx 2528.K TC/PRIMA2528.K TC/PRIMA Lx2530.K TC/PRIMA LX 2830.K TC / FITTED WITH VXL-2473 A , PIPE DIA. Ø50.0 MM , LENGTH 34"	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM PIPE LENGTH -33.0 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2473		VXL-24117	Second-Drag Link Assembly- OE REF. [504346300109] TATA PRIMA Lx 3123.T TC BS3 Fitted With VXL-2473 , Pipe Dia. Ø40.0 MM Length - 33.0 Inch	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM PIPE LENGTH -34-1/2 INCH PIPE DIAMETER - Ø60.0MM FITTED WITH - VXL-2473 A		VXL-24122	Drag Link Assembly - (OE REF. 504346300106) TATA PRIMA LX 3123 T.TC BS3 - REAR SUSPENSION - Fitted With VXL-2473 A , Pipe Dia. Ø60.0 MM , Length - 34-1/2 inch	M30X1.5	M20X1.5	EACH	30 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B - Ball Pin Thread Size S - Spanner Size L - Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
PIPE LENGTH - 22-5/8 INCH PIPE DIAMETER - Ø50.0MM  BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2)- Ø23.30 MM		VXL-24124	DRAG LINK ASSEMBLY-Fixed Type [1ST Relay Assy.] OE REF. [504346300107] TATA Prima LX 3123T.TC, Pipe Dia. Ø50.0 MM, Length 22-5/8"	NA	M20X1.5	EACH	30 MM
PIPE LENGTH - 42-3/8 INCH PIPE DIAMETER - Ø50.0MM  BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2)- Ø23.30 MM		VXL-24125	DRAG LINK ASSEMBLY-Fixed Type [2nd Relay Assy.] OE REF. [504346300108] TATA Prima LX 3123T.TC, Pipe Dia. Ø50.0 MM, Length 42-3/8"	NA	M20X1.5	EACH	30 MM
TATA 407 EX2 BS III,BS IV /LP 712 EX BS III (ABS) / LPK 912 BS IV/LPT 910 BS III /LP 909 BS III /LP 913 CNG							
PIPE LENGTH - 51 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2445  BALL PIN MAJOR TAPER (C1)- Ø22.00 MM BALL PIN MINOR TAPER (C2)- Ø19.90 MM		VXL-2440	Tie Rod Assembly [OE Ref. No.- 282133800101] LP712 EX/42WB BS III FES BUS CHA (ABS),LP712 42/WB BS III TMML FES (ABS),LP912/49WB BS IV TMML (ABS),LP909/49WB BS III 497 MFIP TMML FES,LPT 407 EX2/38WB,4SP MFIP BS III,W/C,LPT 810/38 & 910/38 BS-III MFIP PS,HDLB / LP913/49 WB CNG BS IV TMML AC ABS FITTED WITH VXL-2445 (Pipe Length-51" -Pipe Dia. 40.0 MM)	M30X1.5	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.00 MM BALL PIN MINOR TAPER (C2)- Ø19.90 MM		VXL-2445	TIE ROD END [RHT + LHT] [OE REF NO. 282133800102/103 OR 552933800103/104] TATA ULTRA 1412 BS IV ALL MODEL, LPT 407EX2 4SP, LPT 407 EX2 4SP BS IV,LPK 912 BS IV,LPT 913 BS III,LPT 910 BS III	M30X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.00 MM BALL PIN MINOR TAPER (C2)- Ø19.90 MM		VXL-2445 A	TIE ROD END [RHT + RHT] [OE REF NO. 282133800102 OR 552933800103] TATA ULTRA 1412 BS IV ALL MODEL, LPT 407EX2 4SP, LPT 407 EX2 4SP BS IV,LPK 912 BS IV,LPT 913 BS III,LPT 910 BS III	M30X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.00 MM BALL PIN MINOR TAPER (C2)- Ø19.90 MM		VXL-2445 B	TIE ROD END [LHT + LHT] [OE REF NO. 282133800103 OR 552933800104] TATA ULTRA 1412 BS IV ALL MODEL, LPT 407EX2 4SP, LPT 407 EX2 4SP BS IV,LPK 912 BS IV,LPT 913 BS III,LPT 910 BS III	M30X1.5	M18X1.5	SET	27 MM
TATA LPK 1212 BS6 ,LPK CRx ,CRDi BS4 , LPK 1212 CRDi BS3 , LPT 1512 CRDi BS4, 1512g BS6 All Models							




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter






C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 MAJOR TAPER DIA- (C1) 30.00 MM MINOR TAPER DIA.-(C2) 27.10 MM	VXL-2431	TIE ROD END [RHT+LHT]- [O.E Ref.- 284633800138 & 284633800137] TATA LPK 1212 BS6 ,LPK CRx ,CRDi BS4 , LPK 1212 CRDi BS3 , LPT 1512 CRDi BS4	M30X1.5	M24X1.5	SET	36 MM
 MAJOR TAPER DIA- (C1) 30.00 MM MINOR TAPER DIA.-(C2) 27.10 MM	VXL-2431 A	TIE ROD END [RHT+RHT]- [O.E Ref.- 284633800138] TATA LPK 1212 BS6 ,LPK CRx ,CRDi BS4 , LPK 1212 CRDi BS3 , LPT 1512 CRDi BS4	M30X1.5	M24X1.5	SET	36 MM
 MAJOR TAPER DIA- (C1) 30.00 MM MINOR TAPER DIA.-(C2) 27.10 MM	VXL-2431 B	TIE ROD END [LHT+LHT]- [O.E Ref.- 284633800137] TATA LPK 1212 BS6 ,LPK CRx ,CRDi BS4 , LPK 1212 CRDi BS3 , LPT 1512 CRDi BS4	M30X1.5	M24X1.5	SET	36 MM
PIPE LENGTH- 61 " PIPE DIA.-40.0 MM FITTED WITH- VXL-2431  MAJOR TAPER DIA- (C1) 30.00 MM MINOR TAPER DIA.-(C2) 27.10 MM	VXL-2432	TIE ROD ASSEMBLY -[O.E REF.553033800101/553033800102/553033800103] TATA LPK 1212 BS6 ,LPK CRx ,CRDi BS4 , LPK 1212 CRDi BS3 , LPT 1512 CRDi BS4 - FITTED WITH VXL-2431,PIPE LENGTH -61 " Pipe O.D- 40.0 MM)	M30X1.5	M24X1.5	EACH	36 MM
PIPE LENGTH- 31 1/8 " PIPE DIA.-50.0 MM FITTED WITH- VXL-2448A  MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA.-(C2) 19.90 MM	VXL-2447	DRAG LINK ASSEMBLY [OE REF.219046900101] TATA LPK 1212 BS6 ,LPK CRx ,CRDi BS4 , LPK 1212 CRDi BS3 , LPT 1512 CRDi BS4 - FITTED WITH VXL-2448A,PIPE LENGTH -31-1/8" " Pipe O.D- 50.0 MM)	M40X1.5	M18X1.5	EACH	27 MM
 MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA.-(C2) 19.90 MM	VXL-2448 A	DRAG LINK END [OE REF. NO 219046900103] TATA LPK 1212 BS6 ,LPK CRx ,CRDi BS4 , LPK 1212 CRDi BS3 , LPT 1512 CRDi BS4	M40X1.5	M18X1.5	EACH	27 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH-33 1/4" PIPE DIA.- 50.0 MM FITTED WITH- VXL-2455 A MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA.-(C2) 19.90 MM		VXL-2454	Drag Link Assembly- [O.E Ref.- 290046900103] TATA 1512g ALL MODELS / TATA 1512 BS6 ALL MODELS Fitted With VXL-2455A , PIPE OD 50.0MM , PIPE LENGTH 33-1/4"]	M40X1.5	M18X1.5	EACH	27 MM
 MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA.-(C2) 19.90 MM		VXL-2455 A	DRAG LINK END [RHT] [OE Ref. 219046900103]-TATA 1512g ALL MODELS / TATA 1512 BS6 ALL MODELS	M40X1.5	M18X1.5	SET	27 MM
TATA SIGNA ALL MODEL							
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2)- Ø27.10 MM		VXL-2431	TIE ROD END [RHT+LHT]-[O.E Ref.- 284633800138 & 284633800137] TATA LPK 3118 TC BS-III,LPTK 3118 TC,LPK 3718 TC BS-IV,SIGNA 3718 BS-IV,SIGNA 4323 BS-IV,LPT 3118 BS IV COWL,PRIMA LX 2523 ,PRIMA LX 3123	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2)- Ø27.10 MM		VXL-2431 A	TIE ROD END [RHT+RHT]- [O.E Ref.- 284633800138] TATA LPK 3118 TC BS-III,LPTK 3118 TC,LPK 3718 TC BS-IV,SIGNA 3718 BS-IV,SIGNA 4323 BS-IV,LPT 3118 BS IV COWL,PRIMA LX 2523 ,PRIMA LX 3123	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2)- Ø27.10 MM		VXL-2431 B	TIE ROD END [LHT+LHT]- [O.E Ref.- 284633800137] TATA LPK 3118 TC BS-III,LPTK 3118 TC,LPK 3718 TC BS-IV,SIGNA 3718 BS-IV,SIGNA 4323 BS-IV,LPT 3118 BS IV COWL,PRIMA LX 2523 ,PRIMA LX 3123	M30X1.5	M24X1.5	SET	36 MM
 PIPE LENGTH - 61 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2431 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2)- Ø27.10 MM		VXL-2432	TIE ROD ASSEMBLY -[O.E REF. 553033800101/553033800102/553033800103] TATA ULTRA 1518,LPK 1212 CRX,LPK 2818 TC/38 CR BS IV,LPT 1618 5L TURBO TRONN BS IV, LPT 1512 CRD BS IV ,SIGNA 4018.S/32 CR BS-IV,SIGNA 3518.S CR BSIV,SIGNA 4923.S Cre BS IV, SIGNA LPK 1918 TC/42 BS IV,LPS 4018.S/33 CR-IV HYBRID- FITTED WITH VXL-2431,PIPE LENGTH -61 " Pipe O.D- 40.0 MM)	M30X1.5	M24X1.5	EACH	36 MM



STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 25-1/2 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2417A BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2418	DRAG LINK ASSEMBLY [OE REF.284646900101/102/103] TATA LPT2518 COWL BS-IV LPK 2518 HD CAB SIGNA-4923-4016 [Bend Type One Side Fixed] FITTED WITH VXL-2417A - Pipe Length-25-1/2 INCH (Dia. 50MM)	M40X1.5	M24X1.5	EACH	36 MM
 PIPE LENGTH - 27-1/2 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2435A BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2434	DRAG LINK ASSEMBLY [OE REF.501346300101/501346900101] TATA LPK 3118 TIPPER (ALL MODEL) ,LPK 3118 TC/TML, LPT 3718 TC BS-III ,LPT 3718 10X2 COWL,LPK2523 CR HD,LPT 2518 COWL BS-IV,LPK 2523 TC,SIGNA 3118 TC,SIGNA 3718,SIGNA 3718 TK,SIGNA 4323 [1st Drag Link Assembly] Pipe Length-27 -1/2 INCH (Dia. 50MM) Fitted With VXL-2435 A LPT 3118 ,LPT 1615 COWL BS-IV [Single Drag Link Assembly for These Model]	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2435	Drag Link End -RHT + LHT [OE REF. 501346990103 / 104] -TATA LPK 3118 TIPPER (ALL MODEL) ,LPK 3118 TC/TML, LPT 3718 TC BS-III ,LPT 3718 10X2 COWL,LPT 3118 ,LPT 1615 COWL BS-IV,LPK2523 CR HD,LPT 2518 COWL BS-IV,LPK 2523 TC,SIGNA 3118 TC,SIGNA 3718,SIGNA 3718 TK,SIGNA 4323	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2435 A	Drag Link End -RHT [OE REF. 501346990104] -TATA LPK 3118 TIPPER (ALL MODEL) ,LPK 3118 TC/TML, LPT 3718 TC BS-III ,LPT 3718 10X2 COWL,LPT 3118 ,LPT 1615 COWL BS-IV,LPK2523 CR HD,LPT 2518 COWL BS-IV,LPK 2523 TC,SIGNA 3118 TC,SIGNA 3718,SIGNA 3718 TK,SIGNA 4323	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2435 B	Drag Link End -LHT [OE REF. 501346990103] -TATA LPK 3118 TIPPER (ALL MODEL) ,LPK 3118 TC/TML, LPT 3718 TC BS-III ,LPT 3718 10X2 COWL,LPT 3118 ,LPT 1615 COWL BS-IV,LPK2523 CR HD,LPT 2518 COWL BS-IV,LPK 2523 TC,SIGNA 3118 TC,SIGNA 3718,SIGNA 3718 TK,SIGNA 4323	M30X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH - 36-1/4 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2435 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2437	DRAG LINK ASSEMBLY [OE REF.503946300114 / 503946900104] TATA LP-3718 BS IV-COWL BODY LPT 3723 TC BS III (10x4) SIGNA 3718 ALL MODEL SIGNA 4223, LPT 4223 Cre BS IV [2ND Drag Link Assembly] Fitted With VXL-2435,Pipe Length-36-1/4" Pipe Dia.-40.0mm	M30X1.5	M20X1.5	EACH	30 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 59-1/4 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2438 A BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2438	DRAG LINK ASSEMBLY (RELAY ASSEMBLY) [OE REF.501346300103] LPT K3118 TC BS III LPT 3118 TC BS III, LPK 3118 LPK 3518,LPT 3718 ,SIGNA 3118 Fitted with VXL-2438 A, Pipe Length-59-1/4" Pipe Dia.-50.0mm	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2438 A	DRAG LINK END [OE REF.501346990105] LPT K3118 TC BS III LPT 3118 TC BS III, LPK 3118 LPK 3518,LPT 3718 ,SIGNA 3118	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.00 MM BALL PIN MINOR TAPER (C2) - Ø19.90 MM		VXL-2439 A	DRAG LINK END (RHT) [O.E REF. 284646900107] TATA LPT 1913,1918,1618-LPK 2518,1616,SIGNA 1618,SIGNA 1923,LPS 1623 TC,SIGNA 4023 Cre BS IV,SIGNA 1615 BS IV,SIGNA 3518 BS IV,SIGNA 4018 BS IV,SIGNA 2523 BS IV,SIGNA 4923 BS IV,SIGNA 5523 BS IV,LPT 3518	M38X1.5	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2417 A	DRAG LINK END (RHT) [OE REF. 284646909901] TATA ULTRA 1518 ALL MODEL,SIGNA 4923TC,4018,4923 LPT 3118 TC/52-BS IV,LPK 2518 TC	M40X1.5	M24X1.5	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2417 B	DRAG LINK END (LHT) TATA ULTRA 1518 ALL MODEL,SIGNA 4923TC,4018,4923 LPT 3118 TC/52-BS IV,LPK 2518 TC	M40X1.5	M24X1.5	EACH	36 MM
PIPE LENGTH - 25 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2417 A  BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2453	Drag Link Assembly- [O.E Ref.- 506946900101 / 507946900101] SIGNA 1918K BS VI , SIGNA 2823HD BS VI , SIGNA 4018 BSVI , SIGNA 4625 BSVI [Fitted With VXL-2417A , PIPE OD 50.0MM , PIPE LENGTH 25 "]	M40X1.5	M24X1.5	EACH	36 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 25-5/8 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2431 A BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2456	Drag Link Assembly- [O.E Ref.- 506946900103] TATA LPT 1918 BS VI , SIGNA 5530.S TC BS VI , SIGNA 4625.S TC BS VI , SIGNA 5525.S TC BS 6 [Fitted With VXL-2431 A , PIPE OD 50.0MM , PIPE LENGTH 25-5/8"]	M30X1.5	M24X1.5	EACH	36 MM
 Center To Center -380 MM BALL PIN MAJOR TAPER (C1)- Ø32.00 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-2408	Stabilizer Link Assembly-Front [O.E Ref.- 501332800101] TATA LPK 3118 TC BS-III, LPTK 3118 TC, LPK 3718 TC BS-IV, SIGNA 3718 BS-IV, SIGNA 4323 BS-IV (Pipe Length -290MM, Center to Center-380MM)	NA	M24X1.5	EACH	36 MM
 PIPE LENGTH - 27 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2431 A BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2470	Drag link Assembly - [OE Ref. 503046900101], TATA LPT 2821 5L BS6 /TATA SIGNA 2818 TC Cowl BS6 TATA 2812 TC Cowl BS6 - Fitted With VXL-2431 A , Pipe Dia. Ø50.0 MM , Pipe Length 27 Inch	M30X1.5	M24X1.5	EACH	36 MM
 PIPE LENGTH - 58-7/8 INCH PIPE DIAMETER - Ø50.0 MM BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2479	Drag link Assembly - [OE Ref. 503946900102/103] TATA Signa 4521 , Signa 4825 TC BS6 , signa 4221 BS6 , Tata LPT 4221 5L BS6, LPT 4225 BS6 / LPT 3718 /SIGNA 3718 /4925 /LPT 4223 /LPT 4923 Pipe Dia. Ø50.0 MM , Pipe Length 58-7/8 INCH	NA	M20X1.5	EACH	30 MM
 PIPE LENGTH - 24-1/4 INCH PIPE DIAMETER - Ø50.0 MM FITTED WITH - VXL-2482 A BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2481	Drag Link Assembly - [OE Ref. 506846900101] TATA Signa 4255 TKTC HD TC BS6/Signa 4223 TCTC /Signa 4225 TKTC Pipe Dia. Ø50.0 MM , Pipe Length 24-1/4 INCH , FITTED WITH VXL-2482 A	M40X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2482 A	Drag Link End (M40x1.5) - [OE Ref. 506846990103] TATA Signa 4255 TKTC HD TC BS6/Signa 4223 TCTC /Signa 4225 TKTC /Prima Lx 5530 /Signa 3526 TKTC / Prima Lx 2830K/Signa 4825 TCTC	M40X1.5	M20X1.5	EACH	30 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size

B- Ball Pin Thread Size

S - Spanner Size

L- Pipe Length

Ø - Pipe Diameter




TIE ROD END






TIE ROD ASSEMBLY






DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM	VXL-2489 A	DRAG LINK END [RH THREAD] TATA SIGNA 4923,4018,LPT 3118, LPK 2518 TC,TATA 1518 ULTRA	M40X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM	VXL-2489 B	DRAG LINK END [LH THREAD] TATA SIGNA 4923,4018,LPT 3118, LPK 2518 TC,TATA 1518 ULTRA	M40X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH - 60 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2431 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2490	TIE ROD ASSEMBLY [OE RE.284633801602] TATA LPT 3518 TC BS4 /ULTRA URBAN 12 MTR BUS EV BUS/LPT 1613 CRDI BS4/LPT 1913 CRDI BS4/SIGNA 3521 T BS 4/SIGNA 2821 T BS6/LPT 1618 /LPT 1918/ULTRA T 198/LPK 2518 TC/LPS 4018 TC BS 3/1618 TC ,FITTED WITH VXL-2431 ,PIPE DIA. Ø50.0 MM , PIPE LENGTH 60 INCH	M30X1.5	M24X1.5	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM PIPE LENGTH - 34-5/8 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2473 A	VZL-2496	DRAG LINK ASSEMBLY (OE REF .504146900103) TATA TIPPER LX 2830K 45WB -Fitted With VXL-2473 A , Pipe Dia. Ø50 MM / Length 34-5/8"	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM PIPE LENGTH -25-1/8 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-24112 A	VXL-2499	Drag Link Assembly [OE REF. 516246900109/516246900108] TATA Signa 3523 LPK / Signa 4825 TK/ Signa 3525 TK/TC , Signa 3523 TK / Signa 3523K /Signa 4225 TK/Signa 4223 TK -All BS6 Model - , Fitted With VXL-24112 A / Pipe Dia. Ø50 MM ,Length 25-1/8"	M38X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM	VXL-24112 A	Drag Link End [RHT] [OE REF.502446900125] TATA Signa 3523 LPK / Signa 4825 TK/ Signa 3525 TK/TC , Signa 3523 TK / Signa 3523K /Signa 4225 TK/Signa 4223 TK -All BS6 Model	M38X1.5	M20X1.5	EACH	30 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
		VXL-24111	GEAR SHIFTING CABLE END - Inner Thread [OE Ref. 503326826701] TATA LPT 1613 / LPT 1913 / LPT 1618 /LPT 1918/LPT 2821 /LPT 3521 / SIGNA 2821 /SIGNA 3521 / ULTRA 1918 / LPT 1518 /T 16 / ULTRA EX 3021	M10X1.25	M10X1.25	EACH	17 MM
PIPE LENGTH -34-1/2 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2435  MAJOR TAPER DIA- (C1) 25.80 MM MINOR TAPER DIA.-(C2) 23.30 MM		VXL-24113	Drag Link Assembly Second (STRAIGHT) Type (OE REF. 501346300107/501346900102) -TATA LPT K 3118 TC BS3/LPT 3118 BS6 / SIGNA 3523 TK / LPT 3781 /SIGNA 3525 /SIGNA 4825 /SIGNA 4273 , Pipe Dia. 40 MM , Pipe Length - 34-1/2" - Fitted With VXL-2435	M30X1.5	M20X1.5	EACH	30 MM
 MAJOR TAPER DIA- (C1) 16.50 MM MINOR TAPER DIA.-(C2) 14.60 MM		VXL-24115 SL	Gear Lever Extra Long , 136.0 MM OE Ref. [271526700110] TATA SIGNA 5521.S/LPK 2821/ SIGNA 2821 ALL MODEL/SIGNA 1921.K/SIGNA 2825.TK TC/SIGNA 2818.K TC/SIGNA 2323 ALL MODEL/SIGNA 1923.K/SIGNA 3530.K TC/SIGNA 4230.TC TC/SIGNA 4830 ALL MODEL/SIGNA 2830.TK TC	M18X1.5	M12X1.5	EACH	19 MM
 MAJOR TAPER DIA- (C1) 30.00 MM MINOR TAPER DIA.-(C2) 27.10 MM PIPE LENGTH -27.1/2 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2459 A		VXL-24120	Drag Link Assembly -[OE REF. 518146900102] TATA LPT 1921 BS6/SIGNA 2821 BS6/LPT 2820 BS6/LPT 2823 BS6 Fitted With VXL-2459A , Pipe Dia. Ø50.0 MM Length 27-1/2"	M38X1.5	M24X1.5	EACH	36 MM
 MAJOR TAPER DIA- (C1) 30.00 MM MINOR TAPER DIA.-(C2) 27.10 MM PIPE LENGTH -64.0 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - vxl-2431		VXL-2405 M	Tie Rod Assembly - (OE Ref. 503933800113/503933800111/284633800141/284633800142) TATA LPT 4923 TC /4823 TC/4923 TC ,Signa 4823TC /SIGNA 4923 /LPT 4221 /LPT 4225/LPT 4825 / SIGNA 4925 FITTED WITH VXL-2431 / Pipe Dia. Ø50.0 MM , Length 64.0 inch	M30X1.5	M24X1.5	EACH	36 MM
 MAJOR TAPER DIA- (C1) 30.00 MM MINOR TAPER DIA.-(C2) 27.10 MM PIPE LENGTH -55-1/4 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2431		VXL-24123	Tie Rod Assembly-Lift AXLE Front [OE REF. 284633800128/284633800145] TATA LPT 3518 TC BS4/ Signa 3521 BS4 / Signa 4221 BS4/LPT 3518/LPT 3718 BS4 - All Lift Axle / Fitted With VXL-2431 , Pipe Dia. Ø50 MM ,Length - 55-1/4"	M30X1.5	M24X1.5	EACH	36 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2)- Ø23.30 MM		VXL-24127	Drag Link Assembly- (Rear) [OE Ref. 516246900112/516246900113] TATA SIGNA 3530K/SIGNA 3532K.TC/SIGNA 4230 TK.TC/4830 TK.TK/SIGNA 4832 TK.TC ALL BS6 MODEL - ALL TIPPER , Fitted With VXL-2435 , Pipe Dia. Ø40 MM.Length 30-5/8"	M30X1.5	M20X1.5	EACH	30 MM
TATA [M40X1.5]							
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2)- Ø23.30 MM		VXL-2475 A	DRAG LINK END [RH THREAD] M40X1.5	M40X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.00 MM BALL PIN MINOR TAPER (C2)- Ø23.50 MM		VXL-2476 A	DRAG LINK END [RH THREAD] M40X1.5	M40X1.5	M20X1.5	EACH	30 MM
TATA LPT 1918 BS6 , LP 1918TC BS 6 , Ultra 2821 TSL- BS6 ALL MODELS/LPT 1815 /LPT 1616 /LPT 1716PLPT 1612g CNG							
PIPE LENGTH - 25 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2459 A  BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2)- Ø27.10 MM		VXL-2458	Drag Link Assembly- [O.E Ref.- 503446900103] TATA LPT 1918 BS-VI / LPT 1918TC BS-VI -All Models [Fitted With VXL-2459 A , PIPE OD 50.0MM , PIPE LENGTH 25"]	M38X1.5	M24X1.5	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2)- Ø27.10 MM		VXL-2459 A	Drag Link End- RHT [O.E Ref.- 284646900107] TATA LPT 1918 BS-VI / LPT 1918TC BS-VI -All Models	M38X1.5	M24X1.5	SET	36 MM
PIPE LENGTH - 61 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2431  BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2)- Ø27.10 MM		VXL-2432	TIE ROD ASSEMBLY [O.E REF.553033800101/553033800102/553033800103] TATA LPT 1918 BS-VI / LPT 1918TC BS-VI -All Models FITTED WITH VXL-2431,PIPE LENGTH -61 " Pipe O.D- 40.0 MM)	M30X1.5	M24X1.5	EACH	36 MM



STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-2432 A	TIE ROD ASSEMBLY PIPE ONLY WITH CLAMP [LENGTH -61 " / PIPE OD- 40.0 MM]	M30X1.5	NA	EACH	NA
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2431	TIE ROD END [RHT+LHT]- [O.E Ref. - 284633800138 & 284633800137] TTATA LPT 1918 BS-VI / LPT 1918TC BS-VI -All Models	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2431 A	TIE ROD END [RHT+RHT]- [O.E Ref. - 284633800138] TATA LPT 1918 BS-VI / LPT 1918TC BS-VI -All Models	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2431 B	TIE ROD END [LHT+LHT]- [O.E Ref. - 284633800137] TATA LPT 1918 BS-VI / LPT 1918TC BS-VI -All Models	M30X1.5	M24X1.5	SET	36 MM
 PIPE LENGTH - 31-1/2 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2431 A BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2461	Drag Link Assembly [OE Ref. - 509146900101] TATA Ultra 1918.T BS6 All Models , Ultra 2821 TSL- BS6 [Fitted With VXL-2431 A , PIPE OD 50.0MM , PIPE LENGTH 31-1/2"]	M30X1.5	M24X1.5	EACH	36 MM
 PIPE LENGTH - 60 INCH PIPE DIAMETER - Ø45.0MM FITTED WITH - VXL-2431 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2486	Tie Rod Assembly [OE Ref. 553033800107] TATA LPT 1815 BS6/ LPK 1216 BS6 /LPT -1816 CX BS6/LPT 1616 BS6/LPT 1916 CX BS6/LPT 1612g CNG BS6/LPT 1812g BS6 Fitted With VXL-2431 ,Pipe Dia. Ø45.0 MM , Pipe Length 60 INCH	M30X1.5	M24X1.5	EACH	36 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size							
B- Ball Pin Thread Size		TIE ROD END		TIE ROD ASSEMBLY		DRAG LINK ASSEMBLY	
S - Spanner Size							
L- Pipe Length							
Ø - Pipe Diameter							
C1C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-24121	Drag Link Assembly - (OE REF. 552946900111) TATA LPT 1616 BS6- ALL MODEL / LPT 1216 BS6 ALL MODEL / LPT 1512G CNG BS6/LPT 1416 BS6 - Fitted With VXL-2424 A , Pipe Dia. Ø50.0 MM , Length - 32-1/4 inch	M30X1.5	M18X1.5	EACH	27 MM
TATA LPT 3723 TC- BS III							
 PIPE LENGTH- 40-5/8 " PIPE DIA.-50.0 MM FITTED WITH- VXL-2435 A MAJOR TAPER DIA- (C1) 25.80 MM MINOR TAPER DIA.-(C2) 23.30 MM		VXL-2449	Drag Link Assembly [SECOND RELAY ASSEMBLY] -TATA LPT 3723 TC- BS III (Cowl Body [OE Ref. 503946300108] Fitted with VXL-2435 A [Pipe Dia. Ø50.0mm ,Length 40-5/8 INCH	M30X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH- 46-5/8 " PIPE DIA.-50.0 MM FITTED WITH- VXL-2435 A MAJOR TAPER DIA- (C1) 25.80 MM MINOR TAPER DIA.-(C2) 23.30 MM		VXL-2450	Drag Link Assembly [FIRST ASSEMBLY] - TATA LPT 3723 TC- BS III (Cowl Body [OE Ref. 503946300106] Fitted with VXL-2435 A [Pipe Dia. Ø50.0mm ,Length 46-5/8 INCH	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM		VXL-2435 A	Drag Link End [M30X1.5 RH] [OE Ref. 501346990104] -TATA LPT 3723 TC- BS III (Cowl Body)	M30X1.5	M20X1.5	EACH	30 MM
TATA ULTRA TRUCK & BUS / ULTRA T11/T12							
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-2411	Tie Rod End, RHT+LHT [O.E.Ref. No.- 550733808503,550733990102/550733990101] / Tata Ultra Truck,ULTRA 1014 ALL MODEL,ULTRA 814,ULTRA 1012,ULTRA BUS LP 9.6T/47,LPO 1.8/1.7,ULTRA 912,ULTRA LPO 10.2 T	M30X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-2411 A	Tie Rod End, RHT+RHT -[O.E.Ref. No.- 550733990102] [PE700055- RH FOR LEYLAND] Tata Ultra Truck,ULTRA 1014 ALL MODEL,ULTRA 814,ULTRA 1012,ULTRA BUS LP 9.6T/47,LPO 1.8/1.7,ULTRA 912,ULTRA LPO 10.2 T	M30X1.5	M18X1.5	SET	27 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



TIE ROD END






TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY



C1 C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-2411 B	Tie Rod End, LHT+LHT [O.E.Ref. No.- 550733990101] Tata Ultra Truck,ULTRA 1014 ALL MODEL,ULTRA 814,ULTRA 1012,ULTRA BUS LP 9.6T/47,LPO 1.8/1.7,ULTRA 912,ULTRA LPO 10.2 T	M30X1.5	M18X1.5	SET	27 MM
BALL PIN MAJOR TAPER (C1)- Ø18.30 MM BALL PIN MINOR TAPER (C2) - Ø16.00 MM	VXL-2412 A	Drag Link End, M30X1.5 RHT (Tata Ultra Bus)	M30X1.5	M14X1.5	EACH	22 MM
PIPE LENGTH -63 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2411 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-2413	TIE ROD ASSEMBLY [OE REF. NO.- 550733800111] TATA ULTRA BUS LP 9.60,LPO 10.2T,LPO Y18.5,LPO Y19.6,17.6 Fitte With VXL-2411 (Pipe Length-63" Pipe Dia.40.0mm)	M30X1.5	M18X1.5	EACH	30 MM
PIPE LENGTH -30.4 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2412A BALL PIN MAJOR TAPER (C1)- Ø18.30 MM BALL PIN MINOR TAPER (C2) - Ø16.00 MM	VXL-2414	Drag Link Assy, [O.E.Ref. NO.- 550746600131] (Tata Ultra Truck 812/912), , One Side Fixed Double Bend,Fitted with VXL-2412A (Pipe Length-30.4",Pipe Dia.-40.0mm)	M30X1.5	M14X1.5	EACH	22 MM
PIPE LENGTH -45.6 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2412 A BALL PIN MAJOR TAPER (C1)- Ø18.30 MM BALL PIN MINOR TAPER (C2) - Ø16.00 MM	VXL-2415	Drag Link Assy,[O.E.Ref. NO.- 550746600157/550746900101] Bend Type, Tata Ultra LPO BUS LP 812/912 BS4, LPO 7.5T, LPO 8.5T, LPO 9.6T Fitted With VXL-2412 A (Pipe Length-45.6",Pipe Dia.40.0mm)	M30X1.5	M14X1.5	EACH	22 MM
PIPE LENGTH -56-7/8 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2411 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-2416	TIE ROD ASSEMBLY -[OE. Ref.NO.- 550733800115], TATA ULTRA ALL MODEL Fitted with VXL-2411 (Pipe Length 56"-7/8,Pipe Dia. 40.0mm)	M30X1.5	M18X1.5	EACH	27 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 56-7/8 INCH PIPE DIAMETER - Ø40.0MM		VXL-2416 A	TIE ROD ASSEMBLY PIPE WITH CLAMP TATA ULTRA TRUCK1012/45,1012/39 (Pipe Length 56-7/8",Pipe Dia. 40.0mm)	NA	NA	EACH	NA
 PIPE LENGTH - 63-3/8 INCH PIPE DIAMETER - Ø40.0 MM FITTED WITH - VXL-423 A/ VXL-423B BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-2483	Tie Rod Assembly - [OE Ref. 553333800101] TATA Ultra Bus / Fitted With VXL-423 A/ 423 B ,Pipe Dia. Ø40.0 MM , Pipe Length 63-3/8 INCH	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 28 INCH PIPE DIAMETER - Ø40.0 MM FITTED WITH - VXL-2424 A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-2487	Drag Link Assembly [OE REF. 550746900111] ULTRA T 11 /T12 ALL MODEL /Fitted With VXL-2424 A ,Pipe Dia. Ø40.0 MM , Pipe Length 28 INCH	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 44.0 INCH PIPE DIAMETER - Ø40.0 MM FITTED WITH - VXL-423 A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-24116	Drag Link Assembly OE REF. [553346900111] TATA Ultra Bus LPO 10.2T / Ultra 10.2B BS6/ Ultra LPO 7.5T BS6/LPO 10.2 BS6/LPO 7.5 /LPO 11.6 3.3L BS6/LPO 11.6G/54 / LPO 8.6/44 - VXL-423A , Pipe Dia. Ø40.0 MM Length - 44.0 Inch	M30X1.5	M18X1.5	EACH	27 MM
TATA -SFC 609g BS6 , SFC 610 BS6 , 610SK BS6 ,SFC 710 BS6 / SFC 407g /407g GOLD /712 SFC /SK 712							
 MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA- (C2) 19.90 MM		VXL-2445	TIE ROD END [RHT + LHT] [OE REF NO. 282133800102/103 OR 552933800102/103] TATA 609g BS6, SFC 610 BS6 , SK 610 BS6 , SFC 610 BS6	M30X1.5	M18X1.5	SET	27 MM
 MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA- (C2) 19.90 MM		VXL-2445 A	TIE ROD END [RHT + RHT] [OE REF NO. 282133800102 OR 552933800102] TATA 609g BS6, SFC 610 BS6 , SK 610 BS6 , SFC 610 BS6	M30X1.5	M18X1.5	SET	27 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA- (C2) 19.90 MM	VXL-2445 B	TIE ROD END [LHT + LHT] [OE REF NO. 282133800103 OR 552933800103] TATA 609g BS6, SFC 610 BS6 , SK 610 BS6 , SFC 610 BS6	M30X1.5	M18X1.5	SET	27 MM
 PIPE LENGTH -51 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2445 BALL PIN MAJOR TAPER (C1)- Ø22.00 MM BALL PIN MINOR TAPER (C2) - Ø19.90 MM	VXL-2440	Tie Rod Assembly [OE Ref. No.- 282133800101] TATA 609g BS6, SFC 610 BS6 , SK 610 BS6 , SFC 610 BS6 FITTED WITH VXL-2445 (Pipe Length-51" -Pipe Dia. 40.0 MM)	M30X1.5	M18X1.5	EACH	27 MM
	VXL-2436	Under Development				
TATA LOW FLOOR BUS REAR ENGINE						
 BALL PIN MAJOR TAPER (C1)- Ø31.00 MM BALL PIN MINOR TAPER (C2) - Ø27.40 MM	VXL-2441	TIE ROD END [RHT+LHT] [OE REF. 218633100115 & 218633100116] TATA LOW FLOOR BUS REAR ENGINE LPO 1618C , LPO 1623-CNG,LPO 1625 CNG,LPO 1618 HI-DECK	1-1/4 X 12 UNF	7/8 X 14 UNF	SET	32 MM
 BALL PIN MAJOR TAPER (C1)- Ø31.00 MM BALL PIN MINOR TAPER (C2) - Ø27.40 MM	VXL-2441 A	TIE ROD END [RHT+RHT] [OE REF. 218633100115] TATA LOW FLOOR BUS REAR ENGINE LPO 1618C , LPO 1623-CNG,LPO 1625 CNG,LPO 1618 HI-DECK	1-1/4 X 12 UNF	7/8 X 14 UNF	SET	32 MM
 BALL PIN MAJOR TAPER (C1)- Ø31.00 MM BALL PIN MINOR TAPER (C2) - Ø27.40 MM	VXL-2441 B	TIE ROD END [LHT+LHT] [OE REF. 218633100116] TATA LOW FLOOR BUS REAR ENGINE LPO 1618C , LPO 1623-CNG,LPO 1625 CNG,LPO 1618 HI-DECK	1-1/4 X 12 UNF	7/8 X 14 UNF	SET	32 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size

B- Ball Pin Thread Size


S - Spanner Size

L- Pipe Length

Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY




DRAG LINK ASSEMBLY


C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
UNDER DEVELOPMENT	VXL-2442	TIE ROD ASSEMBLY -(O.E REF NO. 218633107901) TATA LOW FLOOR BUSH REAR ENGINE LPO 1618C , LPO 1623-CNG,LPO 1625 CNG,LPO 1618 HI-DECK PIPE LENGTH	1-1/4 X 12 UNF	7/8 X 14 UNF	EACH	32 MM
 PIPE LENGTH -29.0 INCH PIPE DIAMETER - Ø50.0 MM FITTED WITH - VXL-1041 A BALL PIN MAJOR TAPER (C1)- Ø30.50 MM BALL PIN MINOR TAPER (C2) - Ø27.00 MM BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-2443	DRAG LINK ASSEMBLY. [OE REF. 218646600106] -TATA BUS (Rear Engine) LPO 1618C,1618,1623,1624 [Bend Type One Side Fixed] FITTED WITH VXL-1041A AND REPAIR KIT-HALF OF VXL-424 Pipe Length-29 INCH (Dia. 50MM)	M30X1.5	M18X1.5 & M24X1.5	EACH	27 MM & 36 MM
 PIPE LENGTH -30-1/2" INCH PIPE DIAMETER - Ø50.0 MM FITTED WITH - VXL-2431 A BALL PIN MAJOR TAPER (C1)- Ø22.00 MM BALL PIN MINOR TAPER (C2) - Ø19.90 MM BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2464	Drag Link Assembly - (OE Ref. 502346300104) TATA LOW FLOOR- BUS Rear Engine- LPO 1623 ISBe5.9 BS3 / BS4 ,LPO 1623 ISBe5.9 BS4 CNG Fitted With VXL-2431 A , Pipe Dia. Ø50.0 MM / Pipe Length 30-1/2"	M30X1.5	M24X1.5 & M18X1.5	EACH	27 MM & 36 MM
TATA ULTRA 1412 BS IV -ALL MODEL						
 PIPE LENGTH - 56 1/2 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2445 BALL PIN MAJOR TAPER (C1)- Ø22.00 MM BALL PIN MINOR TAPER (C2) - Ø19.90 MM	VXL-2444	TIE ROD ASSEMBLY [OE REF. 552933800102] TATA ULTRA 1412 BS IV ALL MODEL FITTED WITH VXL-2445 PIPE LENGTH-56-1/2 " ,Pipe Dia.-40.0mm	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 56 1/2 INCH PIPE DIAMETER - Ø40.0MM	VXL-2444 A	PIPE OF VXL-2444 [WITH CLAMP] TATA ULTRA 1412 BS IV ALL MODEL ,PIPE LENGTH-56-1/2 " ,Pipe Dia.-40.0mm	M30X1.5	NA	EACH	NA
 BALL PIN MAJOR TAPER (C1)- Ø22.00 MM BALL PIN MINOR TAPER (C2) - Ø19.90 MM	VXL-2445	TIE ROD END [RHT + LHT] [OE REF NO. 282133800102/103 OR 552933800103/104] TATA ULTRA 1412 BS IV ALL MODEL, LPT 407EX2 4SP , LPT 407 EX2 4SP BS IV,LPK 912 BS IV,LPT 913 BS III,LPT 910 BS III	M30X1.5	M18X1.5	SET	27 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



TIE ROD END






TIE ROD ASSEMBLY






DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø22.00 MM BALL PIN MINOR TAPER (C2) - Ø19.90 MM	VXL-2445 A	TIE ROD END [RHT + RHT] [OE REF NO. 282133800102 OR 552933800103] TATA ULTRA 1412 BS IV ALL MODEL, LPT 407EX2 4SP , LPT 407 EX2 4SP BS IV,LPK 912 BS IV,LPT 913 BS III,LPT 910 BS III	M30X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.00 MM BALL PIN MINOR TAPER (C2) - Ø19.90 MM	VXL-2445 B	TIE ROD END [LHT + LHT] [OE REF NO. 282133800103 OR 552933800104] TATA ULTRA 1412 BS IV ALL MODEL, LPT 407EX2 4SP , LPT 407 EX2 4SP BS IV,LPK 912 BS IV,LPT 913 BS III,LPT 910 BS III	M30X1.5	M18X1.5	SET	27 MM
 PIPE LENGTH - 33 INCH PIPE DIAMETER - Ø52.0MM FITTED WITH - VXL-2424A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-2446	DRAG LINK ASSEMBLY [OE REF. 552946900104] TATA ULTRA 1412 BS-IV ABS-ALL MODEL [Bend Type One Side Fixed] FITTED WITH VXL-2424A ,Pipe Length-33 INCH (Dia. 52MM)	M30X1.5	M18X1.5	EACH	27 MM
TATA ULTRA 1518 BS III , BS IV ALL MODEL						
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2431	TIE ROD END [RHT+LHT]- [O.E Ref.- 284633800138/143 & 284633800137/144] TATA LPK 1212 BS6 ,LPK CRx ,CRDi BS4 , LPK 1212 CRDi BS3 , LPT 1512 CRDi BS4	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2431 A	TIE ROD END [RHT+RHT]- [O.E Ref.- 284633800138/143] TATA LPK 1212 BS6 ,LPK CRx ,CRDi BS4 , LPK 1212 CRDi BS3 , LPT 1512 CRDi BS4	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2431 B	TIE ROD END [LHT+LHT]- [O.E Ref.- 284633800137/144] TATA LPK 1212 BS6 ,LPK CRx ,CRDi BS4 , LPK 1212 CRDi BS3 , LPT 1512 CRDi BS4	M30X1.5	M24X1.5	SET	36 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 61 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2431 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2432	TIE ROD ASSEMBLY -[O.E REF.553033800101/553033800102/553033800103] TATA ULTRA 1518,LPK 1212 CRX,LPK 2818 TC/38 CR BS IV,LPT 1618 5L TURBO TRONN BS IV, LPT 1512 CRD BS IV ,SIGNA 4018.S/32 CR BS-IV,SIGNA 3518.S CR BSIV,SIGNA 4923.S Cre BS IV, SIGNA LPK 1918 TC/42 BS IV,LPS 4018.S/33 CR-IV HYBRID- FITTED WITH VXL-2431,PIPE LENGTH -61 " Pipe O.D- 40.0 MM)	M30X1.5	M24X1.5	EACH	36 MM
 PIPE LENGTH - 31-1/2 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2417A BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2419	DRAG LINK ASSEMBLY [OE REF.553046600109] TATA ULTRA 1518 BS-III , BS-IV -ALL MODEL [Bend Type One Side Fixed] FITTED WITH VXL-2417A-Pipe Length-31-1/2 INCH (Dia. 50MM)	M40X1.5	M24X1.5	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2417 A	DRAG LINK END (RHT) [OE REF. 284646909901] TATA ULTRA 1518 ALL MODEL,SIGNA 4923TC,4018,4923 LPT 3118 TC/52-BS IV,LPK 2518 TC	M40X1.5	M24X1.5	EACH	36 MM
		VXL-2469	Gear Cable End - Inner Thread [OE Ref. 503326826702] TATA ULTRA Ex.1918 T,3018 , ULTRA 1518T,1518LPT Dicr, T16,T18 - LPT 1613 Crdi , 1913 Crdi	M10X1.25	M12X1.25	EACH	19 MM
TATA ULTRA TRUCK & BUS MCV,HCV							
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2417 A	DRAG LINK END (RHT) O.E REF.284646909901 TATA ULTRA 1518 ALL MODEL,SIGNA 4923TC,4018,4923 LPT 3118 TC/52-BS IV,LPK 2518 TC	M40X1.5	M24X1.5	EACH	36 MM
BALL JOINT ASSEMBLY GEAR CHANGER - TATA SIGNA 4830/LPT 4930 TC/SIGNA 5530.S/LPT 4830/LPT 4930 TC/LPT 4830							
		VXL-2491	Ball Joint Assembly Gear Changer [OE REF. 271526809906] For TATA Signa 4830/LPT 4930 TC/SIGNA 5530.S/LPT 4830/LPT 4930 TC/LPT 4830 /SIGNA 4225/SIGNA 4625.S TC/SIGNA 4023.S TC/SIGNA 3525/SIGNA 2830/SIGNA 3530/SIGNA 2830/LPT 1921/SIGNA 1921/SIGNA 4621/ LPT 2823/LPT 1923/LPT 3523/SIGNA 1923.T TC/LPT 3523/LPT 2823	M10X1.0	M16X1.5	EACH	24 MM



STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
		VXL-2492	Ball Joint Assembly Gear Changer- Repair Kit For TATA Signa 4830/LPT 4930 TC/SIGNA 5530.S/LPT 4830/LPT 4930 TC/LPT 4830 /SIGNA 4225/SIGNA 4625.S TC/SIGNA 4023.S TC/SIGNA 3525/SIGNA 2830/SIGNA 3530/SIGNA 2830/LPT 1921/SIGNA 1921/SIGNA 4621/ LPT 2823/LPT 1923/LPT 3523/SIGNA 1923.T TC/LPT 3523/LPT 2823 - Fitted in VXL-2491	NA	M16X1.5	KIT	24 MM
TATA LCV SECTION- TATA 407							
 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-425	TIE ROD END [OE REF. 265133800120/121] (RHT+ LHT) TATA 407,207 DI RX	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-425 A	TIE ROD END [OE REF. 265133800120] (RHT+RHT) TATA 407,207 DI RX	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-425 B	TIE ROD END [OE REF. 265133800121] (LHT+ LHT) TATA 407,207 DI RX	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-1425	TATA 407 TIE ROD END (RHT+LHT)	M24X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-1425 A	TATA 407 TIE ROD END (RHT+RHT)	M24X1.5	M12X1.5	SET	19 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-1425 B	TATA 407TIE ROD END (LHT+LHT)	M24X1.5	M12X1.5	SET	19 MM
 PIPE LENGTH -50 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-425 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-426	TIE ROD ASSEMBLY [OE REF. 265133800106] Tata 407 LP/SFC (Pipe Length 50",Pipe Dia. 32.0 mm)	M18X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH -50 INCH PIPE DIAMETER - Ø32.0MM		VXL-426 A	Tie Rod Pipe (Tube) W/Clamp, Tata 407 (PIPE LENGTH 50",Pipe Dia. 32.0 mm)	NA	NA	EACH	NA
 PIPE LENGTH -15-1/2 INCH PIPE DIAMETER - Ø28.0MM FITTED WITH - VXL-425 A BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-427	DRAG Link-Assembly-[OE REF. 265146600119] Straight (Fix-Type) Tata 407 SF (Pipe Length 15½",Pipe Dia. 28.0 mm)	M18X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH -15-1/2 INCH PIPE DIAMETER - Ø28.0MM FITTED WITH - VXL-425 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-428	DRAG Link-Assembly -Straight, Both Side Adjustable Tata 407 SFC (Fitted With VXL-425)(Pipe Length 15½",Pipe Dia. 28.0 mm)	M18X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH -15-1/2 INCH PIPE DIAMETER - Ø28.0MM		VXL-428 A	DRAG Link Pipe (PipeLength 15½",Pipe Dia. 28.0 mm)	NA	NA	EACH	NA

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter





C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 32 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-425A/430 B BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-429	DRAG LINK - Assembly 407 (L.P.) - Straight Both Side Adjustable Fitted with VXL-425A/430 B (Pipe Length 32",Pipe Length-32.0 MM)	M18X1.5 OR M20X1.5	M12X1.5 OR M14X1.5	EACH	19 MM OR 22 MM

TATA 407 TURBO



 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM	VXL-490	TIE ROD END (RHT+ LHT) TATA 407 TURBO	M20X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM	VXL-490 A	TIE ROD END (RHT+ RHT) TATA 407 TURBO	M20X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM	VXL-490 B	TIE ROD END (LHT+ LHT) TATA 407 TURBO	M20X1.5	M12X1.5	SET	19 MM
 PIPE LENGTH - 51 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - VXL-490 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM	VXL-491	TIE ROD ASSEMBLY Fitted with VXL-490 (Pipe Length 51",Pipe Dia. 35.0 mm)	M20X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH - 33 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - 490 A BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM	VXL-492	Drag Link Assembly 407 TURBO LP Bend Type One Side Fixed ,Fitted With VXL-490 A,(Pipe Length 33",Pipe Dia.- 35.0 MM)	M20X1.5	M12X1.5	EACH	19 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -33.5 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH -VXL 490 A/430 B BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-493	Drag Link Assembly 407 TURBO LP (Adjustable) Bend Type One Side Fixed fitted with VXL-490A & VXL-430 B (Pipe Length 33.5"),Pipe Dia. 35.0mm	M20X1.5	M12X1.5 OR M14X1.5	EACH	19 MM OR 22 MM
 PIPE LENGTH -33.5 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH -VXL-490 A BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-494	Drag Link Assembly 407 TURBO BUS Bend Type, One Side Fixed Fitted with VXL-490 A (Pipe Length 33",Pipe Dia. 35.0 mm)Repair Kit-VXL-461	M20X1.5	M12X1.5 M14X1.5	EACH	19 MM OR 22 MM
TATA 410 LPT							
 PIPE LENGTH -33 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH -VXL 430A/490 B BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-674	Drag Link Assembly (Both Side Adjustable) Bend Type Fitted With VXL-430 A & VXL-490 B (Pipe Length 33",Pipe Dia. 35.0mm)	M20X1.5	M14X1.5	EACH	19 MM OR 22 MM
TATA 608							
 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-430	TIE ROD END (RHT+ LHT) TATA 608 (OE REF NO 264133200112 LH / 264133200113 RH)	M20X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-430 A	TIE ROD END (RHT+ RHT) TATA 608 OE REF NO 264133200113 RH	M20X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-430 B	TIE ROD END (LHT+ LHT) TATA 608 OE REF NO 264133200112 LH	M20X1.5	M14X1.5	SET	22 MM


STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -51-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH -VXL-430 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-431	TIE ROD Assembly Tata 608LP/SFC, Fitted with VXL-430 (Pipe Length 51½", Pipe Dia. 32.0 mm)	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH -51-1/2 INCH PIPE DIAMETER - Ø32.0MM	VXL-431 A	TIE ROD Assembly Tata 608LP/SFC, Fitted with VXL-430 (Pipe Length 51½" Pipe Dia. 32.0 mm)	NA	NA	EACH	NA
 PIPE LENGTH -13 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH -VXL-430A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-432	DRAG Link Assembly (Straight) (Fix-Type) Tata 608 SFC, One Side Fixed, Fitted with VXL-430A (Pipe Length 13", Pipe Dia. -32.0mm)	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH -13-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH -VXL-430 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-433	DRAG Link Assembly (Straight) Both Side Adjustable Tata 608 SFC Fitted With VXL-430 (Pipe Length 13½", Pipe Dia. 32.0 mm)	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH -13-1/2 INCH PIPE DIAMETER - Ø32.0MM	VXL-433 A	Drag Link Pipe with clamps (Pipe Length 13½", Pipe Dia. 32.0 mm)	NA	NA	EACH	NA
TATA LP 407 3.8 SGI CNC BS6 / LP 710 4SPCR BS6 /LP 810/52 4 PCR BS 6/LP 410 4SPCR BS6 / LP 410/36 4SPCR						
 PIPE LENGTH - 26 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH -VXL-423 A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-2460	Drag Link Assembly [O.E Ref. 552746900102] TATA LP 407 3.8 SGI CNC BS6 / LP 710 4SPCR BS6 /LP 810/52 4 PCR BS 6/LP 410 4SPCR BS6 / LP 410/36 4SPCR BS6 Fitted With VXL-423 A , PIPE OD 40.0MM , PIPE LENGTH 26"]	M30X1.5	M18X1.5	EACH	27 MM

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-423 A	Drag Link End [RHT] TATA LP 407 3.8 SGI CNC BS6 / LP 710 4SPCR BS6 /LP 810/52 4 PCR BS 6/LP 410 4SPCR BS6 / LP 410/36 4SPCR BS6	M30X1.5	M18X1.5	EACH	27 MM

TATA 609-709



 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM	VXL-435	TIE ROD END (RHT+LHT)TATA 609-709	M20X1.5	M16X1.5	SET	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM	VXL-435 A	TIE ROD END (RHT+RHT) TATA 609-709	M20X1.5	M16X1.5	SET	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM	VXL-435 B	TIE ROD END (LHT+LHT) TATA 609-709 [OE REF. 264133200133- LH]	M20X1.5	M16X1.5	SET	24 MM
 PIPE LENGTH -51-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH -VXL-435 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM	VXL-436	TATA TIE ROD Assembly Tata 609 SFC/LP,Fitted With VXL-435 (Pipe Length 51½",Pipe Dia. 32.0mm)	M20X1.5	M16X1.5	EACH	24 MM
 PIPE LENGTH -51-1/2 INCH PIPE DIAMETER - Ø32.0MM	VXL-436 A	Tie Rod Pipe (Tube) W/Clamp, Tata 609 (Pipe Length 51½",Pipe Dia. 32.0mm)	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -14-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH -VXL-463 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-437	DRAG Link Assembly, 609, 709, TRUCK (SFC) -Straight, Fitted with VXL-463 (Pipe Length 14½", Pipe Dia. 32.0 MM)	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH -32-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH -VXL-463 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-438	DRAG Link Assembly 609 LP 709 LP - Straight fitted with VXL-463 (Pipe Length 32½", Pipe Dia. 32.0mm)	M20X1.5	M14X1.5	EACH	22 MM
		VXL-439	GEAR SHIFT END Right Inner Thread 609,709 LP & SFC, 1510, 1612, 2213, 2416,1613, 2515 Ex TURBO (Model onwards 2002)	M12X1.25	M10X1.0	EACH	17 MM
		VXL-439 ST	GEAR SHIFT END- Right Inner Thread [OE REF. 264126800191] 609,709 LP & SFC, 1510, 1612, 2213, 2416,1613, 2515 Ex TURBO (Model onwards 2002)	M12X1.25	M10X1.0	EACH	17 MM
		VXL-461	DRAG-Link Repair Kit TATA-609, 709, SFC, LP	NA	M14X1.5	KIT	22 MM
		VXL-462	GEAR SHIFT END Left Inner Thread 609, 709 LP & SFC, 1510, 1612, 2213, 2416, 1613, 2515 Ex TURBO (Model onwards 2002)	M12X1.25	M10X1	EACH	17 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-462 ST	GEAR SHIFT END - Left Inner Thread [OE REF. 264126800192] 609, 709 LP & SFC, 1510, 1612, 2213, 2416, 1613, 2515 Ex TURBO (Model Onwards 2002)	M12X1.25	M10X1	EACH	17 MM
	VXL-463	Drag Link Repair Kit Tata 609, 709 SFC, LP (1 Pcs,VXL-430A Drag Link End & VXL-461 Repair Kit)	M20X1.5	M14X1.5	KIT	22 MM

TATA -SFC 609g BS6 , SFC 610 BS6 , 610SK BS6 ,SFC 710 BS6 / SFC 407g /407g GOLD /712 SFC /SK 712




 PIPE LENGHT- 13-5/8 " PIPE DIA.-40.0 MM FITTED WITH- VXL-2445 A MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA.-(C2) 19.90 MM	VXL-2452	Drag Link Assembly -[OE REF .264746900101] TATA -SFC 609g BS6 , SFC 610 BS6 , 610SK BS6 ,SFC 710 BS6 / SFC 407g /407g GOLD /712 SFC /SK 712 Fitted with VXL-2445 A [Pipe Dia. Ø40.0mm ,Length 13-5/8 INCH	M30X1.5	M18X1.5	EACH	27 MM
 MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA.-(C2) 19.90 MM	VXL-2445 A	DRAG LINK END [RHT] [OE Ref. 552933800103]-TATA -SFC 609g BS6 , SFC 610 BS6 , 610SK BS6 ,SFC 710 BS6	M30X1.5	M18X1.5	SET	27 MM

TATA LPT 1109g BS6, LPT 709g BS6 , LPT 1112 BS6, LPT 710 BS6 /LPT 1012 /LPK 912




 PIPE LENGHT- 31-7/8 " PIPE DIA.-40.0 MM FITTED WITH- VXL-2445 A MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA.-(C2) 19.90 MM	VXL-2451	Drag Link Assembly -[OE Ref. 511846900101] TATA LPT 1109g BS6, LPT 709g BS6 , LPT 1112 BS6, LPT 710 BS6 /LPT 1012 /LPK 912 Fitted with VXL-2445 A [Pipe Dia. Ø40.0mm ,Length 31-7/8 INCH	M30X1.5	M18X1.5	EACH	27 MM
 MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA.-(C2) 19.90 MM	VXL-2445 A	DRAG LINK END [RHT] [OE Ref. 552933800103]-TATA -SFC 609g BS6 , SFC 610 BS6 , 610SK BS6 ,SFC 710 BS6	M30X1.5	M18X1.5	SET	27 MM

LPT 407 Ex BSIV, BS-III / LPK 407 BS IV / LPK 912 BS-IV / LPT 910 BS III / LPT 1012 BS VI / LPT 709g CNG / LPT 712 BS VI / LPT 810 BS III /LP 708 BS3/LP 712 Ex BS3 / SFC 407 PLUS/SFC 417 GOLD /SFC 610/SFC 609g




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH- 32-1/4 " PIPE DIA.-40.0 MM FITTED WITH- VXL-2445 A MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA.-(C2) 19.90 MM		VXL-2420	Drag Link Assembly- [O.E Ref. - 282146900104] LPT 407 Ex BSIV.BS-III / LPK 407 BS IV / LPK 912 BS-IV / LPT 910 BS III / LPT 1012 BS VI / LPT 709g CNG / LPT 712 BS VI / LPT 810 BS III [Fitted With VXL-2445A , PIPE OD 40.0MM , PIPE LENGTH 32-1/4 "]	M30X1.5	M18X1.5	EACH	27 MM
 MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA.-(C2) 19.90 MM		VXL-2445 A	DRAG LINK END [RHT] [OE Ref. 552933800103]-LPT 407 Ex BSIV.BS-III / LPK 407 BS IV / LPK 912 BS-IV / LPT 910 BS III / LPT 1012 BS VI / LPT 709g CNG / LPT 712 BS VI / LPT 810 BS III	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 31-1/4 INCH PIPE DIAMETER - Ø40.0 MM FITTED WITH - VXL-430 A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-1428	Drag link Assembly - [OE Ref. 270546600122] TATA LPT 410 Ex BS3 / LPT 407 Ex BS3 /LP 410 Ex / LP 708 BS3/LP 712 Ex BS3 - Fitted With VXL-430 A Pipe Dia. Ø40.0 MM , Pipe Length 31-1/4 INCH	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 49 INCH PIPE DIAMETER - Ø40.0 MM FITTED WITH- VXL-2445 MAJOR TAPER DIA- (C1) 22.00 MM MINOR TAPER DIA.-(C2) 19.90 MM		VXL-2480	Tie Rod Assembly - [OE Ref. 553233800101/104] TATA SFC 407 Plus /SFC 510 /SFC 407 gold/SFC 609g / SFC 610 / SFC 407g Pipe Dia. Ø40.0 MM , Pipe Length 49.0 INCH Fitted With VXL-2445	M30X1.5	M18X1.5	EACH	27 MM
TATA 709 Ex. (709 LPT/LP/SFC)							
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-660	Tie Rod End (LHT+RHT) OE REF. 264133200135 LH /264133200136 RH - TATA 709 EX Turbo Bend Type	M22X1.5	M16X1.5	SET	24 MM
 PIPE LENGTH -52 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH- VXL-660 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-1660	TIE ROD ASSEMBLY {OE Ref No. 264133200121 } Tata 709 EX ,Fitted with VXL -660 (Pipe Length 52" ,Pipe Dia. 35.0 mm)	M22X1.5	M16X1.5	EACH	24 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -33 INCH PIPE DIAMETER - Ø42.0MM FITTED WITH -VXL-430 A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM BALL PIN MAJOR TAPER (C1)- Ø18.66 MM BALL PIN MINOR TAPER (C2) - Ø16.20 MM		VXL-672	Drag Link Assy. (Bend Type) (O.E. No.-264146600160/165/158) TATA- LP709 BS-II, LP709EX, LPT EX BS-II LP909 CNG BS-III, LP709EX, LP909EX, BS-IILPK407/27EX TURBO, LPT709EX, BS-II STAR BUS407LP CNG, LP 712/42.LPT 810 /LP 912 /LPT 1010 Sub Part Suitable For VXL-461 Drag Link Repair Kit, Fitted with Kit VXL-463(Pipe length 33",Pipe Dia.-42.0 mm)	M20X1.5	M14X1.5	EACH	22 MM
TATA 712 N/M							
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-781	Tie Rod End,(RHT +LHT) Tata 712 N/M	M24X1.5	M16X1.5	SET	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-781 A	Tie Rod End,(RHT +RHT) Tata 712 N/M	M24X1.5	M16X1.5	SET	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-781 B	Tie Rod End,(LHT +LHT) Tata 712 N/M	M24X1.5	M16X1.5	SET	24 MM
TATA 909 Ex. TURBO							
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-660	Tie Rod End (LHT+RHT) - OE REF.264133200136 RH/REF.264133200135 LH TATA 709 EX Turbo Bend Type	M22X1.5	M16X1.5	SET	24 MM
 PIPE LENGTH -52 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH -VXL-660 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-1660	TIE ROD ASSEMBLY PIPE [OE Ref No. 264133200121] Tata 709 EX Fitted with VXL -660 (Pipe Length 52"Pipe Dia. 35.0 mm)	M22X1.5	M16X1.5	EACH	24 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-660 A	Tie Rod End (RHT+RHT)- OE REF.264133200136 RH TATA 709 EX Turbo Bend Type	M22X1.5	M16X1.5	SET	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-660 B	Tie Rod End (LHT+LHT) - OE REF.264133200135 LH TATA 709 EX Turbo Bend Type	M22X1.5	M16X1.5	SET	24 MM
 PIPE LENGTH -13-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH -VXL-430 A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-675	DRAG LINK ASSY (Straight) [O.E.Ref.NO.- 282246600102] TATA SFC 909 E/38 TURBO EX BS II,SFC 712,709 Fitted with Kit VXL-463 (Pipe length- 13" 1/2,Pipe Dia. 32.0mm)	M20X1.5	M14X1.5	EACH	22 MM
TATA 1109 Ex. TURBO							
		VXL-661/404	Drag Link Repair Kit	NA	M18X1.5	KIT	27 MM
 PIPE LENGTH -33-1/2INCH PIPE DIAMETER - Ø42.0MM FITTED WITH -VXL-423A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-662	Drag Link ASSEMBLY Bend Type, Tata 1109 (Fitted with VXL-423A) (Pipe Length 33"½,PipeDia. 42.0 mm)	M30X1.5	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-661/402	Tie Rod End (RHS+LHS)-1210, 1510, 1516, 1612, 2213, 2416 (TURBO),1109	M24X1.5	M18X1.5	SET	27 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		  					
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-663A/402A	Tie Rod End (RHS+RHS)-1210, 1510, 1516, 1612, 2213, 2416 (TURBO),1109	M24X1.5	M18X1.5	SET	27 MM
 PIPE LENGTH -56 INCH PIPE DIAMETER - Ø38.0MM FITTED WITH -VXL-402 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-664	Tie Rod Assembly,[OE REF. 261033800103/215333800103] Tata 1109 Ex Turbo Fitted with VXL-402 (Pipe Length 56",Pipe Dia. 38.0 mm)	M24X1.5	M18X1.5	EACH	27 MM
		VXL-401	Tie Rod Repair Kit (Corresponding OE Ref. No. 264146600160/165/158)	NA	M18X1.5	KIT	27 MM
TATA 1109 EX/48 HEX 2							
 PIPE LENGTH -30-1/2 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH -VXL-2424A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-665	Drag Link Assy, [O.E.Ref No. 215346600104] Tata 1109 EX/48 HEX2, LPT 1412 CRx,LPT 1212 CRx , Seal Type End, ,One Side Fixed, Fitted with VXL-2424A Pipe Length 30- 1/2",Pipe Dia.40.0 mm	M30X1.5	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-2424 A	TIE ROD END SEALED TYPE [RHT+RHT] [OE.Ref. no-280933800103]	M30X1.5	M18X1.5	SET	27 MM
 PIPE LENGTH -34 INCH PIPE DIAMETER - Ø42.0MM FITTED WITH -VXL-423 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-2631	DRAG LINK ASSY. BEND TYPE [O.E. Ref. No.-209346600102] Fitted with VXL-423 (Pipe Length 34",Pipe dia. 42.0 mm)	M28X1.5	M18X1.5	EACH	27 MM


STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-424	Drag link Repair Kit For VXL-2631	NA	M18X1.5	KIT	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2)- Ø19.85 MM	VXL-423	Drag Link End	M28X1.5	M18X1.5	SET	27 MM
TATA MOBILE 206, 206DI, 207, SIERRA, ESTATE, SUMO, SPACIO						
 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2)- Ø14.45 MM	VXL-440	TIE ROD END (RHT+LHT) TATA MOBILE 206, 206DI, 207, SIERRA, ESTATE, SUMO, SPACIO	M16X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2)- Ø14.45 MM	VXL-440 A	TIE ROD END (RHT+RHT) TATA MOBILE 206, 206DI, 207, SIERRA, ESTATE, SUMO, SPACIO	M16X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2)- Ø14.45 MM	VXL-440 B	TIE ROD END (LHT+LHT) TATA MOBILE 206, 206DI, 207, SIERRA, ESTATE, SUMO, SPACIO	M16X1.5	M12X1.5	SET	19 MM
 PIPE LENGTH -11 INCH PIPE DIAMETER - Ø25.0 MM FITTED WITH -VXL-440 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2)- Ø14.45 MM	VXL-441	TIE ROD Assembly ,TATA MOBILE 206, 206DI, 207, SIERRA, ESTATE, SUMO, SPACIO Fitted with VXL-440 (Pipe Length 11"Pipe Dia. 25.0 mm)	M16X1.5	M12X1.5	EACH	19 MM


STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -20 INCH PIPE DIAMETER - Ø27.0MM BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-442	Centre Link Assy-[both side fixed] TATA MOBILE 206, 206DI, 207, SIERRA, ESTATE, SUMO, SPACIO (Pipe Length 20",Pipe Dia. 27.0 mm)	NA	M12X1.5	EACH	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.30 MM BALL PIN MINOR TAPER (C2) - Ø20.00 MM		VXL-443	Ball Joint Lower TATA MOBILE 206, 206DI, 207, SIERRA, ESTATE, SUMO, SPACIO	NA	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-444	Ball Joint Lower TATA MOBILE 206, 206DI, 207, SIERRA, ESTATE, SUMO, SPACIO	NA	M16X1.5	EACH	24 MM
 PIPE LENGTH -20 INCH PIPE DIAMETER - Ø27.0MM FITTED WITH -VXL-440 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-445	Centrer Link Assy - Sierra, Sumo (Both Side Adjustable Straight) Fitted with VXL-440, Pipe Length 20",Pipe Dia. 27.0 mm	M16X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH -20 INCH PIPE DIAMETER - Ø27.0MM		VXL-445 A	Pipe Centre Link Sumo W/Clamp (Pipe Length 20",Pipe Dia. 27.0 mm)	NA	NA	EACH	NA
 PIPE LENGTH -11 INCH PIPE DIAMETER - Ø25.0MM		VXL-446	Tie Rod Pipe W/Clamp Sumo (Pipe Length 11",PipeDia. 25.0 mm)	NA	NA	EACH	NA




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size							
B- Ball Pin Thread Size		TIE ROD END		TIE ROD ASSEMBLY		DRAG LINK ASSEMBLY	
S - Spanner Size							
L- Pipe Length							
Ø - Pipe Diameter							
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
		VXL-447	Suspension Kit (2 Pcs of Upper B/J + 2 Pcs Lower B/J)	NA	NA	SET	24 MM OR 27 MM
		VXL-449	Centre Link Assembly Repair Kit Tata Mobile 206, 207, Spacio (Bend Type)	NA	M12X1.5	KIT	19 MM
TATA SUMO VICTA							
CENTER TO CENTER -583 MM  BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-450	Centre Link Assembly Tata Mobile 206, 207 Estate & Spacio (U-Type Bend) Sumo-Victa (CENTER TO CENTER -583 MM)	NA	M12X1.5	EACH	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-451	Tie Rod End - (RHT, LHT) TATA SUMO VICTA	M16X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-451 A	Tie Rod End - (RHT, RHT) TATA SUMO VICTA	M16X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-451 B	Tie Rod End - (LHT, LHT) TATA SUMO VICTA	M16X1.5	M12X1.5	SET	19 MM


STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 HEX PIPE LENGTH - 85 MM HEX BAR- 24 MM A/F FITTED WITH -VXL-451 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-452	Tie Rod AssemblyTATA Sumo Victa Fitted With VXL-451 (O.E. No. 282646600111)	M16X1.5	M12X1.5	EACH	19 MM
 HEX PIPE LENGTH -85 MM A/F		VXL-453	Tie Rod Bar TATA Sumo Victa- HEX Pipe Length -85 mm	NA	NA	EACH	NA
 PIPE LENGTH -492.0 MM PIPE DIAMETER - Ø27.0MM CENTER TO CENTER - 22 INCH BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.15 MM		VXL-454	Center Link Assembly -[O.E. No. 282346600123] TATA Sumo Victa N/M, CENTER TO CENTER - 22 INCH - (PIPE LENGTH -492.0 MM)	M14X1.5	NA	EACH	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.30 MM BALL PIN MINOR TAPER (C2) - Ø20.00 MM		VXL-443	Ball Joint LowerTATA MOBILE 206, 206DI, 207, SIERRA, ESTATE, SUMO, SPACIO	NA	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-444	Ball Joint UpperTATA MOBILE 206, 206DI, 207, SIERRA, ESTATE, SUMO, SPACIO	NA	M16X1.5	EACH	24 MM
TATA SUMO GOLD							
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-448	Tie Rod End Inner Thread	M16X1.5	M12X1.5	SET	19 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter	 TIE ROD END	 TIE ROD ASSEMBLY	 DRAG LINK ASSEMBLY			
C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-460	Rack End	M16X1.5	M16X1.5	EACH	NA
TATA -207 DI RX						
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-495	Tie Rod End (RHT+LHT) Bend Type TATA-207 DI RX	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-495 A	Tie Rod End (RHT+RHT) Bend Type TATA-207 DI RX	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-495 B	Tie Rod End (LHT+LHT) Bend Type TATA-207 DI RX	M18X1.5	M12X1.5	SET	19 MM
	VXL-496	Centre Link Repair Kit TATA 207 DI RX	NA	M14X1.5	KIT	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.15 MM BALL PIN MINOR TAPER (C2) - Ø16.50 MM	VXL-497	Centre Link Assy. U-Type Bend TATA-207 DI RX	NA	M14X1.5	EACH	22 MM



STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -39 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH -VXL-495 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-498	TATA-207 DI RX Tie Rod Assembly Fitted with VXL 495 (Pipe Length 39", Pipe Dia. 32.0 mm)	M18X1.5	M12X1.5	each	19 MM
 PIPE LENGTH -39 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH -VXL-499 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1498	Tie Rod Assembly-TATA-207 DI RX Fitted with VXL 499 (Pipe Length 39", Pipe Dia. 32.0 mm)	M20X1.5	M12X1.5	EACH	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-425	DRAG LINK END	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-499	Tie Rod End (RHT+LHT) Bend Type TATA-207 DI RX	M20X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-499 A	Tie Rod End (RHT+RHT) Bend Type TATA-207 DI RX	M20X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-499 B	Tie Rod End (LHT+LHT) Bend Type TATA-207 DI RX	M20X1.5	M12X1.5	SET	19 MM

TATA SAFARI


STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-751	Tie Rod End (LHT+RHT) Radial Type Shank	M16X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-751 A	Tie Rod End (RHT+RHT) Radial Type Shank	M16X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-751 B	Tie Rod End (LHT+LHT) Radial Type Shank	M16X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø20.20 MM	VXL-752	Ball Joint Lower	NA	M16X1.5	EACH	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM	VXL-753/444	Ball Joint Upper	NA	M16X1.5	EACH	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-754	Tie Rod End (LHT+RHT) Small Shank	M16X1.5	M12X1.5	SET	19 MM



STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-754 A	Tie Rod End (RHT+RHT)Small Shank	M16X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-754 B	Tie Rod End (LHT+LHT)Small Shank	M16X1.5	M12X1.5	SET	19 MM
TATA XENON							
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-761	Tie Rod End (LHT+RHT) TataXenon2.2 Dicor Diesel Xenon CNG PICKUP	M16X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø20.20 MM		VXL-762/752	Ball Joint Lower	NA	M16X1.5	EACH	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM		VXL-763/444	Ball Joint Upper	NA	M16X1.5	EACH	24 MM
 PIPE LENGTH -12.4 INCH HEX BAR- 24 MM FITTED WITH -VXL-761 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-764	Tie Rod Assembly Tata Xenon 2.2 Dicor Diesel Xenon CNG PICK UP Fitted with VXL-761 (O.E. No. 265346600124) (Length 12.4")	M16X1.5	M12X1.5	EACH	19 MM

STEERING AND SUSPENSION PARTS




A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH -47 INCH PIPE DIA.-32.0 MM FITTED WITH -VXL-425 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.45 MM		VXL-765	Tie Rod Assembly -[OE REF. 282646600130] TATA 207 DI RX BS-II /207 DI RX BS IV/207 DI RX BS-III / XENON PICK UP BS-III / XENON RX BS-III (Pipe Length -47",Pipe Dia.-32 mm) FITTED WITH VXL-425	M18X1.5	M12X1.5	EACH	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø20.40 MM		VXL-766	Ball Joint Lower [OE REF. 289732100117]	NA	M16X1.5	EACH	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-767	Tie Rod End / Drag Link End [RHT]- TATA Xenon Yodha OE REF. 289846990107	M20X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-768	Master Tie Rod Assembly TATA Yodha OE REF. 289846600135 FITTED WITH VXL-767 Pipe Dia.26.0 MM Pipe Length - 42-5/8"	M20X1.5	M12X1.5	EACH	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-769	Drag Link Assembly (Connecting Tie Rod Assembly) TATA Yodha OE REF. 289846600134 Fitted With VXL-767 Pipe Dia. 26.0 MM Pipe Length - 38-3/8 Inch	M20X1.5	M12X1.5	EACH	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø23.20 MM BALL PIN MINOR TAPER (C2) - Ø19.50 MM		VXL-770/608	Ball Joint TATA Xenon - Lower / Upper O.E Ref. No. 289833200102	NA	M18X1.5	EACH	27 MM

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter





C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.10 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-778	Center link Assembly OE REF. [550246600210 / 550246600148] TATA Xenon 45 PCR 10 BS VI TATA Xenon 2.3L BS IV TATA Xenon 2.2L 4X4 RHT TATA Xenon DC 4X4 [CENTER TO CENTER LENGTH -]	NA	M12X1.5	EACH	19 MM
 PIPE LENGTH -47 INCH PIPE DIAMETER- 26.0 MM FITTED WITH -VXL-1465 BALL PIN MAJOR TAPER (C1)- Ø16.40 MM BALL PIN MINOR TAPER (C2) - Ø14.30 MM	VXL-774	Tie Rod Assembly - [OE REF. 289846600130] TATA 207 DI RX BS-IV / XENON RX BS- III / XENON RX PICK UP BS- III (Pipe Length -47",Pipe Dia.-26 mm) FITTED WITH VXL-1465	M18X1.5	M12X1.5	EACH	19 MM
 MAJOR TAPER DIA- (C1) 16.20 MM MINOR TAPER DIA.-(C2) 14.40 MM	VXL-775	Tie Rod Assembly- [O.E REF. 550246600211] Tata Xenon 3.0L Dicor BS-III , Xenon Crew Cabin 4X2 BS-IV Fitted With VXL-451	M16X1.5	M12X1.5	EACH	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø17.25 MM BALL PIN MINOR TAPER (C2) - Ø14.60 MM	VXL-779	Tie Rod End [INNER THREAD] , TATA, [OE Ref. 287046600168] TATA XENON 2.2 BS4	M14X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH -45 INCH PIPE DIAMETER- 32.0 MM FITTED WITH -VXL-1425 BALL PIN MAJOR TAPER (C1)- Ø16.60 MM BALL PIN MINOR TAPER (C2) - Ø14.65 MM	VXL-1429	Tie Rod Assembly - [OE REF. 289846600129] TATA Xenon Pick up / Telcoline 207 Di	M24X1.5	M12X1.5	EACH	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.40 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM PIPE LENGTH -40 INCH PIPE DIAMETER- 26.0 MM FITTED WITH -VXL-767	VXL-785	Tie Rod Asssembly - (OE REF. 289846600147) TATA XENON 28WB/31WB/ YODHA CAB/YODHA CAB 28 WB --ALL 4X4 MODEL Fitted With VXL-767 / Pipe Dia. Ø26.0 MM Length - 40.0 Inch	M20X1.5	M12X1.5	EACH	19 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
PIPE LENGTH -37 INCH PIPE DIAMETER- 32.0 MM FITTED WITH -VXL-499  BALL PIN MAJOR TAPER (C1)- Ø16.15 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-786	Tie Rod Assembly - (OE REF. 282646600190) TATA 207DI RX 31 WB/RXP/U 31 WB/XENON 31 WB/XENON RX 31 WB/XENON PICK UP 31 WB -Fitted With VXL-499 / Pipe Dia. Ø32.0 MM Length - 37 Inch	M20X1.5	M12X1.5	EACH	19 MM
TATA ACE (MINI TRUCK)							
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM		VXL-465	Tie Rod End (RHT+ LHT)	M14X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM		VXL-465-A	Tie Rod End (RHT+ RHT)	M14X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM		VXL-465 B	Tie Rod End (LHT+ LHT)	M14X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM		VXL 465-NM	Tie Rod End (RHT + LHT) (N/M Long)	M14X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM		VXL 465 A-NM	Tie Rod End (RHT + RHT) (N/M Long)	M14X1.5	M12X1.5	SET	17 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM	VXL 465 B-NM	Tie Rod End (LHT + LHT) (N/M Long)	M14X1.5	M12X1.25	SET	17 MM
 PIPE LENGTH -25 1/2 INCH ROD DIAMETER - Ø22.0MM FITTED WITH -VXL-465 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM	VXL-466	Drag Link Assy. TATA - ACE (MINI TRUCK) fitted with VXL-465 (Pipe Length 25½", Rod Dia. 22.0 mm)	M14X1.5	M12X1.25	EACH	17 MM
 PIPE LENGTH -25 1/2 INCH PIPE DIAMETER - Ø22.0MM	VXL-466 A	Drag Link Assy. Pipe Only TATA - ACE (MINI TRUCK (Pipe Length 25½", Pipe Dia. 22.0 mm)	NA	NA	EACH	NA
 PIPE LENGTH -39 1/2 INCH PIPE DIAMETER - Ø22.5 MM FITTED WITH -VXL-465 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM	VXL-467	Tie Rod Assembly TATA - ACE (MINI TRUCK) fitted with VXL-465 (Pipe Length 39½", Pipe Dia. -22.5 mm)	M14X1.5	M12X1.25	EACH	17 MM
	VXL-439	GEAR SHIFT END Right Inner Thread 609,709 LP & SFC, 1510, 1612, 2213, 2416,1613, 2515 Ex TURBO (Model onwards 2002)	M12X1.25	M10X1.0	EACH	17 MM
	VXL-468/725	Gear Shift End (RHT) Small	M8X1.25	M8X1.25	EACH	13 MM


TATA ACE GOLD

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY





DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 MAJOR TAPER DIA- (C1) 14.0 MM MINOR TAPER DIA.-(C2) 12.40 MM	VXL-465	Tie Rod End (RHT+ LHT)	M14X1.5	M12X1.25	SET	17 MM
 MAJOR TAPER DIA- (C1) 14.0 MM MINOR TAPER DIA.-(C2) 12.40 MM	VXL-465 A	Tie Rod End (RHT+ RHT)	M14X1.5	M12X1.25	SET	17 MM
 MAJOR TAPER DIA- (C1) 14.0 MM MINOR TAPER DIA.-(C2) 12.40 MM	VXL-465 B	Tie Rod End (LHT+ LHT)	M14X1.5	M12X1.25	SET	17 MM
 PIPE LENGHT-39 1/2" PIPE DIA.- 22.50MM FITTED WITH- VXL-465 MAJOR TAPER DIA- (C1) 14.0 MM MINOR TAPER DIA.-(C2) 12.40 MM	VXL-467	Tie Rod Assembly -TATA ACE GOLD [OE Ref. 282933800109/110/111] fitted with VXL-465 (Pipe Length 39 1/2", Pipe Dia.- 22.5 mm)	M14X1.5	M12X1.25	EACH	17 MM
 PIPE LENGHT- 24 1/8 " PIPE DIA.- 25.0 MM FITTED WITH- VXL-1469 A MAJOR TAPER DIA- (C1) 14.00 MM MINOR TAPER DIA.-(C2) 12.40 MM	VXL-1468	Drag Link Assembly -TATA ACE GOLD [OE Ref. 282946600108] Fitted with VXL-1469A [Pipe Dia. Ø25.0mm ,Length 24- 1/8 INCH	M16X1.5	M12X1.25	EACH	17 MM
 MAJOR TAPER DIA- (C1) 14.00 MM MINOR TAPER DIA.-(C2) 12.40 MM	VXL-1469 A	Drag Link End - TATA Ace Gold [OE Ref.]	M16X1.5	M12X1.25	SET	17 MM

TATA ACE MEGA (DICOR ENGINE)

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.40 MM BALL PIN MINOR TAPER (C2) - Ø14.30 MM	VXL-1465	Drag Link End (LHT +RHT)(OE REF. 552333990101 RHT/ 552333990102 LHT)	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.40 MM BALL PIN MINOR TAPER (C2) - Ø14.30 MM	VXL-1465 A	Drag Link End (RHT +RHT)(OE REF. 552333990101 RHT	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.40 MM BALL PIN MINOR TAPER (C2) - Ø14.30 MM	VXL-1465 B	Drag Link End (LHT +LHT) (OE REF. 552333990102 LHT	M18X1.5	M12X1.5	SET	19 MM
 PIPE LENGTH -25-1/2 INCH ROD DIAMETER - Ø28.0MM FITTED WITH -VXL-1465 A BALL PIN MAJOR TAPER (C1)- Ø16.40 MM BALL PIN MINOR TAPER (C2) - Ø14.30 MM	VXL-1466	Drag Link Assy. (OE REF. 552346600105) Both Side Adjustable-TATA ACE MEGA (DICOR ENGINE) Fitted With VXL-1465 A Pipe Length-25 1/2" ,Rod Dia. 28.0 mm	M18X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH - 43 INCH PIPE DIAMETER - Ø26.0MM FITTED WITH -VXL-1465 BALL PIN MAJOR TAPER (C1)- Ø16.40 MM BALL PIN MINOR TAPER (C2) - Ø14.30 MM	VXL-1467	Tie Rod Assembly-(OE REF. 55233800106) TATA ACE MEGA (DICOR ENGINE) Fitted With VXL-1465 ,Pipe Length -43 " ,pipe Dia. 26.0 MM	M18X1.5	M12X1.5	EACH	19 MM
TATA INTRA V10 800 CC / V20 1.4L						
 PIPE LENGTH- 21 " PIPE DIA.-30.0 MM FITTED WITH- VXL-1465 A MAJOR TAPER DIA- (C1) 16.40 MM MINOR TAPER DIA.-(C2) 14.30 MM	VXL-1470	Drag Link Assembly -[OE Ref. 554546900102] TATA INTRA V10 800 CC BS6 /V20 1.4L BS4 Fitted with VXL-1465 A [Pipe Dia. Ø30.0mm ,Length 21 INCH	M18X1.5	M12X1.5	EACH	19 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter





C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 MAJOR TAPER DIA- (C1) 16.40 MM MINOR TAPER DIA.-(C2) 14.30 MM	VXL-1465 A	Drag Link End- TATA INTRA TATA INTRA V10 800 CC BS6 /V20 1.4L BS4	M18X1.5	M12X1.5	SET	19 MM
 PIPE LENGHT- 43.0 " PIPE DIA.-22.50 MM FITTED WITH- VXL-1472 MAJOR TAPER DIA- (C1) 16.40 MM MINOR TAPER DIA.-(C2) 14.30 MM	VXL-1471	Tie Rod Assembly [OE Ref. 554533800105] TATA INTRA V10 800 CC / V20 1.2L , V20 1.4L / V20 PICK UP /V20 GOLD PICKUP Pipe Dia. 22.50 ,Pipe Length 43 inch ,Fitted With VXL-1472	M16X1.5	M12X1.5	EACH	19 MM
 MAJOR TAPER DIA- (C1) 16.40 MM MINOR TAPER DIA.-(C2) 14.30 MM	VXL-1472	Tie Rod End-[RHT + LHT] TATA INTRA V10 800 CC / V20 1.2L , V20 1.4L / V20 PICK UP /V20 GOLD PICKUP [OE Ref. 554533800106 RH/ 554533800107 LH]	M16X1.5	M12X1.5	SET	19 MM
 MAJOR TAPER DIA- (C1) 16.40 MM MINOR TAPER DIA.-(C2) 14.30 MM	VXL-1472 A	Tie Rod End -[RHT + RHT] TATA INTRA V10 800 CC / V20 1.2L , V20 1.4L / V20 PICK UP /V20 GOLD PICKUP [OE Ref. 554533800106]	M16X1.5	M12X1.5	SET	19 MM
 MAJOR TAPER DIA- (C1) 16.40 MM MINOR TAPER DIA.-(C2) 14.30 MM	VXL-1472 B	Tie Rod End TATA INTRA V10 800 CC / V20 1.2L , V20 1.4L / V20 PICK UP /V20 GOLD PICKUP [LHT + LHT] [OE Ref. 554533800107]	M16X1.5	M12X1.5	SET	19 MM
TATA INTRA V 50 1.5L / V70 1.5L						
 PIPE LENGHT- 25-3/8 " ROD DIA.-25.40 MM FITTED WITH- VXL-1465 A MAJOR TAPER DIA- (C1) 16.40 MM MINOR TAPER DIA.-(C2) 14.30 MM	VXL-1473	Drag Link Assembly - (OE Ref. 554946900102/103) TATA INTRA V50 1.5L All Model BS6 / V70 1.5L All Model BS6 / V50 Gold 1.5L BS6 Fitted With VXL-1465 A , Rod Dia. Ø25.40 MM / Rod Length 25-3/8"	M18X1.5	M12X1.5	EACH	19 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGHT- 45" ROD DIA.-26.0 MM FITTED WITH- VXL-1465		VXL-1475	Tie Rod Assembly - (OE Ref. 554933800101) TATA INTRA V50 1.5L All Model BS6 / V70 1.5L All Model BS6 / V50 Gold 1.5L BS6, FITTED WITH - VXL-1465 Pipe Dia. Ø26.0 MM / Pipe Length 45"	M18X1.5	M12X1.5	EACH	19 MM
MAJOR TAPER DIA- (C1) 16.40 MM MINOR TAPER DIA-.(C2) 14.30 MM							
TATA INTRA V30 1.5 L / V30 PICKUP / V20 1.2L BI-FUEL,PICKUP ,GOLD PICKUP							
 PIPE LENGHT- 22-1/2" ROD DIA.-30.0 MM FITTED WITH- VXL-1465 A		VXL-1474	Drag Link Assembly - (OE Ref. 554646900102/101) TATA INTRA V20 1.2L BI-FUEL,PICKUP,GOLD PICKUP BS6 / V30 1.5L /V 30 CX /V30 PICKUP /V30 AC/NON AC BS6 , FITTED WITH - VXL-1465 A Rod Dia. Ø30.0 MM / Pipe Length 22-1/2"	M18X1.5	M12X1.5	EACH	19 MM
MAJOR TAPER DIA- (C1) 16.40 MM MINOR TAPER DIA-.(C2) 14.30 MM							
 PIPE LENGHT- 43.0" PIPE DIA.-22.50 MM FITTED WITH- VXL-1472		VXL-1471	Tie Rod Assembly-[OE Ref. 554533800105] TATA INTRA V30 CX 1.5L ALL MODEL / V30 1.5L ALL MODEL / V30 PICKUP ALL MODEL BS6 Pipe Dia. 22.50 ,Pipe Length 43 inch ,Fitted With VXL-1472	M16X1.5	M12X1.5	EACH	19 MM
PIPE LENGHT- 43.0" PIPE DIA.-22.50 MM FITTED WITH- VXL-1472							
TATA IRIS/ZIP							
 BALL PIN MAJOR TAPER (C1)- Ø16.40 MM BALL PIN MINOR TAPER (C2) - Ø14.30 MM		VXL-741	Tie Rod End (O.E.Ref. No.- 551746990107)	M12X1.25	M12X1.25	SET	17 MM
		VXL-742	Ball Joint (O.E Ref. No- 281832200101)	M14X1.5	M12X1.25	EACH	NA
		VXL-743	Ball Joint (LHS+RHS) (O.E.Ref No.- 551732100111/110)	NA	NA	SET	NA

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter





C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-744	Rack End N/M	M14X1.5	M12X1.25	EACH	NA

TATA VENTURE/SUPER ACE 1 TON (With sona Type Suspension)



 BALL PIN MAJOR TAPER (C1)- Ø15.85 MM BALL PIN MINOR TAPER (C2) - Ø13.50 MM	VXL-771	Tie Rod End (Inner Thread) O.E Ref. No.- 281846600142	M14X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.60 MM BALL PIN MINOR TAPER (C2) - Ø15.65 MM	VXL-772	Ball Joint (O.E Ref. No-281832200101)	NA	M14X1.5	EACH	22 MM
	VXL-773	RACK END (O.E Ref. No-281832200101)	NA	M14X1.5	EACH	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø15.10 MM BALL PIN MINOR TAPER (C2) - Ø13.60 MM	VXL-776	Tie Rod End (Outer Thread)Manual /Power Steering Rane Type CX Mech.Rane Type O.E Ref. No.- 281846600135/114	M12X1.25	M12X1.25	SET	19 MM
	VXL-777	Rack End CX Mech.Rane Type (O.E Ref.No-281832200101)	M14X1.5	M12X1.5	SET	19 MM

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø18.60 MM BALL PIN MINOR TAPER (C2) - Ø15.65 MM	VXL-772	Ball Joint (O.E Ref. No-281832200101)	NA	M14X1.5	EACH	22 MM

LEYLAND HCV,MCV & LCV COMMERCIAL VEHICLE LEYLAND

	VXL-1001	Tie Rod Repair Kit	NA	5/8"X 14 TPI	KIT	26 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.60 MM BALL PIN MINOR TAPER (C2) - Ø15.65 MM	VXL-1002	Tie Rod Socket (Complete) RHT	1-3/8" X 12 TPI	5/8"X14 TPI	EACH	25 MM OR 26 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.60 MM BALL PIN MINOR TAPER (C2) - Ø15.65 MM	VXL-1003	Tie Rod Socket (Complete) LHT	1-3/8" X 12 TPI	5/8"X14 TPI	EACH	25 MM OR 26 MM
	VXL-1004	Tie Rod Socket Body Only (Right)	1-3/8" X 12 TPI	NA	EACH	NA
	VXL-1005	Tie Rod Socket Body Only (Left)	1-3/8" X 12 TPI	NA	EACH	NA




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A	B	UNIT	S SPANNER SIZE
			HOUSING THREAD	BALL PIN THREAD		
 BALL PIN MAJOR TAPER (C1)- Ø12.40 MM BALL PIN MINOR TAPER (C2) - Ø10.60 MM	VXL-1006	Gear Shift End Long (ZF Gear Box) Outer Thread	M14X1.5	M10X1.0	EACH	17 MM
	VXL-1007	Gear Shift End Small Right Inner Thread (ZF Gear Box) IVECO 709,909	M12X1.75	M10X1.25	EACH	17 MM
	VXL-1007 ST	Gear Shift End Small Right Inner Thread (ZF Gear Box) IVECO 709,909	M12X1.75	M10X1.25	EACH	17 MM
	VXL-1008	Gear Shift End Small Left Inner Thread (ZF Gear Box) IVECO 709,909	M12X1.75	M10X1.25	EACH	17 MM
	VXL-1008 ST	Gear Shift End Small Left Inner Thread (ZF Gear Box) IVECO 709,909	M12X1.75	M10X1.25	EACH	17 MM
	VXL-1009	Ball Joint ZF Gear Box	NA	M10X1.25	EACH	17 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
		VXL-1021	Gear Speed Change Lever Assembly Leyland 370	NA	NA	EACH	NA
LEYLAND (DRAG LINK ASSY)							
 PIPE LENGTH - 30-1/2 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-1027 BALL PIN MAJOR TAPER (C1)- Ø25.90 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM		VXL-1018	Drag Link Assy. O.E Ref.No.B2317109,B2317101 Leyland 1616L,1616XL,1616 XL2,1616XP,1616XP1,1618XP,2516IL,Haulage (2516 H/2,2516 H/3)3616 Tusker,Artill 35.16,3516 S/1,3516 S/G 3518,4023,4923,4x2 Comet Tipper ,CT1613H/1,CT 1613 H/2 ,CG1613 H,203 Chhita BS IV Cowl End ,231 Chhita Replacement Drag Link End VXL-1027 ,Hino Tipper BSII Fitted With VXL-1027 (Pipe Length 30 1/2",Pipe dia. 40.0mm)	M30X1.5	M18X1.5	EACH	30 MM
 PIPE LENGTH - 30-1/2 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-1013 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1019	Drag Link Assy. O.E Ref.No.B2317109,B2317101 Leyland 3116,3116 IL,3118,3118 XL,3118 XP,3121H,3123 XL, replacement Drag Link End VXL-1013 (Pipe Length 30 1/2" ,Pipe Dia. 40.0 mm)	M30X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH - 46-1/2 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-1027 BALL PIN MAJOR TAPER (C1)- Ø25.90 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM		VXL-1020	Drag Link Assy O.E Ref.No.-B2306901 Leyland 210 Viking,22 Viking Replacement Drag Link End VXL-1027 (Pipe Length 46 1/2",Pipe dia. 40.0mm)	M30X1.5	M18X1.5	EACH	30 MM
 PIPE LENGTH - 65 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-1013A BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1028	Drag Link Assembly Leyland 3116,3118 O.E Ref. N2306804 Fitted With VXL-1013 APipe Length 65" (Dia. 50MM)	M30X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH - 60 INCH PIPE DIAMETER - Ø38.0MM FITTED WITH - VXL-1025 BALL PIN MAJOR TAPER (C1)- Ø25.90 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM		VXL-1029	Tie Rod Assembly - O.E Ref.B2512605,F8321200 Fitted With VXL- 1025 Leyland 4026,2516H Pipe Length 60",Pipe Dia.-38.0 mm	M24X1.5	M18X1.5	EACH	30 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 40 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-1027 BALL PIN MAJOR TAPER (C1)- Ø25.90 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM		VXL-1030	Drag Link Assembly -Leyland-2516H (Fitted With VXL-1027) -(Pipe Length-40", 40mm Pipe O.D)	M30X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 38-1/2 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-1013 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1069	Drag Link Assembly – O.E Ref.-B2C00514 Leyland U Truck (Fitted With VXL-1013) - (Pipe Length-38-1/2", 40mm Pipe O.D)(Repair kit No-VXL-1016)	M30X1.5	M20X1.5	EACH	30 MM
LEYLAND 2516,3615 N/M							
 BALL PIN MAJOR TAPER (C1)- Ø25.90 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM		VXL-1025	Tie Rod End (RHT+LHT) Leyland 2516, 3516 N/M,Tata 2515 EXT	M24X1.5	M18X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.90 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM		VXL-1025 A	Tie Rod End (RHT+RHT) Leyland 2516, 3516 N/M,Tata 2515 EXT	M24X1.5	M18X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.90 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM		VXL-1025 B	Tie Rod End (LHT+LHT) Leyland 2516, 3516 N/M,Tata 2515 EX T	M24X1.5	M18X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.90 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM		VXL-1026	Tie Rod Repair Kit Leyland 2516,3516,Tata 2515EX	NA	M18X1.5	KIT	27 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø25.90 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM	VXL-1027	Tie Rod End (RHT+LHT) LEYLAND 2516,3516 N/M	M30X1.5	M18X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.90 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM	VXL-1027 A	Tie Rod End (RHT+RHT) LEYLAND 2516,3516 N/M	M30X1.5	M18X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.90 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM	VXL-1027 B	Tie Rod End (LHT+LHT) LEYLAND 2516,3516 N/M	M30X1.5	M18X1.5	SET	30 MM
LEYLAND 4018, 680 MINING TIPPER,12-18 METER BUS						
	VXL-1031	Tie Rod End Repair Kit LEYLAND 4018, 680 MINING TIPPER,12-18 METER BUS	NA	NA	KIT	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø28.60 MM BALL PIN MINOR TAPER (C2) - Ø25.90 MM	VXL-1032	Tie Rod Socket (Complete) Right LEYLAND 4018, 680 MINING TIPPER,12-18 METER BUS	1"X21/32X11 TPI	3/4"X16 TPI	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø28.60 MM BALL PIN MINOR TAPER (C2) - Ø25.90 MM	VXL-1033	Tie Rod Socket (Complete) Left LEYLAND 4018, 680 MINING TIPPER,12-18 METER BUS	1"X21/32X11 TPI	3/4"X16 TPI	EACH	30 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY




DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-1034	Tie Rod Socket Body Only RightLEYLAND 4018, 680 MINING TIPPER,12-18 METER BUS	1"X21/32X11 TPI	NA	EACH	NA
	VXL-1035	Tie Rod Socket Body Only LeftLEYLAND 4018, 680 MINING TIPPER,12-18 METER BUS	1"X21/32X11 TPI	NA	EACH	NA
 BALL PIN MAJOR TAPER (C1)- Ø28.60 MM BALL PIN MINOR TAPER (C2) - Ø25.90 MM	VXL-1036	Drag Link Socket (Right Complete), O.E.Ref No.- B2490101 LEYLAND 4018, 680 MINING TIPPER,12-18 METER BUS	1"X21/32X11 TPI	3/4"X16 TPI	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø28.60 MM BALL PIN MINOR TAPER (C2) - Ø25.90 MM	VXL-1037	Drag Link Socket (Left Complete), O.E.Ref No.- B2490113 LEYLAND 4018, 680 MINING TIPPER,12-18 METER BUS	1"X21/32X11 TPI	3/4"X16 TPI	EACH	30 MM
	VXL-1038	Drag Link Socket (Right Only Body), O.E.Ref No.- F2151011 LEYLAND 4018, 680 MINING TIPPER,12-18 METER BUS	1"X21/32X11 TPI	NA	EACH	NA
	VXL-1039	Drag Link Socket (Left Only Body), O.E.Ref No.- F2151111 LEYLAND 4018, 680 MINING TIPPER,12-18 METER BUS	1"X21/32X11 TPI	NA	EACH	NA



LEYLAND 3116/EICHER

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size							
B- Ball Pin Thread Size		TIE ROD END		TIE ROD ASSEMBLY		DRAG LINK ASSEMBLY	
S - Spanner Size							
L- Pipe Length							
Ø - Pipe Diameter							
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-2501	BALL JOINT / TIE ROD END (HYDRAULIC CYLINDER) LEYLAND3116/EICHER, (Inner Thread Size M30X1.5 RHT)O.E.Ref No.- F2101611 (LEYLAND), IA228640 (EICHER)	M30X1.5	M20X1.5	EACH	30 MM
LEYLAND ' U ' TRUCK							
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1066	Tie Rod End (RHT+LHT), O.E.Ref No. 2665239/2665139 Leyland U-TRUCK 4923TT,4023TT,3518TT	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1066 A	Tie Rod End (RHT+RHT), Leyland U-TRUCK 4923TT,4023TT,3518TT O.E.Ref No. 2665239/2665139	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1066 B	Tie Rod End (LHT+LHT), Leyland U-TRUCK 4923TT,4023TT,3518TT O.E.Ref No. 2665239/2665139	M30X1.5	M20X1.5	SET	30 MM
 PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-1066 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1067	Tie Rod Assy, Leyland U-Truck All Model, O.E.Ref No. FOM00500 Fitted With VXL-1066 Pipe Length-62",Pipe Dia.-50.0 mm	M30X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH - 32-1/2 INCH PIPE DIAMETER - Ø60.0MM FITTED WITH - VXL-1066A BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1068	Drag Link Assy, Leyland U Truck, Bend Type One Side Fixed, Fitted with VXL-1066A (PIPE LENGTH-32 1/2",Pipe dia. 60.0 mm)	M30X1.5	M20X1.5	EACH	30 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-1016	Tie Rod / Drag Link Kit - O.E.Ref No. - P2406551 / PD601506	NA	M20X1.5	KIT	30 MM

LEYLAND ECOMET 1112 AL MODEL



 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-1013	Tie Rod End/ Drag Link End (RHT/LHT)	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-1013 A	Tie Rod End/ Drag Link End (RHT/RHT)	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-1013 B	Tie Rod End/ Drag Link End (LHT/LHT)	M30X1.5	M20X1.5	SET	30 MM
 PIPE LENGTH - 33-1/2 INCH PIPE DIAMETER - Ø42.0MM FITTED WITH - VXL-1013 A BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-1095	Drag Link Assy, Bend Type, O.E.Ref. No. B2394501 Leyland Ecomet 1112 all models , Fitted with VXL-1013 A (Pipe length: 33" ¹ / ₂ , Pipe dia.42.0 mm)	M30X1.5	M20X1.5	EACH	30 MM

LEYLAND ECOMET 912 / 1012

 PIPE LENGTH - 33-1/2 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - VXL-402A BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-1091	Drag Link Assy, O.E. Ref. No. B2304101 Leyland ECOMET 912/1012 all models Fitted with VXL-402A Drag Link end (Pipe Length 33" ¹ / ₂ , Pipe dia. 35.0 mm)	M24X1.5	M18X1.5	EACH	27 MM
---	----------	---	---------	---------	------	-------


STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-402	Tie Rod End, Leyland ECOMET 912/1012 all models	M24X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-402A	Tie Rod End/ Drag LinkEnd RHT Leyland ECOMET912/1012all models	M24X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-402 B	Tie Rod End, LHT Leyland ECOMET 912/1012 all models	M24X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-401	Drag Link Kit/ Tie Rod Kit	NA	M18X1.5	KIT	27 MM
LEYLAND IVECO 709						
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-402	Tie Rod End, LEYLAND IVECO 709	M24X1.5	M18X1.5	SET	27 MM
NO IMAGE AVAILABLE	VXL-1011	Tie Rod Assembly - 709 (Pipe Length 60")	M24x1.5	M18X1.5	EACH	27 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size							
B- Ball Pin Thread Size		TIE ROD END		TIE ROD ASSEMBLY		DRAG LINK ASSEMBLY	
S - Spanner Size							
L- Pipe Length							
Ø - Pipe Diameter							
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
NO IMAGE AVAILABLE		VXL-1011 A	Tie Rod Pipe (Tube) W/Clamp,	NA	NA	EACH	NA
 PIPE LENGTH - 29-1/2 INCH PIPE DIAMETER - Ø38.0MM FITTED WITH - VXL-402 A BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-1012	Drag Link Assembly One Side Fixed(Pipe Length 29½")	M24X1.5	M18X1.5	EACH	27 MM
		VXL-1017/401	Tie Rod / Drag Link Kit 709	NA	M18X1.5	KIT	27 MM
LEYLAND IVECO 909							
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2)- Ø23.50 MM		VXL-1013/721	Tie Rod End-909, Eicher Jumbo/Leyland 2515,1215.00 Pair 3516 N/M	M30X1.5	M201X.5	SET	30 MM
 PIPE LENGTH - 61 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-1013 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1014	Tie Rod Assembly - Fitted with VXL-1013(Pipe Length- 61")	M30X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH - 61 INCH PIPE DIAMETER - Ø50.0MM		VXL-1014 A	Tie Rod Pipe (Tube) W/Clamp, (Pipe Length 61")	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 38 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-1013A BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1015	Drag Link Assembly - One Side Fixed, Fitted with VXL-1013A (Pipe Length 38")	M30X1.5	M20X1.5	EACH	30 MM
		VXL-1016/722	Tie Rod / Drag Link Kit - 909, Leyland 2214 (FA-90 Front Axle)	NA	M20X1.5	KIT	30 MM
LEYLAND PARTNER							
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø15.50 MM		VXL-851	Tie Rod End (LHT+RHT) LEYLAND PARTNER	M24X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø15.50 MM		VXL-851 A	Tie Rod End (RHT+RHT) LEYLAND PARTNER	M24X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø15.50 MM		VXL-851 B	Tie Rod End (LHT+LHT) LEYLAND PARTNER	M24X1.5	M14X1.5	SET	22 MM
 PIPE LENGTH - 49.2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-851 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø15.50 MM		VXL-852	Tie Rod Assembly O.E.Ref. No.- 382369670 , Fitted with VXL-851 Pipe Length- 49.2", Pipe dia. 32.0 mm	M24X1.5	M14X1.5	EACH	22 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 49.2 INCH PIPE DIAMETER - Ø32.0MM	VXL-852 A	Tie Rod Pipe Only Pipe Length- 49.2" ,Pipe dia. 32.0 mm	NA	NA	EACH	NA
 PIPE LENGTH - 23 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-854 A BALL PIN MAJOR TAPER (C1)- Ø21.00 MM BALL PIN MINOR TAPER (C2) - Ø16.50 MM	VXL-853	Drag Link Assembly OE REF. [486802VE0A] LEYLAND PARTNER/ LEYLAND MiTR SCHOOL BUS Fitted With VXL-854 A , Pipe dia. 40.0 MM Pipe Length 23.0 INCH	M30X1.5	M14X1.5	EACH	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø21.00 MM BALL PIN MINOR TAPER (C2) - Ø16.50 MM	VXL-854 A	Drag Link End [RHT + RHT] LEYLAND PARTNER/LEYLAND MiTR SCHOOL BUS	M30X1.5	M14X1.5	SET	22 MM
LEYLAND BOSS						
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-856	Tie Rod End (LHT/RHT) PIPE O.D Ø40 MM /Length 25-1/2 Inch	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-856 A	Tie Rod End (RHT/RHT) PIPE O.D Ø40 MM /Length 25-1/2 Inch	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-856 B	Tie Rod End (LHT/LHT) PIPE O.D Ø40 MM /Length 25-1/2 Inch	M30X1.5	M20X1.5	SET	30 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size

B- Ball Pin Thread Size


S - Spanner Size

L- Pipe Length

Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY

C1



C2

PART NO.
ITEM DESCRIPTION
**A
HOUSING
THREAD**
**B
BALL PIN
THREAD**
UNIT
**S
SPANNER
SIZE**

PIPE LENGTH - 25-1/2 INCH EACH SIDE
PIPE DIAMETER - Ø50.0 MM
FITTED WITH - VXL-857 A

BALL PIN MAJOR TAPER (C1)- Ø26.30 MM
BALL PIN MINOR TAPER (C2) - Ø23.50 MM

VXL-857

Tie Rod Assy.

M30X1.5

M20X1.5

EACH

30 MM



VXL-857 A

Tie Rod Assy. Bar Only For
VXL-857 Assembly Ø36.0 MM

M30X1.5

NA

EACH

30 MM

PIPE LENGTH - 30 INCH
PIPE DIAMETER - Ø50.0 MM
FITTED WITH - VXL-734 A

BALL PIN MAJOR TAPER (C1)- Ø26.30 MM
BALL PIN MINOR TAPER (C2) - Ø23.50 MM

VXL-2515

DRAG LINK ASSEMBLY **OE REF.**
[B2C09201] Leyland Boss 1616 , Leyland
Boss 1916 All Model , Fitted With VXL-734
A , Pipe Dia. Ø50.0 mm ,Pipe Length 30
inch

M30X1.5

M20X1.5

EACH

30 MM



VXL-2520

Gear Shifter End-Inner Thread **OE REF. [**
P2N00002] LEYLAND HAULAGE /BOSS
1112 LE/BOSS 1412 LE/BOSS 1212
LE/BOSS 912 LE/BOSS 1213 LS/BOSS 913
LS/BOSS 1113 C

M10X1.5

M10X1.5

EACH

17 MM

LEYLAND BOSS 1115 / 1415 / LYNX SMART PASSENGER BUS - BSVI

BALL PIN MAJOR TAPER (C1)- Ø26.30 MM
BALL PIN MINOR TAPER (C2) - Ø23.50 MM

VXL-862

Tie Rod End [M28x1.5] RHT + LHT **OE**
REF. [P2Z00011 -RH / P2Z00012 -LH
LEYLAND BOSS 1115 / 1415 / LYNX
SMART PASSENGER BUS - BSVI

M28X1.5

M20X1.5

SET

30 MM


BALL PIN MAJOR TAPER (C1)- Ø26.30 MM
BALL PIN MINOR TAPER (C2) - Ø23.50 MM

VXL-862 A

Tie Rod End [M28x1.5] RHT + RHT **OE**
REF. [P2Z00011 -RH LEYLAND BOSS 1115
/ 1415 / LYNX SMART PASSENGER BUS -
BSVI




M28X1.5

M20X1.5

SET

30 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-862 B	Tie Rod End [M28x1.5] LHT + LHT OE REF. [P2Z00012 -LH LEYLAND BOSS 1115 / 1415 / LYNX SMART PASSENGER BUS - BSVI	M28X1.5	M20X1.5	SET	30 MM
PIPE LENGTH - 55 INCH PIPE DIAMETER - Ø40.0 MM FITTED WITH - VXL-862  BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-2512	Tie Rod Assembly -[OE Ref. X2Z01300] LEYLAND BOSS 1115/815 / 1112 LE/1412 LE / 1212 LE/912 LE/1213 Lx/913 LS / 1412 LE / 913 LS /STAF TL / LYNX SMART / EAGLE/OYSTER - Fitted With VXL-862, Pipe Dia. Ø40.0 MM , Pipe Length 55 INCH	M28X1.5	M20X1.5	EACH	30 MM
Leyland Guru 1110 T BS4, Leyland Boss 1113 / 1213 /1212 /1115							
 PIPE LENGTH - 29-3/4 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2411 A BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-863	Drag Link Assembly [OE REF.B2C03401] Leyland Guru 1110 T BS4, Leyland Boss 1113 / 1213 /1212 /1115 , 918 LE , Fitted With VXL-2411 A , Pipe Dia. Ø40.0 MM / Pipe Length 29-3/4"	M30X1.5	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-864	Tie Rod End [RHT+LHT] Leyland Guru 1010 / 1211 /1111 /1113 , Leyland Sunshine Bus 4560 mm / 5200 mm , Leyland Stag 5200 mm	M28X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-864 A	Tie Rod End [RHT+RHT] Leyland Guru 1010 / 1211 /1111 /1113 , Leyland Sunshine Bus 4560 mm / 5200 mm , Leyland Stag 5200 mm	M28X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-864 B	Tie Rod End [LHT+LHT] Leyland Guru 1010 / 1211 /1111 /1113 , Leyland Sunshine Bus 4560 mm / 5200 mm , Leyland Stag 5200 mm	M28X1.5	M18X1.5	SET	27 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size

B- Ball Pin Thread Size

S - Spanner Size

L- Pipe Length


Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 55 INCH PIPE DIAMETER - Ø36.0MM FITTED WITH - VXL-864 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM	VXL-865	Tie Rod Assembly OE Ref. (X2Z01200) Leyland Guru 1010 / 1211 /1111 /113 , Leyland Sunshine Bus 4560 mm / 5200 mm , Leyland Stag 5200 mm Fitted With VXL-864 , Pipe Dia. Ø36.0 MM , Pipe Length 55 inch	M28X1.5	M18X1.5	EACH	27 MM
	VXL-865 A	Tie Rod Pipe Only With Clamp Pipe Dia. Ø36.0 MM , Pipe Length 55 inch (Fitted With VXL-864)	M28X1.5	NA	EACH	NA
	VXL-866 R	Gear Lever End - Inner Thread OE Ref. OE REF. - P2N00005-RH Leyland Boss 1112/1412/1212/ 912 /913 /1113 LS /1223 , Guru 1211 ,	M12X1.75	M10X1.5	SET	17 MM
	VXL-866 L	Gear Lever End - Inner Thread OE Ref. OE REF. - P2N00004-LH Leyland Boss 1112/1412/1212/ 912 /913 /1113 LS /1223 , Guru 1211 ,	M12X1.75	M10X1.5	SET	17 MM
PIPE LENGTH - 23-1/4 INCH PIPE DIAMETER - Ø36.0MM FITTED WITH - VXL-402 A PHOTO NOT AVAILABLE BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-2527	Drag Link Assembly- [OE REF. B2C08101] Leyland Sunshine 4560 MM/5200 MM, BS3 / BS4 ,Fitted With VXL-402 A, Repair KIT No. VXL-401 /Pipe dia. Ø36 MM , Length 23-1/4"	M24X1.5	M18X1.5	EACH	27 MM


LEYLAND FALCON 5640 MM BUS ALL MODEL

BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM  BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM PIPE LENGTH - 46-1/8 INCH PIPE DIAMETER - Ø50.0 MM FITTED WITH - VXL-2424 A	VXL-2513	Drag Link Assembly [OE Ref.F8834500] LEYLAND FALCON 5640 MM BUS ALL MODEL /Fitted With VXL-2424 A ,Pipe Dia. Ø50.0 MM , Pipe Length 46-1/8 INCH	M30X1.5	M18X1.5 & M20X1.5	EACH	27 MM & 30 MM
---	----------	--	---------	-------------------------	------	---------------------


LEYLAND LYNX/LEYLAND LYNX STRONG LONGER FOH /LYNX SMART 4900 MM/4200 MM/5200 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter




TIE ROD END



TIE ROD ASSEMBLY




DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø25.90 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM	VXL-1027	Drag Link End	M30X1.5	M18X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.45 MM	VXL-1013	Tie Rod End/ Drag Link End (RHT/LHT)LEYLAND ECOMET 1112 All Models	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.45 MM	VXL-1013 A	Tie Rod End (RHT+LHT)	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.45 MM	VXL-1013 B	Tie Rod End (LHT+RHT)	M30X1.5	M20X1.5	SET	30 MM
 PIPE LENGTH - 48-7/8 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2503 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2511	Drag link Assembly -[OE Ref. FE605900] LEYLAND LYNX STRONG LONGER FOH Fitted With VXL-2503 (Sleeve Thread M38x1.5 LH) , Pipe Dia. Ø50.0 MM , Pipe Length 48-7/8 INCH	M30X1.5	M24X1.5	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM PIPE LENGTH - 50-5/8 INCH PIPE DIAMETER - Ø45.0 MM FITTED WITH - VXL-2424 A	VXL-2514	Drag Link Assembly [OE REF. FE600405] LEYLAND LYNX SMART 4900 MM/4200 MM/5200 MM /Fitted With VXL-2424 A ,Pipe Dia. Ø45.0 MM , Pipe Length 50- 5/8 INCH	M30X1.5	M18X1.5	EACH	27 MM



LEYLAND STAG

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter	 TIE ROD END	 TIE ROD ASSEMBLY	 DRAG LINK ASSEMBLY			
C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-402	Tie Rod End -M24X1.5 RHT+LHT	M24X1.5	M18X1.5	SET	27 MM
LEYLAND PICKUP- LEYLAND DOST (MECHANICAL STEERING)						
 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM	VXL-821	Tie Rod End (LHT/RHT) (Big & Small)	M14X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM	VXL-822	Tie Rod End Big (RHT/RHT)	M14X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM	VXL-823	Tie Rod End Small (RHT/LHT)	M14X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM	VXL-824	Drag Link End (LHT/RHT)	M14X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM	VXL-824 A	Drag Link End (RHT/RHT)	M14X1.5	M12X1.25	SET	17 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



C1 C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM	VXL-824 B	Drag Link End (LHT/LHT)	M14X1.5	M12X1.25	SET	17 MM
PIPE LENGTH - 7-1/2 INCH HEX BAR- 17 MM FITTED WITH - VXL-821 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM	VXL-825	Tie Rod Assy. (RHS) O.E Ref. No.- 485102VA0A Mech. Steering Pipe Length- 7-1/2"	M14X1.5	M12X1.25	EACH	17 MM
PIPE LENGTH - 7-1/2 INCH HEX BAR- 17 MM FITTED WITH - VXL-821 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM	VXL-826	Tie Rod Assy (LHS) O.E Ref. No.- 486302VA0A Mech. Steering Pipe Length- 7-1/2"	M14X1.5	M12X1.25	EACH	17 MM
	VXL-826 A	Tie Rod Pipe Mech. Steering	NA	NA	EACH	NA
PIPE LENGTH - 15-1/2 INCH HEX BAR- 17 MM FITTED WITH - VXL-824 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM	VXL-827	Drag Link Assy. Mech. Steering Pipe Length- 15-1/2"	M14X1.5	M12X1.25	EACH	17 MM
BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM	VXL-828	Ball Joint Upper (3 Hole) Mech. /Power Steering OE REF. 401602VA0A	NA	M12X1.25	EACH	17 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø22.30 MM BALL PIN MINOR TAPER (C2) - Ø19.40 MM	VXL-829	Ball Joint Lower Mech. /Power Steering	NA	M18X1.5	EACH	27 MM
	VXL-832/725	Gear Shift End Mech./Power Steering	M8X1.25	M8X1.25	EACH	13 MM
LEYLAND DOST (POWER STEERING)						
 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM	VXL-841	Tie-Rod End Inner Thread OE REF. 480G12VAOJ	M14X1.5	M12X1.25	SET	17 MM
	VXL-842	Rack End OE REF. 480AK2VAOJ	M16X1.5	M14X1.5	EACH	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM	VXL-828	Ball Joint Upper (3 Hole)	NA	M12X1.25	EACH	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.30 MM BALL PIN MINOR TAPER (C2) - Ø19.40 MM	VXL-829	Ball Joint Lower	NA	M18X1.5	EACH	27 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-832/725	Gear Shift End	M8X1.25	M8X1.25	EACH	13 MM
LEYLAND AVTR 2820 HG/ 3520 HG / 4220 HG/ G91 4220 /4218/G91 3520 /TIPPER G45 3520,4220						
 PIPE LENGTH - 59 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2431 A BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2502	Tie Rod Assembly [O.E Ref. X2Z02700A] LEYLAND AVTR 2820 HG/ 3520 HG / 4220 HG Fitted With VXL-2431 , PIPE OD 50.0MM , PIPE LENGTH 59"]	M30X1.5	M24X1.5	EACH	36 MM
	VXL-2502 A	Tie Rod Assembly - Pipe Only- With Clamp [For VXL 2502] PIPE OD 50.0MM , PIPE LENGTH 59"]	M30X1.5	NA	EACH	NA
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2503	Drag Link End with Sleeve [M38x1.5 LHT] LEYLAND AVTR 2820 HG/ 3520 HG / 4220 HG SUITBALE FOR VXL-2509	M30X1.5	NA	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2504	Drag Link End with Sleeve [M40x1.5 LHT] LEYLAND AVTR 2820 HG/ 3520 HG / 4220 HG SUITBALE FOR VXL-2508	M30X1.5	NA	EACH	36 MM
	VXL-2505	Sleeve Only [M38x1.5 LHT] FITTED WITH VXL-2431	M30X1.5	NA	EACH	NA

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY





DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-2506	Sleeve Only [M40x1.5 LHT] FITTED WITH VXL-2431	M30X1.5	NA	EACH	NA
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2431	Tie Rod End [RHT +LHT] OE REF. PD601020 RH / PD601019 LH - LEYLAND AVTR 2820 HG / 3520 HG / 4220 HG	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2431 A	Tie Rod End [RHT +RHT] OE REF. PD601020 - LEYLAND AVTR 2820 HG / 3520 HG / 4220 HG	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2431 B	Tie Rod End [LHT +LHT] OE REF. PD601019 - LEYLAND AVTR 2820 HG / 3520 HG / 4220 HG	M30X1.5	M24X1.5	SET	36 MM
 PIPE LENGTH - 35" INCH PIPE DIAMETER - Ø60.0MM FITTED WITH - VXL-2504 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2508	Drag Link Assembly - (OE Ref. FE602000) LEYLAND AVTR 2820 HG 3520 HG / 4220 HG FITTED WITH - VXL-2504 Pipe Dia. Ø60.0 MM / Pipe Length 35"	M40X1.5 LH & M30X1.5 RH	M24X1.5	EACH	36 MM
 PIPE LENGTH - 36" INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2503 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2509	Drag Link Assembly - (OE Ref. FE601900) LEYLAND AVTR 2820 HG 3520 HG / 4220 HG FITTED WITH - VXL-2503 Pipe Dia. Ø50.0 MM / Pipe Length 36"	M38X1.5 LH & M30X1.5 RH	M24X1.5	EACH	36 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter






C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2510	Tie Rod End (RHT + LHT)OE Ref. [] Leyland Haulage 3518 BS6 / 4212 BS6/4220 BS6/G45.3520 BS6/ 4618 TT/4620 /4020 LEYLAND AVTR 2820 HG/ 3520 HG / 4220 HG	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2510 A	Tie Rod End (RHT + RHT) OE Ref. [] Leyland Haulage 3518 BS6 / 4212 BS6/4220 BS6/G45.3520 BS6/ 4618 TT/4620 /4020 LEYLAND AVTR 2820 HG/ 3520 HG / 4220 HG	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2510 B	Tie Rod End (LHT + LHT) OE Ref. [] Leyland Haulage 3518 BS6 / 4212 BS6/4220 BS6/G45.3520 BS6/ 4618 TT/4620 /4020 LEYLAND AVTR 2820 HG/ 3520 HG / 4220 HG	M30X1.5	M24X1.5	SET	36 MM
 PIPE LENGTH - 27-1/2" INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2503 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2516	DRAG LINK ASSEMBLY (OE REF. FE601400) M38X1.5 LH SLEEVE LEYLAND TIPPER BS VI G45 3520 / 3525/3520 Haulage BS VI G91 4220,4218,G 91 3520 Fitted With VXL-2503 , Pipe Dia. Ø50 MM / Length 27-1/2"	M30X1.5	M24X1.5	EACH	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2521	Hydraulic End- M30x1.5 Inner Thread With clamp + Nut/Bolt Leyland Tipper BSVI G45 4220/G45 3520/ G91 3520,3525/ Leyland Haulage BSVI 4218-4220 MM/G91 4220,421G45 4220/G45 3520- 6600 MM/ G91 3520	M30X1.5	M24X1.5	EACH	36 MM
 PIPE LENGTH - 27 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL- 2504 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2519	Drag Link Assembly [OE REF. FE602100] LEYLAND AVTR 2820 HG 3520 HG / 4220 HG / Tipper G45 All Model - , Fitted With VXL-2504 / Pipe Dia. Ø50 MM ,Length 27"	M40X1.5 LH SLEEVE M30X1.5 RH TIE ROD END	M24X1.5	EACH	36 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM  PIPE LENGTH - 27" INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2503		VXL-2524	2ND RELAY DRAG LINK ASSY.- [OE REF. FE601400] Leyland AVTR Tipper BSVI - G45 3520 / 3525 Haulage G91 4220 / 4218 / G91 3520 / Fitted With VXL-2503 ,Pipe Dia. Ø50.0 MM , Length - 27.0 Inch	M38X1.5 LH (SLEEVE) M30X1.5	M24X1.5	EACH	36 MM
BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM PHOTO NOT AVAILABLE PIPE LENGTH - 61-5/8" INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2503		VXL-2525	DRAG LINK ASSEMBLY-[IST RELAY ASSY.] [OE REF. FE606200] LEYLAND TIPPER 4220/2820, Fitted With VXL-2503 ,Pipe Dia. Ø50.0 MM , Length - 61-5/8" Inch	M38X1.5 LH (SLEEVE) M30X1.5	M24X1.5	EACH	36 MM
PIPE LENGTH - 35-5/8" INCH PIPE DIAMETER - Ø60.0MM FITTED WITH - VXL-2504  BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2526	DRAG LINK ASSEMBLY - [OE REF. FE604600/FE60500] Leyland 1920 Haulage BS6/2820 Haulage BS6/ U2820 MG /1920 H/U 4020 ,Fitted With VXL-2504 , Pipe Dia. Ø60.0 MM,Length-35-5/8" INCH	M40X1.5 LH M30X1.5	M24X1.5	EACH	36 MM
LEYLAND VIKING							
 PIPE LENGTH - 46-1/8" INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-1027 A BALL PIN MAJOR TAPER (C1)- Ø25.90 MM / Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø21.90 MM / 23.50 MM		VXL-2507	Drag Link Assembly - (OE Ref. F8861100/F8834500) LEYLAND FA90VIKING FITTED WITH - VXL-1027 A Pipe Dia. Ø50.0 MM / Pipe Length 46-1/8"	M30X1.5	M20X1.5 & M18X1.5	EACH	30 MM
PIPE LENGTH - 61-7/8" INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2503  BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2517	DRAG LINK ASSEMBLY (OE REF. FE606100) M38X1.5 LH SLEEVE LEYLAND VIKING 12 Mtr. Long Bus Fitted With VXL-2503 , Pipe Dia. Ø50 MM / Length 61-7/8"	M30X1.5	M24X1.5	EACH	36 MM
BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM  PIPE LENGTH - 38 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2503		VXL-2522	Drag Link Assembly OE REF. [FV800400] Leyland Viking 210 / Viking 222 / Fitted With VXL-2503 , Pipe Dia. Ø50.0 MM Length - 38.0 Inch	M38X1.5 LH SLEEVE M30X1.5	M24X1.5	EACH	36 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM PIPE LENGTH - 38 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-2503		VXL-2523	Drag Link Assembly -Relay Leyland BS6 Migrati [OE REF. FV800500] / Viking -210 inch / Viking -222 inch ,Fitted With VXL-2504 . Pipe Dia. Ø50.0 MM , Length - 38.0 Inch	M40X1.5 LH (SLEEVE) M30X1.5	M24X1.5	EACH	36 MM
LEYLAND STEERING RELAY FOR TWIN							
 PIPE LENGTH - 86-1/2 INCH PIPE DIAMETER - Ø60.0MM FITTED WITH - VXL-734 A BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-2518	Drag Link Assembly [OE REF. FV801600/ FV801700] LEYLAND STEERING RELAY FOR TWIN ,Fitted With VXL-734 A , Pipe Dia. Ø60.0 MM, Length 86-1/2"	M30X1.5	M20X1.5 & M24X1.5	EACH	30 MM & 36 MM
LEYLAND BADA DOST							
 PIPE LENGTH - 45-3/8 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-834 BALL PIN MAJOR TAPER (C1)- Ø18.20 MM BALL PIN MINOR TAPER (C2) - Ø14.95 MM		VXL-833	Tie Rod Assembly OE REF. [X2Z03600] LEYLAND BADA DOST Fitted With VXL-834 , Pipe dia. 32.0 MM Pipe Length 45-3/8"	M24X1.5	M14X1.5	EACH	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.20 MM BALL PIN MINOR TAPER (C2) - Ø14.95 MM		VXL-834	Tie Rod End [RHT + LHT] Leyland Bada Dost	M24X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.20 MM BALL PIN MINOR TAPER (C2) - Ø14.95 MM		VXL-834 A	Tie Rod End [RHT + RHT] Leyland Bada Dost	M24X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.20 MM BALL PIN MINOR TAPER (C2) - Ø14.95 MM		VXL-834 B	Tie Rod End [LHT + LHT] Leyland Bada Dost	M24X1.5	M14X1.5	SET	22 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size							
B- Ball Pin Thread Size		TIE ROD END		TIE ROD ASSEMBLY		DRAG LINK ASSEMBLY	
S - Spanner Size							
L- Pipe Length							
Ø - Pipe Diameter							
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 24 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-836 A BALL PIN MAJOR TAPER (C1)- Ø20.00 MM BALL PIN MINOR TAPER (C2) - Ø16.75 MM		VXL-835	Drag Link Assembly OE REF. [FE600315] LEYLAND BADA DOST Fitted With VXL-836 A , Pipe dia. 32.0 MM Pipe Length 24"	M24X1.5	M14X1.5	EACH	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.00 MM BALL PIN MINOR TAPER (C2) - Ø16.75 MM		VXL-836 A	Drag Link End LEYLAND BADA DOST [RHT + RHT]	M24X1.5	M14X1.5	SET	22 MM
EICHER MITSUBISHI (CANTER)							
		VXL-701	Tie Rod Repair Kit Drag Link Kit VXL-707	NA	M14X1.5	KIT	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-702	Tie Rod End (RHT,LHT)	M20X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-702 A	Tie Rod End (RHT,RHT)	M20X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-702 B	Tie Rod End (LHT,LHT)	M20X1.5	M14X1.5	SET	22 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 51-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-702 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-703	Tie Rod Assembly , Fitted with VXL-702 (Pipe Length 51½",Pipe Dia.32.0mm)	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 51-1/2 INCH PIPE DIAMETER - Ø32.0MM		VXL-703 A	Tie Rod Pipe (Tube) W/Clamp (Pipe Length 51½",Pipe Dia.32.0mm)	M20X1.5	NA	EACH	NA
 PIPE LENGTH - 32 INCH PIPE DIAMETER - Ø27.0MM BALL PIN MAJOR TAPER (C1)- Ø19.00 MM BALL PIN MINOR TAPER (C2) - Ø16.50 MM		VXL-704	Drag Link Assembly - (Bar Length 32",Pipe Dia. 27.0 mm)	NA	M14X1.5	EACH	22 MM
		VXL-705	DRAG Link Repair Kit (MAJOR WITH BOOT)	NA	M14X1.5	KIT	22 MM
EICHER CANTER 10.50 , 10.59 , 10.60 ,10.60G, 10.70 ,10.75 , 10.80 ,10.90 , 10.95							
		VXL-701	Tie Rod Repair Kit Drag Link Kit VXL-707	NA	M14X1.5	KIT	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-702	Tie Rod End (RHT,LHT)	M20X1.5	M14X1.5	SET	22 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



TIE ROD END





TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-702 A	Tie Rod End (RHT,RHT)	M20X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-702 B	Tie Rod End (LHT,LHT)	M20X1.5	M14X1.5	SET	22 MM
 PIPE LENGTH - 51-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-702 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-703	Tie Rod Assembly , Fitted with VXL-702 (Pipe Length 51½",Pipe Dia.32.0mm)	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 51-1/2 INCH PIPE DIAMETER - Ø32.0MM	VXL-703 A	Tie Rod Pipe (Tube) W/Clamp (Pipe Length 51½",Pipe Dia.32.0mm)	M20X1.5	NA	EACH	NA
 PIPE LENGTH - 24-7/8 INCH PIPE DIAMETER - Ø32.0MM BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-707	Drag Link Assy. N/M (Rane Type) , Double Bend, Both Side Fixed -EICHER CANTER 10.50 , 10.59 , 10.60 ,1060G,10.70,10.7510.80,10.90,10.95(Pipe Length 24-7/8")	NA	M14X1.5	EACH	22 MM
 PIPE LENGTH - 25-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-702A BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-708	Drag Link Assy. N/M Rane Type (Adj.), Double Bend, One Side Fixed, Fitted with VXL-702A -EICHER CANTER 10.50 , 10.59 , 10.60 ,1060G,10.70,10.7510.80,10.90,10.95 (Pipe Length 25-1/2",Pipe dia.32.0 mm)	M20X1.5	M14X1.5	EACH	22 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END  TIE ROD ASSEMBLY  DRAG LINK ASSEMBLY				
C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-709	Gear Shift End Canter (Right Thread) EICHER CANTER 10.50 , 10.59 , 10.60 , 10.60G, 10.70, 10.75 10.80, 10.90, 10.95	M10X1.25	M8X1.25	EACH	13 MM
	VXL-709 M	Gear Shift End Canter- SEAL TYPE (Right Thread) EICHER CANTER 10.50 , 10.59, 10.60, 10.60G, 10.70, 10.75 10.80, 10.90, 10.95	M10X1.25	M8X1.25	EACH	13 MM
EICHER CANTER 11.10						
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-716	Tie Rod End (LHT+RHT)	M20X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-716 A	Tie Rod End (RHT+RHT)	M20X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-716 B	Tie Rod End (LHT+LHT)	M20X1.5	M18X1.5	SET	27 MM
	VXL-717	Tie Rod Kit / Drag Link Kit	NA	M18X1.5	KIT	27 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter






C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 56 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-716 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-718	Tie Rod Assembly - Fitted with VXL-716 Eicher Canter 11.10 (Pipe Length 56", Pipe dia. 32.0mm),	M20X1.5	M18X1.5	EACH	27 MM
 PIPE LENGTH - 56 INCH PIPE DIAMETER - Ø32.0MM	VXL-718 A	Tie Rod Pipe with Clamp Eicher Canter 11.10 (Pipe Length 56" Pipe dia. 32.0mm)	NA	NA	EACH	NA
 PIPE LENGTH - 28 INCH PIPE DIAMETER - Ø36.0MM FITTED WITH - VXL-402A BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-719	Drag Link Assembly Bend Type Eicher Canter 11.10 One Side Fixed, Fitted with VXL-402A (Pipe Length 28", Pipe Dia. 36.0 mm)	M24X1.5	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-720/402A	Drag Link End (Right Hand Thread) Eicher Canter 11.10	M24X1.5	M18X1.5	EACH	27 MM
	VXL-709	Gear Shift End Canter (Right Thread) EICHER CANTER 10.50 , 10.59 , 10.60 , 10.60G, 10.70, 10.75 10.80, 10.90, 10.95	M10X1.25	M8X1.25	EACH	13 MM
EICHER JUMBO 20.16, 20.15, 33.25, 30.25, 30.25 FE, 30.25XD, 30.25XDP, 35.31, TERRA-16, TERRA-16 HD, TERRA-16HDR, TERRA-16XP, (BS I II III), GALAXY 30.25, Cabin/Cowl Model						
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-721/1013	Tie Rod End (RHT+LHT)	M30X1.5	M20X1.5	SET	30 MM


STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-721 A/ 1013 A	Tie Rod End (RHT+RHT)	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-721 B/ 1013 B	Tie Rod End (LHT+LHT)	M30X1.5	M20X1.5	SET	30 MM
		VXL-722/1016	Tie Rod /Drag Link Repair Kit	NA	M20X1.5	KIT	30 MM
 PIPE LENGTH - 33.5 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-1013A BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-723	Drag Link Assy. [OE. Ref. No. IA203430] Jumbo 20.25FE, 30.25XP,33.25, 20.15/5340 WBLP Cabin Model, 35.31 ,Bend Type, One Side Fixed, Fitted with VXL-1013A (Pipe Length 33.5" Pipe dia. 40.0mm)	M30X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH - 59 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-1013 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-724	Tie Rod End Assembly OE REF. IA203431 EICHER JUMBO 20.16, 20.15, 33.25, 30.25,30.25 FE, 30.25XD, 30.25XDP, 35.31, TERRA-16,TERRA-16 HD, TERRA-16HDR, TERRA-16XP, (BS I II III), GALAXY 30.25, Cabin/Cowl Model, Fitted with VXL-1013 (Pipe Length 59" ,Pipe dia.40.0mm)	M30X1.5	M20X1.5	EACH	30 MM
		VXL-725/468	Gear Shifter End (Ball Joint)(O.E. Ref. IA207670)	M8X1.25	M8X1.25	EACH	13 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 50 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-1013 A BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-726	Drag Link Assy. [O.E. Ref.No.114163020] EICHER JUMBO 20.16, 20.15, 33.25, 30.25,30.25 FE, 30.25XD, 30.25XDP, 35.31, TERRA-16,TERRA-16 HD, TERRA-16HDR, TERRA-16XP, (BS I II III), GALAXY 30.25, Cabin/Cowl Model , IA 208448 (Pipe Length 50")	NA	M20X1.5	EACH	30 MM
		VXL-730	Gear Shift End (RHT) EICHER JUMBO 20.16, 20.15, 33.25. 30.25,30.25 FE, 30.25XD, 30.25XDP, 35.31, TERRA- 16,TERRA-16 HD, TERRA-16HDR, TERRA- 16XP, (BS I II III), GALAXY 30.25, Cabin/Cowl Model	M10X1.25	M10X1.0	EACH	13 MM
		VXL-731	Gear Shift End (RHT)EICHER JUMBO 20.16, 20.15, 33.25. 30.25,30.25 FE, 30.25XD, 30.25XDP, 35.31, TERRA- 16,TERRA-16 HD, TERRA-16HDR, TERRA- 16XP, (BS I II III), GALAXY 30.25, Cabin/Cowl Model, OE. Ref. No. IA233496	M12X1.25	M10X1.0	EACH	17 MM
		VXL-732	Gear Shift End (LHT) EICHER COWL MODEL T16 B25FE, 20.25, 30.25XE, 35.31, OE. Ref. No. IA233496	M12X1.25	M10X1.0	EACH	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.80 MM BALL PIN MINOR TAPER (C2) - Ø14.80 MM		VXL-733/417 SL	Gear Shift End-RHT (Outer Thread)EICHER JUMBO 20.16, 20.15, 33.25. 30.25,30.25 FE, 30.25XD, 30.25XDP, 35.31, TERRA-16,TERRA-16 HD, TERRA- 16HDR, TERRA-16XP, (BS I II III), GALAXY 30.25, Cabin/Cowl Model OE. Ref. No. IA225965	M18X1.5	M12X1.5	EACH	19 MM
		VXL-709	Gear Shift End (O.E. Ref. MB4 8606038)	M10X1.25	M8X1.25	EACH	13 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-2501	BALLJOINT/ TIEROD END (HYDRAULIC CYLINDER) LEYLAND 3116/ EICHER, (Inner Thread Size M30X1.5 RHT) O.E.Ref No.- IA228640	M30X1.5	M20X1.5	EACH	30 MM
EICHER Pro 11.10							
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-735/402	TIE ROD END [RHT+LHT]	M24X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-735 A /402 A	TIE ROD END [RHT+RHT]	M24X1.5	M18X1.5	SET	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-735 B /402 B	TIE ROD END Eicher [LHT+LHT]	M24X1.5	M18X1.5	SET	27 MM
 PIPE LENGTH -56 INCH PIPE DIAMETER - Ø38.0MM FITTED WITH - VXL-402 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM		VXL-736/664	Tie Rod Assembly, Eicher 11.10 Pro Fitted with VXL-735/402 (Pipe Length 56", Pipe Dia. 38 MM)	M24X1.5	M18X1.5	EACH	27 MM
EICHER Pro 11.12 & 11.14							
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-721/1013	Tie Rod End (RHT+LHT)	M30X1.5	M20X1.5	SET	30 MM



STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter





C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-721 A /1013 A	Tie Rod End (RHT+RHT)	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-721 B /1013 B	Tie Rod End (LHT+LHT)	M30X1.5	M20X1.5	SET	30 MM
 PIPE LENGTH - 59 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-1013 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-724	Tie Rod Assembly-Eicher Pro 11.12 /11.14 [OE Ref. IA203431] Fitted with VXL-721/1013 [Pipe Length-59" ,Pipe Dia. 40.0 MM]	M30X1.5	M20X1.5	EACH	30 MM
 PIPE LENGTH - 28-3/4 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-721 A/1013 A BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-737	Drag Link Assembly- Eicher Pro 11.12 /11.14 [OE Ref. IA226597] Fitted with VXL-721A/1013A ONE SIDE /Another Side Crimped[Pipe Length-28 -3/4" ,Pipe Dia. 40.0 MM]	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-721 A /1013 A	Drag Link End [RHT Only]	M30X1.5	M20X1.5	SET	30 MM
EICHER Pro 30.14						
 PIPE LENGTH - 56 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-414 BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-738	Tie Rod Assembly-[Seal Type] Eicher Pro 30.14 OE Ref. [IA322755/IA322755/IA322518] Fitted with VXL-414 [Pipe Length-56" , Pipe Dia. 32.0 MM]	M24X1.5	M18X1.5	EACH	27 MM
EICHER Pro 10.80						

STEERING AND SUSPENSION PARTS




A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-1702	TIR ROD END [LHT+RHT] EICHER PRO 10.80 OE REF [IA344352]	M24X1.5	M14X1.5	SET	22 MM
 PIPE LENGTH - 51.5 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - VXL-1702 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-1703	Tie Rod Assembly EICHER PRO 10.80 (Length 51.5" ,Pipe Dia. ~35.0 MM)	M24X1.5	M14X1.5	EACH	22 MM
EICHER Pro 60.37 / 60.42							
 PIPE LENGTH - 62-3/4 INCH PIPE DIAMETER - Ø50.0 MM FITTED WITH - VXL-1718 A BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1717	Tie Rod Assembly - [OE Ref. IA336193] EICHER 60.37 / 60.42 Pipe Dia. Ø50.0 MM , Pipe Length 62-3/4" Fitted With VXL-1718 A	M38X1.5 LH SLEEVE WITH M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1718 A	Tie Rod End With Sleeve - [M38X1.5 LH] EICHER 60.37 /60.42	M38X1.5 LH SLEEVE WITH M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-734	DRAG LINK END EICHER PRO 60.37	M30X1.5	M20X1.5	SET	30 MM
EICHER Pro 20.95 xp							
 PIPE LENGTH - 23 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-1705 A BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-1704	Drag Link Assembly OE Ref. IA345204 Eicher Pro. 20.95 xp Fitted With VXL-1705 A, Pipe Dia. 40 MM , Pipe Length -23 INCH	M30X1.5	M14X1.5	EACH	22 MM

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-1705 A	Drag Link End Eicher Pro. 20.95xp [RHT+RHT]	M30X1.5	M14X1.5	SET	22 MM
	VXL-1706	Drag Link Repair KIT of VXL-1704 & VXL-1705 A	NA	M14X1.5	KIT	22 MM
EICHER Pro 30.15/30.16/30.09/50.31/50.19/21.14xp/21.50xp/Pro 30.12/30.15/Skyline Bus/Eicher Pro 60.16 / 30.14/20.15 N						
 PIPE LENGTH - 59 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-734 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-1707	Tie Rod Assembly OE Ref. IA322757 EICHER Pro 30.15/30.16/30.09/50.31/50.19/21.14xp/21.50xp/Pro 30.12/30.15 /50.16/30.19/21.18/21.19/30.18 Fitted With VXL-734, Pipe Dia. 40 MM , Pipe Length -59 INCH	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-734	Tie Rod End [RHT + LHT]	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-734 A	Tie Rod End [RHT + RHT] OE REF. [IA324110] / [IA803537 RH]	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-734 B	Tie Rod End [LHT + LHT] [OE REF. IA324143] / [IA803536 LH]	M30X1.5	M20X1.5	SET	30 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
PIPE LENGTH - 65 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-734  BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1719	Tie Rod Assembly -[OE Ref. IA232210] Eicher Pro. 30.16 /60.16/30.14/Skyline Bus / 20.15 N All Model Fitted With VXL-734 , Pipe Dia. Ø40.0 MM , Pipe Length 65 Inch	M30X1.5	M20X1.5	EACH	30 MM
PIPE LENGTH - 61.50 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-734  BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1721	Tie Rod Assembly [OE REF. IA337763] Eicher Pro 60.16/60.40/60.48/60.25/60.37/60.28 Xp/60.25T Fitted With VXL-734 , Pipe dia. Ø50.0 MM ,Length 61.50 Inch	M30X1.5	M20X1.5	EACH	30 MM
		VXL-1726	GEAR CHANGER - EICHER (OE REF. ID 320325) Eicher Pro 6025/6016T/6048/6046/6028/6048XP/6042 /6035/EICHER ALL 6000 SERIES ALL MODEL - REPAIR KIT NO.- VXL-2492	M10X1.25	M16X1.5	EACH	17 MM
PIPE LENGTH - 56-1/8 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-734 A PHOTO NOT AVAILABLE  BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM		VXL-1730	Drag Link Assembly - [OE REF. IA337219] Eicher Bus LPO 2015 BS4/Eicher Pro 3019 20 feet/22 feet All Model BS6/Eicher Pro 2119 Lx 32 feet BS6 , Fitted With 734 A, Pipe Dia. Ø50 MM, Length 56-1/8"	M30X1.5	M20X1.5	EACH	30 MM
EICHER Pro 20.55/20.59/2050							
 PIPE LENGTH - 45-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-1709 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-1708	Tie Rod Assembly OE Ref. IA352654 EICHER Pro 20.55/20.59/20.50 Fitted With VXL-1709, Pipe Dia. 32 MM , Pipe Length -45-1/2 INCH	M24x1.5	M14X1.5	EACH	22 MM
		VXL-1708 A	Tie Rod - Pipe Only -Pipe Dia. 32 MM , Pipe Length -45-1/2 INCH -Fitted With VXL-1709	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-1709	Tie Rod End [RHT + LHT] EICHER Pro 20.55/20.59	M24x1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-1709 A	Tie Rod End [RHT + RHT] EICHER Pro 20.55/20.59 [OE REF. IA344345]	M24x1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-1709 B	Tie Rod End [LHT + LHT] EICHER Pro 20.55/20.59	M24x1.5	M14X1.5	SET	22 MM
EICHER Pro 20.49 All Models							
 PIPE LENGTH - 46 INCH PIPE DIAMETER - Ø26.0MM FITTED WITH - VXL-702 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-1711	Tie Rod Assembly OE Ref. IA352654 EICHER Pro 20.49 All Models Fitted With VXL-702, Pipe Dia. 26 MM , Pipe Length - 46 INCH	M20X1.5	M14X1.5	EACH	22 MM
		VXL-1711 A	Tie Rod - Pipe Only Pipe - Pipe Dia. 26 MM , Pipe Length -46 INCH -Fitted With VXL-702	NA	NA	EACH	NA
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-702	Tie Rod End OE REF. [IA344865 RHT / IA344864 LHT] [RHT + LHT] EICHER Pro 20.49 All Models	M20X1.5	M14X1.5	SET	22 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size

B- Ball Pin Thread Size


S - Spanner Size

L- Pipe Length

Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY





DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-702 A	Tie Rod End [RHT + RHT] OE REF.- IA344865 EICHER Pro 20.49 All Models	M20X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-702 B	Tie Rod End [LHT + LHT] OE REF.- IA344864 EICHER Pro 20.49 All Models	M20X1.5	M14X1.5	SET	22 MM
	VXL-701	Tie Rod Assembly Repair Kit of VXL-1711 & VXL 702	M20X1.5	M14X1.5	KIT	22 MM
PIPE LENGTH - 25 INCH PIPE DIAMETER - Ø32.0 MM FITTED WITH - VXL-1709 A  BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-1716	Drag link Assembly - [OE Ref. IA344455] Eicher Pro 20.49 All Model / Eicher Pro 20.50 / 20.55 /SKL Ambulance- Fitted With VXL-1709 A Pipe Dia. Ø32.0 MM , Pipe Length 25 INCH	M24X1.5	M14X1.5	EACH	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-1709 A	Drag link End- [OE Ref. IA344345] Eicher Pro 20.49 All Model / Eicher Pro 20.5 / 20.55 /SKL Ambulance	M24X1.5	M14X1.5	SER	22 MM
PIPE LENGTH - 25 INCH PIPE DIAMETER - Ø32.0 MM FITTED WITH - VXL-1702 A  BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-1720	Drag Link Assembly - [OE Ref. IA344350] EICHER PRO 20.49 ALL MODEL / Fitted With VXL-1702 A ,Pipe Dia. Ø32.0 MM , Pipe Length 25 INCH	M24X1.5	M14X1.5	EACH	22 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-1702 A	TIR ROD END [RHT] EICHER PRO 20.49 ALL MODEL OE REF [IA344352]	M24X1.5	M14X1.5	SET	22 MM

EICHER Pro 30.15/30.16/24.14 xp/21.10 xp/21.10 xpt/30.15/30.19 Cowl

 PIPE LENGTH - 29 1/2 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-734 A BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-1712	Drag Link Assembly OE REF. [IA348243] EICHER Pro 30.15/30.16/24.14 xp/21.10 xp/21.10 xpt/30.15/30.19 Cowl Fitted With VXL-734 A , Pipe dia. 40.0 MM Pipe Length 29-1/2 INCH	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM C	VXL-734 A	Drag Link End - OE REF. [IA324110] / [IA803537 RH] EICHER Pro 30.15/30.16/24.14 xp/21.10 xp/21.10 xpt/30.15/30.19 Cowl	M30X1.5	M20X1.5	SET	30 MM
 PIPE LENGTH - 30 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2424 A BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM C	VXL-1727	DRAG LINK ASSEMBLY OE REF. (IA356117) Eicher Pro 2110 XP BS6/2110 h -17 FEET/2110 L 24 FEET/2110 XP 20 FEET /2110 E 24 FEET / 2110g/ 2110H HSD 19 FEET- BS6 MODEL Fitted With VXL- 2424 A ,Pipe Dia. Ø40.0 MM , Length - 30 Inch	M30X1.5	M18X1.5	EACH	27 MM



EICHER PRO 20.50

 PIPE LENGTH - 24-1/4 INCH PIPE DIAMETER - Ø36.0MM FITTED WITH - VXL-1714 A BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-1713	Drag Link Assembly OE REF. [IA345047] EICHER PRO 20.50 Fitted With VXL-1714 A , Pipe dia. 36.0 MM Pipe Length 24- 1/4 INCH	M24X1.5	M14X1.5	EACH	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM	VXL-1714 A	Drag Link End- Bend Type ,EICHER PRO 20.50	M24X1.5	M14X1.5	SET	22 MM

EICHER PRO 60.25


STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter





C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 32 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-734 A BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-1715	Drag Link Assembly - (OE Ref. IA 307786) Eicher Pro 60.25 , FITTED WITH - VXL-734 A Pipe Dia. Ø50.0 MM / Pipe Length 32"	M30X1.5	M20X1.5	EACH	30 MM

EICHER SKYLINE BUS PRO 3009 ALL MODEL BS 4/ PRO 3008 ALL MODEL BS 3/PRO 3010 ALL MODEL BS6



PIPE LENGTH - 57-1/2 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-1723A/2411A  BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-1722	DRAG LINK ASSEMBLY OE REF. [IA 321381] EICHER SKYLINE BUS PRO 3009 ALL MODEL BS 4/ PRO 3008 ALL MODEL BS 3/PRO 3010 ALL MODEL BS6 , FITTED WITH VXL-1723A/2411 A , PIPE DIA. Ø40.0 MM , LENGTH 57-1/2"	M30X1.5	M18X1.5	EACH	27 MM
PIPE LENGTH - 63 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-1723/2411  BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-1725	TIE ROD ASSEMBLY OE REF. [IA324317] / [IA450217] EICHER Pro 3009 BS4 Skyline Bus / Pro 3008 BS3 Skyline Bus / Pro 3010 BS4 Skyline Bus / Pro 3012 Skyline Bus , FITTED WITH VXL-1723/2411 , PIPE DIA. Ø40.0 MM , LENGTH 63"	M30X1.5	M18X1.5	EACH	27 MM
BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM 	VXL-1723/2411	TIE ROD END (RHT+LHT) EICHER Pro 3009 BS4 Skyline Bus / Pro 3008 BS3 Skyline Bus / Pro 3010 BS4 Skyline Bus / Pro 3012 Skyline Bus	M30X1.5	M18X1.5	SET	27 MM
BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM 	VXL-1723 A/ VXL-2411A	TIE ROD END (RHT+RHT) OE REF. [IA 324445] EICHER SKYLINE BUS PRO 3009 ALL MODEL BS 4/ PRO 3008 ALL MODEL BS 3/PRO 3010 ALL MODEL BS6	M30X1.5	M18X1.5	SET	27 MM
BALL PIN MAJOR TAPER (C1)- Ø22.25 MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM 	VXL-1723 B/ VXL-2411 B	TIE ROD END (LHT+LHT) EICHER Pro 3009 BS4 Skyline Bus / Pro 3008 BS3 Skyline Bus / Pro 3010 BS4 Skyline Bus / Pro 3012 Skyline Bus	M30X1.5	M18X1.5	SET	27 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
PIPE LENGTH - 51-3/8 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2424 A  BALL PIN MAJOR TAPER (C1)- Ø22.50 MM BALL PIN MINOR TAPER (C2) - Ø19.85 MM		VXL-1729	DRAG LINK ASSEMBLY - [OE REF.IA347612] Eicher Pro 3010 L CNG BS6/EICHER PRO 3009L CNG/PRO 3009 H CNG BS6/PRO 2075 JCBC 20H/SKL PRO 3011L/SKL PRO 3010L BS6/PRO 3011 K BS6/SKL PRO 3009 Fitted With VXL-2424 A , Pipe Dia. Ø40.0 MM , Length 51-3/8"	M30X1.5	M18X1.5	EACH	27 MM
PIPE LENGTH - 24-1/2" PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-1702 A  BALL PIN MAJOR TAPER (C1)- Ø19.30 MM BALL PIN MINOR TAPER (C2) - Ø16.65 MM		VXL-1728	DRAG LINK ASSEMBLY - [OE REF.IA353293] Eicher 10.90 Skyline BS4 All Model/10.75E Skyline All Model/20.90 Skyline/Eicher Pro 10.55 BS4 Pro 1055CT /1075h/1075F/1080h/1080 XPT/1095T/1095 XPT/2070E Fitted With VXL-1702 A , Pipe Dia. Ø32.0 MM , Length 24-1/2"	M24X1.5	M14X1.5	EACH	22 MM
EICHER Pro 6031 BS3/Pro 6028 T BS4/ Pro 6028 T BS6 All Model/Pro 6019 Expt BS6/Pro 8036 Xmt BS6/Pro 8028 XL BS6/ Pro 6035 T BS6/ Pro 8031 Xm BS6							
BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM  PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-734		VXL-1724	TIE ROD ASSEMBLY OE REF. [IA803480] EICHER Pro 6031 BS3/Pro 6028 T BS4/ Pro 6028 T BS6 All Model/Pro 6019 Expt BS6/Pro 8036 Xmt BS6/Pro 8028 XL BS6/ Pro 6035 T BS6/ Pro 8031 Xm BS6 , FITTED WITH VXL-734 , PIPE DIA. Ø50.0 MM , LENGTH 62"	M30X1.5	M20X1.5	EACH	30 MM
SWARAJ MAZDA TRUCKS							
 BALL PIN MAJOR TAPER (C1)- Ø20.30 MM BALL PIN MINOR TAPER (C2) - Ø17.50 MM		VXL-801	Tie Rod End (RHT + LHT)	M18X1.5	M16X1.5	SET	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.30 MM BALL PIN MINOR TAPER (C2) - Ø17.50 MM		VXL-801 A	Tie Rod End (RHT + RHT)	M18X1.5	M16X1.5	SET	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.30 MM BALL PIN MINOR TAPER (C2) - Ø17.50 MM		VXL-801 B	Tie Rod End (LHT + LHT)	M18X1.5	M16X1.5	SET	24 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 49-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-801 BALL PIN MAJOR TAPER (C1)- Ø20.30 MM BALL PIN MINOR TAPER (C2) - Ø17.50 MM	VXL-802	Tie Rod Assembly- Fitted with VXL-801 (Length 49½",Pipe Dia.32.0 mm)	M18X1.5	M16X1.5	EACH	24 MM
 PIPE LENGTH - 49-1/2 INCH PIPE DIAMETER - Ø32.0MM	VXL-802 A	Tie Rod Pipe (Tube) W/Chuck Nut (Length 49½",Pipe Dia.32.0 mm)	NA	NA	EACH	NA
 PIPE LENGTH - 31 INCH ROD DIAMETER - Ø27.0MM BALL PIN MAJOR TAPER (C1)- Ø20.00 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM	VXL-803	DRAG Link Assembly-Bend Type (Pipe Length 31")	NA	M16X1.5	EACH	24 MM
	VXL-804	DRAG Link Repair Kit (MAJOR WITH BOOT)	NA	M16X1.5	KIT	24 MM
	VXL-806	Tie Rod Repair Kit Swaraj Mazda (N/M)	NA	M16X1.5	KIT	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.30 MM BALL PIN MINOR TAPER (C2) - Ø17.50 MM	VXL-807	Tie Rod End (RHT+LHT) SWARAJ MAZDA N/M	M18X1.5	M16X1.5	SET	24 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY





DRAG LINK ASSEMBLY

C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø20.30 MM BALL PIN MINOR TAPER (C2) - Ø17.50 MM		VXL-807 A	Tie Rod End (RHT+RHT) SWARAJ MAZDA N/M	M18X1.5	M16X1.5	SET	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.30 MM BALL PIN MINOR TAPER (C2) - Ø17.50 MM		VXL-807 B	Tie Rod End (LHT+LHT) SWARAJ MAZDA N/M	M18X1.5	M16X1.5	SET	24 MM
		VXL-809	Gear Shift End (Right Thread) SWARAJ MAZDA	M10X1.25	M8X1.25	EACH	13 MM
		VXL- 809 ST	Gear Shift End (Right Thread) SWARAJ MAZDA	M10X1.25	M8X1.25	EACH	13 MM
		VXL-810	Gear Shift End (Left Thread) SWARAJ MAZDA	M10X1.25	M8X1.25	EACH	13 MM
		VXL-810 ST	Gear Shift End (Left Thread) SWARAJ MAZDA	M10X1.25	M8X1.25	EACH	13 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter





C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-811	Gear Shifter Assy. Swaraj Mazda Long Aluminium Type	NA	M8X1.25	EACH	13 MM
	VXL-812	Gear Shifter Assy. Swaraj Mazda Small Aluminium Type	NA	M8X1.25	EACH	13 MM
 PIPE LENGTH - 31 INCH ROD DIAMETER - Ø27.0MM BALL PIN MAJOR TAPER (C1)- Ø20.00 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM	VXL-813	Drag Link Assembly Swaraj Mazda N/M, Bend Type(Pipe Length-31")	NA	NA	EACH	24 MM
 PIPE LENGTH - 30.5 INCH ROD DIAMETER - Ø27.0MM BALL PIN MAJOR TAPER (C1)- Ø20.00 MM BALL PIN MINOR TAPER (C2) - Ø18.00 MM	VXL-814	Drag Link Assy. S/M 4WD , Pipe Length-30.5" Pipe Dia.-27.0 mm	NA	M16X1.5	EACH	24 MM
 PIPE LENGTH - INCH ROD DIAMETER - Ø40.0MM FITTED WITH - VXL-402 BALL PIN MAJOR TAPER (C1)- Ø22.25MM BALL PIN MINOR TAPER (C2) - Ø19.80 MM	VXL-815	Tie Rod Assembly Swaraj Mazda 4WD - Fitted With VXL-402	M24X1.5	M18X1.5	EACH	27 MM
MAZDA NEW MODEL						
 PIPE LENGTH - 23-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-816 A BALL PIN MAJOR TAPER (C1)- Ø20.30 MM BALL PIN MINOR TAPER (C2) - Ø17.50 MM	VXL-808	Drag Link Assembly - Mazda New Model (OE Ref. LPS 132970) Fitted With VXL-816A , Pipe Dia. Ø32.0 MM / Pipe Length 23-1/2"	M24X1.5	M16X1.5	EACH	24 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø20.30 MM BALL PIN MINOR TAPER (C2)- Ø17.50 MM		VXL-816 A	Drag Link End- Mazda New Model (RHT+RHT) M24X1.5	M24X1.5	M16X1.5	SET	24 MM
MAZDA S7							
PIPE LENGTH - 23-3/8 INCH PIPE DIAMETER - Ø36.0MM FITTED WITH - VXL-816 A  BALL PIN MAJOR TAPER (C1)- Ø20.30 MM BALL PIN MINOR TAPER (C2)- Ø17.50 MM		VXL-817	DRAG LINK ASSEMBLY MAZDA NEW MODEL Rod OD- Ø36.0 MM , Length- 23-3/8" Fitted With VXL-816 A	M24X1.5	M16X1.5	EACH	24 MM
AMW COMMERCIAL VEHICLES -AMW TRUCK							
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2)- Ø27.10 MM		VXL-1041	Tie Rod End (LHT+RHT)	M30X1.5	M24X1.5	SET	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2)- Ø27.10 MM		VXL-1041 A	Tie Rod End (RHT+RHT)	M30X1.5	M24X1.5	SET	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2)- Ø27.10 MM		VXL-1041 B	Tie Rod End (LHT+LHT)	M30X1.5	M24X1.5	SET	41 MM
		VXL-1042	Tie Rod / Drag Link Repair Kit	NA	M24X1.5	KIT	41 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 62-1/2 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL- 1041 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-1043	Tie Rod Assembly, Fitted With VXL-1041 (Pipe Length 62½", Pipe dia. 50.0mm)	M30X1.5	M24X1.5	EACH	41 MM
 PIPE LENGTH - 62-1/2 INCH PIPE DIAMETER - Ø50.0MM	VXL-1043 A	Tie Rod Pipe Only with Clamp (Pipe Length 62½", Pipe dia. 50.0mm)	NA	NA	EACH	NA
 PIPE LENGTH - 29 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-1041 A BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-1044	AMW NEW/OLD MODEL Drag Link Assembly-Fitted With VXL-1041 A (Pipe Length 29", Pipe Dia.-50.0mm)	M30X1.5	M24X1.5	EACH	41 MM
	VXL-1045	Gear Shift End 10 Degree Inner Thread RHT	M12X1.25	M10X1.0	EACH	17 MM
	VXL-1046	Gear Shift End RHT, Truck NM -30 Degree	M10X1.0	M10X1.0	EACH	17 MM
	VXL-1047	Gear Shift End LHT, AMW Truck NM- 30 Degree	M10X1.0	M10X1.0	EACH	17 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
		VXL-1048	Gear Shift End Outer Thread AMW-TRUCK (Note : Old PART NO. VXL 1006 Not Valid)	M14X1.5	M10X1.0	EACH	17 MM
AMW TRUCK (NEW MODEL)							
 BALL PIN MAJOR TAPER (C1)- Ø31.30 MM BALL PIN MINOR TAPER (C2) - Ø27.60 MM		VXL-1051	Tie Rod End [LHT+RHT]	M36X1.5	M22X1.5	SET	32 MM
 BALL PIN MAJOR TAPER (C1)- Ø31.30 MM BALL PIN MINOR TAPER (C2) - Ø27.60 MM		VXL-1051 A	Tie Rod End [RHT+RHT]	M36X1.5	M22X1.5	SET	32 MM
 BALL PIN MAJOR TAPER (C1)- Ø31.30 MM BALL PIN MINOR TAPER (C2) - Ø27.60 MM		VXL-1051 B	Tie Rod End [LHT+LHT]	M36X1.5	M22X1.5	SET	32 MM
		VXL-1052	Tie Rod Repair KitAMW-TRUCK (NEW MODEL)	NA	M22X1.5	KIT	32 MM
		VXL-1042	Tie Rod / Drag Link Repair Kit	NA	M24X1.5	KIT	41 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 62-1/2 INCH PIPE DIAMETER - Ø48.0MM FITTED WITH - VXL-1051 BALL PIN MAJOR TAPER (C1) - Ø31.30 MM BALL PIN MINOR TAPER (C2) - Ø27.60 MM		VXL-1053	Tie Rod Assembly-AMW-TRUCK (NEW MODEL),Fitted with VXL-1051 (Pipe Length 62½",Pipe dia. 48.0 mm)	M36X1.5	M22X1.5	EACH	32 MM
 PIPE LENGTH - 62-1/2 INCH PIPE DIAMETER - Ø48.0MM		VXL-1053 A	Tie Rod Pipe for VXL-1053 (Pipe Length 62½",Pipe dia. 48.0 mm)	NA	NA	EACH	NA
 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-1054	AMW-(Hydraulic Cylinder)	M30X1.5	M24X1.5	EACH	MM
 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-1055	Tie Rod End - [RHT + LHT] AMW TRUCK 12 WHEEL	M30X1.5	M24X1.5	SET	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-1055 A	Tie Rod End - [RHT + RHT] AMW TRUCK 12 WHEEL	M30X1.5	M24X1.5	SET	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø32.30 MM BALL PIN MINOR TAPER (C2) - Ø29.30 MM		VXL-1055 B	Tie Rod End - [LHT + LHT] AMW TRUCK 12 WHEEL	M30X1.5	M24X1.5	SET	41 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



TIE ROD END




TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY



C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 29 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-1041 A BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-1044	AMW NEW/OLD MODEL Drag Link Assembly (Pipe Length 29")	M30X1.5	M24X1.5	EACH	41 MM
		VXL-1045	Gear Shift End 10 Degree Inner Thread RHTAMW NEW/OLD MODEL	M12X1.25	M10X1.0	EACH	17 MM
		VXL-1048	Gear Shift End Outer ThreadAMW-TRUCK (Note : Old PART NO. VXL 1006 Not Valid)	M14X1.5	M10X1.0	EACH	17 MM
		VXL-1049	Torque Rod Bush (Dia 87MM), AMW N/M	NA	NA	EACH	NA
		VXL-1050	Torque Rod Bush (Dia 106MM), AMW O/M	NA	NA	EACH	NA
BHARAT BENZ 3123, 2523							
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2601	TIE ROD END (LHT+RHT)	M30X1.5	M24X1.5	SET	41 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size							
B- Ball Pin Thread Size		TIE ROD END		TIE ROD ASSEMBLY		DRAG LINK ASSEMBLY	
S - Spanner Size							
L- Pipe Length							
Ø - Pipe Diameter							
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2601 A	TIE ROD END (RHT+RHT)	M30X1.5	M24X1.5	SET	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2601 B	TIE ROD END (LHT+LHT)	M30X1.5	M24X1.5	SET	41 MM
 PIPE LENGTH - 61 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2601 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2602	TIE ROD ASSEMBLY -Pipe Dia. Ø40.0MM / PIPE LENGTH 61" - Fitted With VXL-2601	M30X1.5	M24X1.5	EACH	41 MM
 PIPE LENGTH - 61 INCH PIPE DIAMETER - Ø40.0MM		VXL-2602 A	TIE ROD ASSEMBLY ONLY PIPE WITH CLAMP AND NUT BOLT -PIPE LENGTH-61"	M30X1.5	NA	EACH	NA
BHARAT BENZ 1617 R							
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2611	BHARAT BENZ-TIE ROD END [LHT + RHT] [OE REF. RH-A4003383115 OE REF. LH-A4003383215]	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM		VXL-2611 A	BHARAT BENZ-TIE ROD END [RHT + RHT] [OE REF. RH-A4003383115]	M30X1.5	M24X1.5	SET	36 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2611 B	BHARAT BENZ-TIE ROD END [LHT + LHT] [OE REF. LH-A4003383215]	M30X1.5	M24X1.5	SET	36 MM
 PIPE LENGTH - 56-7/8 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2611 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2612	TIE ROD ASSEMBLY OE REF. [A4003301703]-BHARAT BENZ- 1617 , R PIPE LENGTH-56-7/8" , Pipe Dia. Ø40.0 MM , Fitted With VXL-2611	M30X1.5	M24X1.5	EACH	36 MM
 PIPE LENGTH - 56-7/8 INCH PIPE DIAMETER - Ø40.0MM	VXL-2612 A	BHARAT BENZ-TIE ROD ASSEMBLY PIPE WITH CLAMP ONLY-LENGTH-56-7/8" , Pipe Dia. Ø40.0 MM	M30X1.5	NA	EACH	NA
 PIPE LENGTH - 33.8 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-2615 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2614	Drag link Assembly OE REF. [A4004601205] BHARAT BENZ- Pipe Dia. Ø40.0 MM , Pipe Length 33.8 Inch Fitted With VXL-2615	M30X1.5	M24X1.5	EACH	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2615	DRAG LINK END	M30X1.5	M24X1.5	SET	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø12.30 MM BALL PIN MINOR TAPER (C2) - Ø11.00 MM	VXL-2616	GEAR SHIFTER END [OE REF.A4002680289]	M14X1.5	M10X1.0	EACH	17 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-2617	Gear Shift End- (RHT +LHT) Inner Thread	M12X1.5	M10X1.5	SET	17 MM
	VXL-2617 A	Gear Shift End- RHT+RHT Inner Thread	M12X1.5	M10X1.5	SET	17 MM
	VXL-2617 B	Gear Shift End- LHT +LHT Inner Thread	M12X1.5	M10X1.5	SET	17 MM
 PIPE LENGHT- 31-1/2 " PIPE DIA.-40.0 MM FITTED WITH- VXL-2615 MAJOR TAPER DIA- (C1) 30.00 MM MINOR TAPER DIA.-(C2) 27.10 MM	VXL-2618	DRAG LINK ASSY. BHARAT BENZ 3123 OE REF. A4004600605 FITTED WITH VXL-2615 , PIPE DIA. 40.0MM LENGTH 31-1/2"	M30X1.5	M24X1.5	EACH	41 MM
BHARAT BENZ LIFT AXLE						
 PIPE LENGHT- 51 " PIPE DIA.-40.0 MM FITTED WITH- VXL-2622 BALL PIN MAJOR TAPER (C1)- Ø27.28 MM BALL PIN MINOR TAPER (C2) - Ø24.10 MM	VXL-2619	Tie rod Assembly OE REF. [A4003300009] Bharat Benz Lift Axle ,Fitted With VXL-2622 , Pipe Dia. Ø40.0 MM , Pipe Length- 51 INCH	M30X1.5	M20X1.5	EACH	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø27.28 MM BALL PIN MINOR TAPER (C2) - Ø24.10 MM	VXL-2622	Tie Rod End - [RHT + LHT] BHARAT BENZ LIFT AXLE	M30X1.5	M20X1.5	SET	30 MM

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size

B- Ball Pin Thread Size


S - Spanner Size

L- Pipe Length

Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø27.28 MM BALL PIN MINOR TAPER (C2) - Ø24.10 MM	VXL-2622 A	Tie Rod End - [RHT + RHT] BHARAT BENZ LIFT AXLE	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø27.28 MM BALL PIN MINOR TAPER (C2) - Ø24.10 MM	VXL-2622 B	Tie Rod End - [LHT + LHT] BHARAT BENZ LIFT AXLE	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø28.20 MM BALL PIN MINOR TAPER (C2) - Ø24.70 MM	VXL-2628	Tie Rod End - Bharat Benz Lift Axle [RHT+LHT]	1-1/8"X12 UNF	M22X1.5	SET	32 MM
 BALL PIN MAJOR TAPER (C1)- Ø28.20 MM BALL PIN MINOR TAPER (C2) - Ø24.70 MM	VXL-2628 A	Tie Rod End - Bharat Benz Lift Axle [RHT+RHT]	1-1/8"X12 UNF	M22X1.5	SET	32 MM
 BALL PIN MAJOR TAPER (C1)- Ø28.20 MM BALL PIN MINOR TAPER (C2) - Ø24.70 MM	VXL-2628 B	Tie Rod End - Bharat Benz Lift Axle [LHT+LHT]	1-1/8"X12 UNF	M22X1.5	SET	32 MM
BHARAT BENZ 3123						
	VXL-2623	Tie Rod End - Spherical Bearing Type (RHT+LHT) Bharat Benz 3123 Model	M38X1.5	NA	SET	NA

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size

B- Ball Pin Thread Size


S - Spanner Size

L- Pipe Length


Ø - Pipe Diameter



TIE ROD END






TIE ROD ASSEMBLY






DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-2623 A	Tie Rod End - Spherical Bearing Type (RHT+RHT) Bharat Benz 3123 Model	M38X1.5	NA	SET	NA
	VXL-2623 B	Tie Rod End - Spherical Bearing Type (LHT+LHT) Bharat Benz 3123 Model	M38X1.5	NA	SET	NA
 PIPE LENGTH - 61 INCH PIPE DIAMETER - Ø60.0MM FITTED WITH - VXL-2623	VXL-2624	Tie Rod Assembly - Spherical Bearing Type ,Bharat Benz 3123 Model , Pipe Dia. Ø 60.0 MM , Length 61 Inch	M38X1.5	NA	EACH	NA
	VXL-2638	Tie Rod End - Spherical Bearing Type - Repair Kit For VXL-2623	NA	NA	KIT	NA
BHARAT BENZ 914 R						
 BALL PIN MAJOR TAPER (C1)- Ø24.50 MM BALL PIN MINOR TAPER (C2) - Ø22.40 MM	VXL-2621 A	TIE ROD END - RHT ONLY ,BHARAT BENZ LCV 914	M33X1.5	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø24.50 MM BALL PIN MINOR TAPER (C2) - Ø22.40 MM	VXL-2621 B	TIE ROD END - LHT ONLY ,BHARAT BENZ LCV 914	M33X1.5	M18X1.5	EACH	27 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
PIPE LENGTH - 34-1/4 INCH PIPE DIAMETER - Ø40.0 MM FITTED WITH - VXL-2626 A  BALL PIN MAJOR TAPER (C1)- Ø25.30 MM BALL PIN MINOR TAPER (C2) - Ø22.20 MM		VXL-2625	Drag link Assembly -[OE Ref. A4004600405] BHARAT BENZ 914R (9 Ton) -Fitted With VXL-2626 A , Pipe Dia. Ø40.0 MM , Pipe Length 34-1/4"	M30X1.5	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø25.30 MM BALL PIN MINOR TAPER (C2) - Ø22.20 MM		VXL-2626 A	Drag link End -BENZ 914R (9 Ton)	M30X1.5	M18X1.5	SET	27 MM
BHARAT BENZ 3528C TIPPER							
PIPE LENGTH - 39-3/8 INCH PIPE DIAMETER - Ø45.0MM  BALL PIN MAJOR TAPER (C1)- Ø32.65 MM BALL PIN MINOR TAPER (C2) - Ø28.85 MM		VXL-2627	Drag link Assembly -Fixed Type [OE Ref. A4004601005] BHARAT BENZ 3528C TIPPER - Pipe Dia. Ø45.0 MM , Pipe Length 39-3/8"	NA	M27X1.5	EACH	41 MM
PIPE LENGTH - 24-5/8 INCH PIPE DIAMETER - Ø45.0 MM  BALL PIN MAJOR TAPER (C1)- Ø32.65 MM BALL PIN MINOR TAPER (C2) - Ø28.85 MM		VXL-2629	Drag link Assembly -Fixed Type [OE Ref. A4004600705] BHARAT BENZ 3528C TIPPER - Pipe Dia. Ø45.0 MM , Pipe Length 24-5/8"	NA	M27X1.5	EACH	41 MM
Bharat Benz HDT vehicle Rigid 4228,3528,3828							
PIPE LENGTH - 28-3/8 INCH PIPE DIAMETER - Ø50.0 MM FITTED WITH - VXL-2630 A  BALL PIN MAJOR TAPER (C1)- Ø32.65 MM BALL PIN MINOR TAPER (C2) - Ø28.85 MM		VXL-2632	Drag Link Assembly - [OE Ref. A4004600805] Bharat Benz HDT vehicle Rigid 4228,3528,3828 Pipe Dia. Ø50.0 MM , Pipe Length 28-3/8" Fitted With VXL-2630 A	M38X1.5 LH SLEEVE WITH M30X1.5	M27X1.5	EACH	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø32.65 MM BALL PIN MINOR TAPER (C2) - Ø28.85 MM		VXL-2630	Drag link End -(RHT+LHT) (With Chuck Nut) Bharat Benz HDT vehicle Rigid 4228,3528,3828	M30X1.5	M27X1.5	SET	41 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø32.65 MM BALL PIN MINOR TAPER (C2) - Ø28.85 MM		VXL-2630 A	Drag link End -RHT+RHT (With Chuck Nut) Bharat Benz HDT vehicle Rigid 4228,3528,3828	M30X1.5	M27X1.5	SET	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø32.65 MM BALL PIN MINOR TAPER (C2) - Ø28.85 MM		VXL-2630 B	Drag link End -LHT+LHT (With Chuck Nut) Bharat Benz HDT vehicle Rigid 4228,3528,3828	M30X1.5	M27X1.5	SET	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø32.65 MM BALL PIN MINOR TAPER (C2) - Ø28.85 MM		VXL-2633	Drag link End -Bharat Benz HDT vehicle Rigid 4228,3528,3828 (Adjustable Type) WITH Sleeve M38X1.5 LH	M38X1.5 LH SLEEVE WITH M30X1.5	M27X1.5	EACH	41 MM
		VXL-2634	Sleeve only M38x1.5 LH - Fitted With VXL-2630 A	M38X1.5 LH	NA	EACH	41 MM
BHARAT BENZ 12 TON R							
 PIPE LENGTH - 34-7/8 INCH PIPE DIAMETER - Ø40.0 MM FITTED WITH - VXL-2626 A BALL PIN MAJOR TAPER (C1)- Ø25.30 MM BALL PIN MINOR TAPER (C2) - Ø22.20 MM		VXL-2635	Drag Link Assembly - [OE Ref. A4004602505] BHARAT BENZ 12-TON R / Fitted With VXL-2626 A ,Pipe Dia. Ø40.0 MM , Pipe Length 34-7/8 INCH	M30X1.5	M18X1.5	EACH	27 MM
BHARAT BENZ - GEAR CHANGER							
		VXL-2636	BHARAT BENZ - GEAR CHANGER ASSEMBLY- OE REF A4002601339 BHARAT BENZ 2523 C / 2528 C REPAIR KIT NO.- VXL-2492	M10X1.5	M16X1.5	EACH	24 MM
BHARAT BENZ 4228 , 4828							

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø32.65 MM BALL PIN MINOR TAPER (C2) - Ø28.85 MM	VXL-2637	Hydraulic End (Inner Thread) BHARAT BENZ 4228 , 4828	M26X1.5	M27X1.5	EACH	41 MM

BHARAT BENZ 3723

PIPE LENGTH - 63.0 INCH PIPE DIAMETER - Ø40.0 MM FITTED WITH - VXL-2431  BALL PIN MAJOR TAPER (C1)- Ø30.00 MM BALL PIN MINOR TAPER (C2) - Ø27.10 MM	VXL-2639	TIE ROD ASSEMBLY [OE REF. A4003300003] BHARAT BENZ 3723 REAR FRONT AXLE FITTED WITH VXL-2431 ,PIPE DIA. Ø40 MM ,LENGTH 63.0 INCH	M30X1.5	M24X1.5	EACH	36 MM
---	----------	--	---------	---------	------	-------




VOLVO

 BALL PIN MAJOR TAPER (C1)- Ø29.10 MM BALL PIN MINOR TAPER (C2) - Ø24.00 MM	VXL-1061	Tie Rod End (LHT+RHT)	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø29.10 MM BALL PIN MINOR TAPER (C2) - Ø24.00 MM	VXL-1061 A	Tie Rod End (RHT+RHT)	M30X1.5	M20X1.5	SET	30 MM
 BALL PIN MAJOR TAPER (C1)- Ø29.10 MM BALL PIN MINOR TAPER (C2) - Ø24.00 MM	VXL-1061 B	Tie Rod End (LHT+LHT)	M30X1.5	M20X1.5	SET	30 MM

MAHINDRA NAVISTAR


 BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.60 MM	VXL-1071	TIE Rod End (LHT+RHT) MN- 25 Tipper, MN-31, MN-40 (Corresponding OE Ref No. 7503AAP00090N RH /7503AA900100N LH)	M30X1.5	M24X1.5	SET	36 MM
---	----------	---	---------	---------	-----	-------

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.60 MM		VXL-1071 A	TIE Rod End (RHT+RHT) MN- 25 Tipper, MN-31, MN-40 (Corresponding OE Ref No. 7503AAP00090N)	M30X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.60 MM		VXL-1071 B	TIE Rod End (LHT+LHT) MN- 25 Tipper, MN-31, MN-40(Corresponding OE Ref No. 7503AA900100N)	M30X1.5	M24X1.5	SET	36 MM
 PIPE LENGTH - 31-5/8 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-1071 A BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.60 MM		VXL-1072	Drag Link Assy. [OE REF. 7503AAP00012N] MAHINDRA NAVISTAR-25 Tipper, MN-31, MN-40,Bend Type, One Side Fixed, Fitted with VXL-1071 A (Pipe Length 31-5/8",Pipe dia.50.0mm)	M30X1.5	M24X1.5	EACH	36 MM
 PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø40.0MM FITTED WITH - VXL-1071 BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.60 MM		VXL-1073	Tie Rod Assembly -Mahindra Navistar - Pipe Length-62 " Fitted With VXL-1071	M30X1.5	M24X1.5	EACH	36 MM
MAHINDRA BLAZO/NAVISTAR BS6 MODEL							
 BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.60 MM		VXL-1074	TIE ROD END-(RHT+LHT) MAHINDRA BLAZO/NAVISTAR BS6 MODEL	M38X1.5	M24X1.5	SET	36 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.60 MM		VXL-1074 A	TIE ROD END-(RHT+RHT) MAHINDRA BLAZO/NAVISTAR BS6 MODEL	M38X1.5	M24X1.5	SET	36 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY





DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.60 MM	VXL-1074 B	TIE ROD END-(LHT+LHT) MAHINDRA BLAZO/NAVISTAR BS6 MODEL	M38X1.5	M24X1.5	SET	36 MM
	VXL-439 ST	GEAR SHIFT END-MAHINDRA BLAZO/NAVISTAR (Right Inner Thread) [OE REF. 6702FAP00021N]	M12X1.25	M10X1.0	EACH	17 MM
	VXL-462 ST	GEAR SHIFT END-MAHINDRA BLAZO/NAVISTAR (Left Inner Thread) [OE REF. 6702FAP00031N]	M12X1.25	M10X1.0	EACH	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.80 MM BALL PIN MINOR TAPER (C2) - Ø14.80 MM	VXL-417 SL	GEAR SHIFT END-MAHINDRA BLAZO/NAVISTAR , Self Lubricated (OE REF. 6702FAP00011N) RHT Outer Thread -	M18X1.5	M12X1.5	EACH	19 MM
	VXL-725	Gear Calbe End (OE REF. 6701VAP00020N) MAHINDRA BLAZO/NAVISTAR	M8X1.25	M8X1.25	EACH	13 MM
FORCE MAN TRUCKS						
 BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.00 MM	VXL-1081	Drag Link End (RHT) O.E.Ref No.- 64953016002 For VXL-1083 Drag Link Assy.FORCE MAN TRUCKS	M30X1.5	M24X1.5	SET	41 MM



STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.00 MM	VXL-1082	Tie Rod End (RHT/LHT) O.E.Ref No.- 64953016002/6001 For VXL-1085 Tie Rod Assy.FORCE MAN TRUCKS	M30X1.5	M24X1.5	SET	41 MM
 BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.00 MM	VXL-1083	Tie Rod End (RHT+RHT) Bend Type O.E.Ref No.- 6495301/6001	M30X1.5	M24X1.5	SET	41 MM
 PIPE LENGTH - 30-3/8 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-1081 BALL PIN MAJOR TAPER (C1)- Ø30.30 MM BALL PIN MINOR TAPER (C2) - Ø27.0 MM BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-1084	Drag Link Assy. O.E.Ref No.- 64-46610-6001 (Fitted with VXL-1081) PIPE LENGTH- 30-1/4 " ,Pipe dia.50.0 mm	M30X1.5	M20X1.5 OR M24X1.5	EACH	30 MM OR 41 MM
 PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-1082 BALL PIN MAJOR TAPER (C1)- Ø25.80 MM BALL PIN MINOR TAPER (C2) - Ø23.30 MM	VXL-1085	FORCE MAN TRUCKSTie Rod Assy. (Straight Type) O.E.Ref No.- 64-46711-0004 , Fitted with VXL-1082 Pipe Length- 62",Pipe dia. 50.0mm	M30X1.5	M24X1.5	EACH	41 MM
 PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø50.0MM	VXL-1085 A	Tie Rod Assy Pipe (With Clamp & Nut) Pipe Length-62",Pipe dia. 50.0mm	NA	NA	EACH	NA
 PIPE LENGTH - 62 INCH PIPE DIAMETER - Ø50.0MM FITTED WITH - VXL-1083 BALL PIN MAJOR TAPER (C1)- Ø30.20 MM BALL PIN MINOR TAPER (C2) - Ø27.00 MM	VXL-1086	Tie Rod Assy.(Both Side Bend Type) O.E.Ref No.- 64-46711-0001 , Fitted with VXL-1083 Pipe Length- 62",Pipe dia. 50.0mm	M30X1.5	M24X1.5	EACH	41 MM

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter






C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-1086 A	FORCE MAN TRUCKSTie Rod Assy. Pipe(With Clamp & Nut)Pipe Length- 62",Pipe dia. 50.0mm	M30X1.5	NA	EACH	NA
	VXL-1087	Gear Shift End RHT (Inner Thread) O.E.Ref No.- 81953016171	M12X1.75	M12X1.25	EACH	17 MM
	VXL-1088	Gear Shift End LHT (Inner Thread) O.E.Ref No.- 81953016170	M12X1.75	M12X1.25	EACH	17 MM
NO IMAGE AVAILABLE	VXL-1089	Gear Shift End, Long (Outer Thread) O.E.Ref.No.- 81953016202	NA	NA	NA	NA
 PIPE LENGTH - 33-1/2 INCH PIPE DIAMETER - Ø50.0MM BALL PIN MAJOR TAPER (C1)- Ø26.30 MM BALL PIN MINOR TAPER (C2) - Ø23.50 MM	VXL-1090	Drag Link Assembly-Force Man [Pipe Dia.50.0 MM , Pipe Length-33-1/2"	M30X1.5	M20X1.5	EACH	30 MM

DCM TOYOTA TRUCKS (DYNA 13 B)



	VXL-901	Tie Rod End (DYNA 13 B)	M21X1.5	M14X1.5	SET	22 MM
---	---------	-------------------------	---------	---------	-----	-------

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
		VXL-902	Tie Rod Assembly (DYNA 13 B)(Length 50 1/4")	M21X1.5	M14X1.5	EACH	22 MM
(DYNA 14 B)							
 BALL PIN MAJOR TAPER (C1)- Ø28.00 MM BALL PIN MINOR TAPER (C2) - Ø19.40 MM		VXL-910	Tie Rod End(DYNA 14 B)	M21X1.5	M18X1.5	SET	27 MM
NO IMAGE AVAILABLE		VXL-911	Tie Rod Assembly (DYNA 14 B))Pipe Length 51")	M21X1.5	M18X1.5	EACH	27 MM
TOYOTA INNOVA							
 BALL PIN MAJOR TAPER (C1)- Ø16.10 MM BALL PIN MINOR TAPER (C2) - Ø13.40 MM		VXL-455	Tie Rod End (Inner Thread)	M15X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.10 MM BALL PIN MINOR TAPER (C2) - Ø15.00 MM		VXL-456	Ball Joint Lower	NA	M14X1.5	EACH	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.00 MM BALL PIN MINOR TAPER (C2) - Ø16.60 MM		VXL-457	Ball Joint Upper	NA	M16X1.5	EACH	24 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-458	Rack End	M14X1.5	M15X1.5	EACH	14 MM
	VXL-459	Satablizer Link (Front/Rear) with Rubber Bush	M10X1.25	M12X1.25	EACH	17 MM
TOYOTA QUALIS						
 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.55 MM	VXL-471	Tie Rod End Toyota Qualis (Inner Thread)	M14X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.90 MM BALL PIN MINOR TAPER (C2) - Ø14.90 MM	VXL-472	Ball Joint Upper	NA	M12X1.25	EACH	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø19.70 MM BALL PIN MINOR TAPER (C2) - Ø16.60 MM	VXL-473	Ball Joint Lower	NA	M16X1.5	EACH	24 MM
	VXL-474	Rack End	M14X1.5	M14X1.5	EACH	14 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A	B	UNIT	S SPANNER SIZE
			HOUSING THREAD	BALL PIN THREAD		
NO IMAGE AVAILABLE	VXL-475	Stabilizer Link	NA	NA	EACH	NA
	VXL-476	Track Control Arm Lower Right	NA	NA	EACH	NA
	VXL-477	Track Control Arm Lower Left	NA	NA	EACH	NA
TAVERA (CHEVROLET)						
 BALL PIN MAJOR TAPER (C1)- Ø18.20 MM BALL PIN MINOR TAPER (C2) - Ø16.30 MM	VXL-481	Tie Rod End (Inner Thread)	M14X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.20 MM BALL PIN MINOR TAPER (C2) - Ø16.30 MM	VXL-482	Tie Rod Assembly	M14X1.5	M14X1.5	EACH	22 MM
	VXL-483	Tie Rod Bar	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø20.20 MM BALL PIN MINOR TAPER (C2) - Ø17.50 MM	VXL-484	Ball Joint Upper	NA	M14X1.5	EACH	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø23.10 MM BALL PIN MINOR TAPER (C2) - Ø20.65 MM	VXL-485	Ball Joint Lower	NA	M18X1.5	EACH	27 MM

JEEP MAHINDRA, UTILITI, PIK-UP, MARSHAL, COMMANDER, MAX, MAXI TRUCK



	VXL-600	Tie Rod End JEEP (Set of Four VXL601 & 602) JEEP MAHINDRA, UTILITI, PIK-UP, MARSHAL, COMMANDER, MAX, MAXI TRUCK	11/16"X18 TPI	1/2 "X20 TPI	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.10 MM BALL PIN MINOR TAPER (C2) - Ø13.70 MM	VXL-601	Tie Rod End JEEP (T.S.-64 R.H.D.)	11/16"X18 TPI	1/2 "X20 TPI	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.10 MM BALL PIN MINOR TAPER (C2) - Ø13.70 MM	VXL-601 A	Tie Rod End JEEP, RHT (T.S.-64 R.H.D.)	11/16"X18 TPI	1/2 "X20 TPI	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.10 MM BALL PIN MINOR TAPER (C2) - Ø13.70 MM	VXL-601 B	Tie Rod End JEEP, LHT (T.S.-64 R.H.D.)	11/16"X18 TPI	1/2 "X20 TPI	SET	19 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.10 MM BALL PIN MINOR TAPER (C2) - Ø13.70 MM		VXL-602	Tie Rod End JEEP (T.S.-140 R.H.D.)	11/16"X18 TPI	1/2 "X20 TPI	SET	19 MM
NO IMAGE AVAILABLE		VXL-603	Tie Rod End JEEP (T.S.-140 R.H.D.)	11/16"X18 TPI	1/2 "X20 TPI	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.10 MM BALL PIN MINOR TAPER (C2) - Ø13.70 MM		VXL-604	Tie Rod End JEEP (F.C.-360 D TS-140) (Hari Bhari)	11/16"X18 TPI	1/2 "X20 TPI	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-605	Tie Rod End Armada (Mahindra) Pik-UP UTILITI (Set of 4 Pcs.)	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-605 A	Tie Rod End Mahindra/Armada/Marshall/Utility/Pickup N/M, Maxi Truck (Big Pc. Extra Long) Set of 4 Pcs)	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-606	Tie Rod End (Big Set) ARMADA/Pik UP/UTILITI/MARSHAL / COMMANDER / MAX	M18X1.5	M12X1.25	SET	19 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-606 A	Tie Rod End RHT (Big Set) ARMADA / Pik UP / Utiliti / Marshal /Commander/ Max	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-607	Tie Rod End (Small Set) (RHT) ARMADA/Pik UP/UTILITI/MARSHAL/ COMMANDER / MAX	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-607 B	Tie Rod End (Small Set) (LHT) ARMADA/Pik UP/ UTILITI/MARSHAL/COMMANDER/MAX	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø23.20 MM BALL PIN MINOR TAPER (C2) - Ø19.50 MM	VXL-608	Ball Joint Lower ARMADA / Pik UP / UTILITI / MARSHAL / COMMANDER / MAX	NA	M18X1.5	EACH	27 MM
 BALL PIN MAJOR TAPER (C1)- Ø23.20 MM BALL PIN MINOR TAPER (C2) - Ø19.50 MM	VXL-609	Ball Joint Upper ARMADA / Pik UP / UTILITI / MARSHAL / COMMANDER / MAX	NA	M18X1.5	EACH	36 MM
	VXL-610	Stablizer Link ARMADA / Pik UP / UTILITI / MARSHAL / COMMANDER / MAX	NA	NA	EACH	NA



STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-624	Ball Joint Set of Four, Aarmada/Pik UP /Utiliti / Marshal / Commander/ Max (2 Pcs. VXL-608 & 2 Pcs. VXL-609)	NA	M18X1.5	SET	36 MM OR 27 MM
 PIPE LENGTH - 35.3 INCH PIPE DIAMETER - Ø26.0MM	VXL-611	Tie Rod Tube with Clamp, Nut & Bolt (RHD Big (35.3"	NA	NA	EACH	NA
NO IMAGE AVAILABLE	VXL-612	Tie Rod Tube Small (24½")	NA	NA	EACH	NA
NO IMAGE AVAILABLE	VXL-613	Tie Rod Tube M & M 540 BIG (37½")	NA	NA	EACH	NA
NO IMAGE AVAILABLE	VXL-614	Tie Rod Tube M & M 540 Small (25¾")	NA	NA	EACH	NA
 PIPE LENGTH - 44.3 INCH PIPE DIAMETER - Ø26.0MM	VXL-615	Tie Rod Tube PC-360-D, FC-460-D, Big (44.3"	NA	NA	EACH	NA

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter





C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
NO IMAGE AVAILABLE	VXL-616	Tie Rod Tube PC-360-D,FJ-460-D,Small (24½")	NA	NA	EACH	NA

MAHINDRA MARSHAL TURBO

 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-617	Tie Rod End [Set of 4]	M18X1.5 OR M20X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-617 A	Tie Rod End-RHT [20x1.5mm] 1 Big & 1 Small	M20x1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-617 B	Tie Rod End-RHT & LHT[18x1.5mm]Both Small	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-617 C	Tie Rod End-RHT [20x1.5mm]Both Small	M20X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-618	Tie Rod End-Marshall Turbo RHT, M20 x 1.5, 2Pcs. Big	M20X1.5	M12X1.5	SET	19 MM



A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM	VXL-619	Tie Rod End-Marshal Turbo LHT, M18 x 1.5, 2Pcs.Small	M18X1.5	M12X1.5	SET	19 MM
MAHINDRA TOURISTER						
 BALL PIN MAJOR TAPER (C1)- Ø17.95 MM BALL PIN MINOR TAPER (C2) - Ø15.20 MM	VXL-620/625	Tie Rod End (OE REF.48570J5100 RH) / (OE REF .48580J5100 - LH) (RHT+LHT) 15/25/32/40 SEATER	M22X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø17.95 MM BALL PIN MINOR TAPER (C2) - Ø15.20 MM	VXL-625 A	Tie Rod End [OE REF.48570J5100] (RHT+RHT) 15/25/32/40 SEATER	M22X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø17.95 MM BALL PIN MINOR TAPER (C2) - Ø15.20 MM	VXL-625 B	Tie Rod End (OE REF .48580J5100) (LHT+LHT) 15/25/32/40 SEATER	M22X1.5	M14X1.5	SET	22 MM
 PIPE LENGTH - 22 INCH PIPE DIAMETER - Ø32.0MM REPAIR KIT- VXL -627 BALL PIN MAJOR TAPER (C1)- Ø20.25 MM BALL PIN MINOR TAPER (C2) - Ø17.10 MM	VXL-621	Drag Link Assembly 15/25 SEATER, Bend Type, Both Side Fixed (Pipe Length 22")	NA	M16X1.5	EACH	24 MM
	VXL-622	Drag Link Repair Kit 15/25 SEATER	NA	M16X1.5	EACH	24 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter





C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 51 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - VXL-625 BALL PIN MAJOR TAPER (C1) - Ø17.95 MM BALL PIN MINOR TAPER (C2) - Ø15.20 MM		VXL-623	Tie Rod Assembly Fitted with VXL-625 (Pipe Length 51", Pipe dia. 35.0 mm)	M22X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 23 INCH PIPE DIAMETER - Ø32.0MM REPAIR KIT-VXL-627 BALL PIN MAJOR TAPER (C1) - Ø20.25 MM BALL PIN MINOR TAPER (C2) - Ø17.10 MM		VXL-629	Mahindra III, Load King 4TLWB, Load King CNG4T/6T Sub Part Suitable For VXL-627 Drag Link Repair Kit (Corresponding OE Ref no. 48510T8000) Bend Type, Both Side Fixed (Pipe Length 23", Pipe dia. 32.0 mm)	NA	M16X1.5	EACH	24 MM
 PIPE LENGTH - 25.4 INCH PIPE DIAMETER - Ø32.0MM BALL PIN MAJOR TAPER (C1) - Ø20.25 MM BALL PIN MINOR TAPER (C2) - Ø17.10 MM		VXL-630	Drag Link Assembly Mahindra Tourister (32 Seater), O.E. Ref. PART NO. - 1103AA0110N, Bend Type, Both Side Fixed (Pipe Length 25".4, Pipe dia. 32.0 mm)	NA	M16X1.5	EACH	24 MM
		VXL-809	Gear Shift End (Right Thread)	M10X1.25	M8X1.25	EACH	13 MM
		VXL-810	Gear Shift End (Left Thread)	M10X1.25	M8X1.25	EACH	13 MM
MAHINDRA CAB KING/ LOAD KING							
 BALL PIN MAJOR TAPER (C1) - Ø17.95 MM BALL PIN MINOR TAPER (C2) - Ø15.20 MM		VXL-625	Tie Rod End (RHT+LHT) (OE REF. 48570J5100 RH) / (48580J5100 - LH)	M22X1.5	M14X1.5	SET	22 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B - Ball Pin Thread Size S - Spanner Size L - Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 41 INCH PIPE DIAMETER - Ø35.0MM FITTED WITH - VXL-625 BALL PIN MAJOR TAPER (C1)- Ø17.95 MM BALL PIN MINOR TAPER (C2) - Ø15.20 MM		VXL-626	Tie Rod Assembly -Fitted With VXL-625 (Pipe Length 41",Pipe dia.-35.0 mm)	M22X1.5	M14X1.5	EACH	22 MM
		VXL-627	Drag Link Repair Kit	NA	M16X1.5	KIT	24 MM
 PIPE LENGTH - 22 INCH PIPE DIAMETER - Ø32.0 MM BALL PIN MAJOR TAPER (C1)- Ø17.95 MM BALL PIN MINOR TAPER (C2) - Ø15.20 MM		VXL-628	Drag Link Assembly -Repair kit VXL-627 (Pipe Length 22",Pipe dia.32.0 mm)	NA	M16X1.5	EACH	24 MM
MAHINDRA BOLERO							
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.00 MM		VXL-631	Tie Rod End-Inner Thread (M 18x1.5) RHT	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.00 MM		VXL-632	Tie Rod Assembly	M18X1.5	M12X1.5	EACH	19 MM
		VXL-633	Tie Rod Bar	NA	NA	EACH	NA



STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter






C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø21.30 MM BALL PIN MINOR TAPER (C2) - Ø18.20 MM	VXL-634	Ball Joint Upper	NA	M16X1.5	EACH	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.25 MM BALL PIN MINOR TAPER (C2) - Ø16.25 MM	VXL-635	Ball Joint Lower	NA	M14X1.5	EACH	22 MM
	VXL-636	Stabilizer Link	M10X1.25	M12X1.25	EACH	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø13.85 MM	VXL-637	Tie Rod End (Power Steering) Inner Thread	M14X1.5	M12X1.5	SET	19 MM
	VXL-638	Ball Joint Set of Four (2 Pcs. VXL-634 & 2 Pcs. VXL-635)	NA	M14X1.5 OR M16X1.5	SET	22 MM OR 24 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.00 MM	VXL-639	DROP ARM (BIG HOLE), (LENGTH 6"1/2), MAHINDRA BOLERO/MAXX PICK UP (Manual Steering)	NA	M12X1.5	EACH	19 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.00 MM		VXL-639 A	IDLER ARM (SMALL HOLE), (LENGTH 6"1/2), MAHINDRABOLERO/MAXX PICK UP (Manual Steering)	NA	M12X1.5	EACH	19 MM
 PIPE LENGTH - 17 INCH PIPE DIAMETER - Ø26.0MM FITTED WITH - VXL-601 BALL PIN MAJOR TAPER (C1)- Ø16.10 MM BALL PIN MINOR TAPER (C2) - Ø13.70 MM		VXL-640	PUSH ROD ASSEMBLY Fitted with VXL-601	11/16"X18 TPI	1/2"X16 TPI	EACH	19 MM
Mahindra & Mahindra -Bolero Maxi Truck (BMT) Manual Steering							
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1631	Tie Rod End [Set of 4 Pcs] [M20x1.5- 1 Pcs RHT (Big) + 1 Pcs RHT (Small)] [M18x1.5- 1 Pcs RHT + 1 Pcs LHT] For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Manual Steering	M20X1.5 M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1632	Tie Rod End [M20x1.5- 1 Pcs RHT (Big) + 1 Pcs RHT (Small)] For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Manual Steering	M20X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1633	Tie Rod End- OE REF.[1103AAA01620N RHT/ 1103AAA01610N -LHT] [M18x1.5- 1Pcs RHT + 1 Pcs LHT] Both SmallFor Mahindra & Mahindra -Bolero Maxi Truck (BMT) -Manual Steering	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1634	Tie Rod End [M20x1.5- RHT+RHT (Small) Both Right Hand Thread] For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Manual Steering	M20X1.5	M12X1.5	SET	19 MM


STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1635	Tie Rod End [M20x1.5- RHT+RHT (Big) Both Right Hand Thread] For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Manual Steering	M20X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1636	Tie Rod End [M18x1.5- LHT+LHT (Both Left Hand Thread)] For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Manual Steering	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1637	Tie Rod End [M18x1.5- RHT+RHT (Both Right Hand Thread) For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Manual Steering	M18X1.5	M12X1.5	SET	19 MM
Mahindra & Mahindra -Bolero Maxi Truck (BMT) Power Steering							
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1638	Tie Rod End [Set of 4 Pcs] [M20x1.5- 1 Pcs RHT (Big) + 1 Pcs RHT (Small) [M18x1.5- 1 Pcs RHT + 1 Pcs LHT] For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Power Steering	M20X1.5 M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1632	Tie Rod End [M20x1.5- 1 Pcs RHT (Big) + 1 Pcs RHT (Small) For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Power Steering	M20X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1634	Tie Rod End [M20x1.5- RHT+RHT (Small) Both Right Hand Thread] For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Power Steering	M20X1.5	M12X1.5	SET	19 MM



STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1	C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1635	Tie Rod End [M20x1.5- RHT+RHT (Small) Both Right Hand Thread] For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Power Steering	M20X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1639	Tie Rod End [M18x1.5- LHT+LHT (Both Left Hand Thread)] For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Power Steering	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1640	Tie Rod End [M18x1.5- RHT+RHT (Both Right Hand Thread) For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Power Steering	M18X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1641	Tie Rod End [M18x1.5- 1 Pcs RHT + 1 Pcs LHT] Both Small For Mahindra & Mahindra -Bolero Maxi Truck (BMT) - Manual Steering	M18X1.5	M12X1.5	SET	19 MM
PIPE LENGTH - 40-4/8 INCH PIPE DIAMETER - Ø26.0MM FITTED WITH - VXL-1645  BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1644	STEERING TIE ROD ASSY COMPLETE 4WD- [OE REF.0084850] BOLERO 1ST GEN 2.5L/BOLERO CAMPER 2.5L MT/BOLERO INVADER 2.5L GLX MT/MAXX 2.5L FESTARA, Fitted With VXL-1645 , Pipe Dia. Ø26.0 MM,Length 40-5/8"	M18X1.5	M12X1.5	EACH	19 MM
PHOTO NOT AVAILABLE		VXL-1644 A	STEERING TIE ROD ASSY ONLY PIPE -Pipe Dia. Ø26.0 MM,Length 40-5/8"	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size							
B- Ball Pin Thread Size		TIE ROD END		TIE ROD ASSEMBLY		DRAG LINK ASSEMBLY	
S - Spanner Size							
L- Pipe Length							
Ø - Pipe Diameter							
C1C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1645	Tie Rod End- (Big M18x1.5 RH + Small M18x15 RH) Suitable to Fitted With VXL-1644 -BOLERO 1ST GEN 2.5L/BOLERO CAMPER 2.5L MT/BOLERO INVADER 2.5L GLX MT/MAXX 2.5L FESTARA	M18X1.5	M12X1.5	SET	19 MM
PIPE LENGTH - 26 INCH PIPE DIAMETER - Ø22.0MM FITTED WITH - VXL-1633  BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1647	CONNECTING TIE ROD ASSEMBLY- [OE REF. 1103AAA01412N] BOLERO PIK-UP 2ND GEN/MAXI TRUCK 2.5L/MAXX PIKUP CITY 2.5L- All Model , Fitted With VXL-1633 , Pipe Dia. Ø22.0 MM,Length 26.0"	M18X1.5	M12X1.5	EACH	19 MM
		VXL-1647 A	CONNECTING TIE ROD - PIPE ONLY WITH CLAMP/NUT/BOLT/WASHER	NA	NA	EACH	NA
PIPE LENGTH - 36-5/8 INCH PIPE DIAMETER - Ø26.0MM FITTED WITH - VXL-1632  BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1648	Master Tie Rod Assembly - [OE REF.1103AA0143N] MAXI TRUCK 2.5L /MAXI TRUCK 2.5L BMT PLUS (MS/PS/CBC)/MAXI TRUCK 2.5L BMT PLUSFitted With VXL-1632 , Pipe Dia. Ø26.0 MM,Length 36-5/8"	M20X1.5	M12X1.5	EACH	19 MM
PIPE LENGTH - 26 INCH PIPE DIAMETER - Ø22.0MM FITTED WITH - VXL-1633  BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1649	CONNECTING TIE ROD ASSY PS- [OE REF. 1103AAA01413N] MAHINDRA BOLERO PIK-UP 2ND GEN/BOLERO PIK-UP 2ND GEN/MAXI TRUCK 2.5L BMT PLUS DI TURBO/MAXX PIKUP CITY 2.5L-ALL MODEL, Fitted With VXL-1633 , Pipe Dia. Ø22.0 MM,Length 26.0"	M18X1.5	M12X1.5	EACH	19 MM
PHOTO NOT AVAILABLE		VXL-1649 A	CONNECTING TIE ROD ASSY- PIPE ONLY WITH CLAMP/NUT/BOLT/WASHER	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
PIPE LENGTH - 37 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-1632  BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1651	MASTER TIE ROD ASSEMBLY - POWER STEERING - [OE REF.1103ACC00071N] MAHINDA MAXX PIKUP CITY 2.5L /MAXX PIKUP HEAVY DUTY, Fitted With VXL-1632 , Pipe Dia. Ø32.0 MM,Length 37" INCH	M20X1.5	M12X1.5	EACH	19 MM
PIPE LENGTH - 25 INCH PIPE DIAMETER - Ø22.0MM FITTED WITH - VXL-1640 PHOTO NOT AVAILABLE BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1652	TIE ROD ASSY CONNECTING- [OE REF.1103ACC00081N] MAHINDRA MAXX PIKUP CITY 2.5L/MAXX PIKUP HEAVY DUTY 2.5L 2.0T VXI EXTRA LONGFitted With VXL-1640 , Pipe Dia. Ø22.0 MM,Length-25.0 INCH	M18X1.5	M12X1.5	EACH	19 MM
PIPE LENGTH - 36-5/8 INCH PIPE DIAMETER - Ø26.0MM FITTED WITH - VXL-1632  BALL PIN MAJOR TAPER (C1)- Ø16.30 MM BALL PIN MINOR TAPER (C2) - Ø14.40 MM		VXL-1653	MASTER TIE ROD ASSY (2 WD) - [OE REF. 1103AA0141N] MAHINDRA BOLERO CAMPER 2.5L MT/BOLERO PIK-UP 1ST GEN/BOLERO PIK-UP 2ND GEN/MAXI TRUCK 2.5L/MAXX PICK UP 2.5L, Fitted With VXL-1632 , Pipe Dia. Ø26.0 MM,Length-36-5/8" INCH	M20X1.5	M12X1.5	EACH	19 MM
MAHINDRA SCORPIO							
 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.55 MM		VXL-641	Tied Rod End ,Inner Thread (M14X1.5)	M14X1.5	M12X1.25	SET	19 MM
NO IMAGE AVAILABLE		VXL-642	Tie Rod Assembly	NA	NA	EACH	NA
NO IMAGE AVAILABLE		VXL-643	Tie Rod Bar	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø20.00 MM BALL PIN MINOR TAPER (C2) - Ø17.55 MM	VXL-644	Ball Joint Upper	NA	M16X1.5	EACH	24 MM
 BALL PIN MAJOR TAPER (C1)- Ø21.35 MM BALL PIN MINOR TAPER (C2) - Ø17.85 MM	VXL-645	Ball Joint Lower	NA	M16X1.5	EACH	24 MM
	VXL-646	Stabilizer Link	M10X1.25	M12X1.25	EACH	19 MM
	VXL-647	Stabilizer Link -Mahindra Scorpio (CRDi)	NA	M12X1.5	SET	19 MM
MAHINDRA MAXXIMO						
 BALL PIN MAJOR TAPER (C1)- Ø15.30 MM BALL PIN MINOR TAPER (C2) - Ø13.80 MM	VXL-681	Tie Rod End (RHT+LHT) Inner Thread (M14x1.5)	M14X1.5	M12X1.5	SET	19 MM
 BALL PIN MAJOR TAPER (C1)- Ø16.40 MM BALL PIN MINOR TAPER (C2) - Ø14.10 MM	VXL-682	BALL JOINT (OE.Ref. No.-041BA3561N)	NA	M12X1.5	EACH	19 MM




STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 26 INCH PIPE DIAMETER - Ø22.0MM FITTED WITH - VXL-681 BALL PIN MAJOR TAPER (C1)- Ø15.30 MM BALL PIN MINOR TAPER (C2) - Ø13.80 MM	VXL-683	Tie Rod Assembly (OE.Ref. No.- 1103AA0981N) 26"	M14X1.5	M12X1.5	EACH	19 MM
	VXL-684	Tie Rod Bar (Length 20¾")	M14X1.5	NA	EACH	NA
	VXL-685	Drag Link Assembly With Bushes, (O.E.RefNo.1103AA1190N) (Length14")	NA	NA	EACH	NA
	VXL-686	Track Control Arm (LHS) with Ball Joint & Rubber Bush	NA	M12X1.5	EACH	19 MM
	VXL-687	Track Control Arm (RHS) with Ball Joint & Rubber Bush	NA	M12X1.5	EACH	19 MM
MAHINDRA MAXXIMO N/M (PASSENGER)						
 BALL PIN MAJOR TAPER (C1)- Ø15.30 MM BALL PIN MINOR TAPER (C2) - Ø13.80 MM	VXL-1681/681	Tie Rod End (RHT+LHT) Inner Thread	M14X1.5	M12X1.5	SET	19 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size							
B- Ball Pin Thread Size		TIE ROD END		TIE ROD ASSEMBLY		DRAG LINK ASSEMBLY	
S - Spanner Size							
L- Pipe Length							
Ø - Pipe Diameter							
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
		VXL-1682	Ball Joint (3 Hole Type), Mahindra Maxximo N/M (O.E.Ref No.- 0401BAA06061N)	NA	NA	EACH	NA
 PIPE LENGTH - 26 INCH PIPE DIAMETER - Ø22.0MM FITTED WITH - VXL-681 BALL PIN MAJOR TAPER (C1)- Ø15.30 MM BALL PIN MINOR TAPER (C2) - Ø13.80 MM		VXL-1683/683	Mahindra Maxximo N/MTIE ROD ASSEMBLY (O.E.Ref no-1103AA0981N)	M14X1.5	M12X1.5	EACH	19 MM
 PIPE LENGTH - 20-3/4 INCH PIPE DIAMETER - Ø22.0MM		VXL-1684/684	Tie Rod Bar (Length- 20"3/4	NA	NA	EACH	NA
		VXL-1685/685	Drag Link Assembly With Bushes (O.E.Ref no- 1103AA1190N)	NA	NA	EACH	NA
		VXL-1686	Track Control Arm (LHS) with Ball Joint (3Hole type) & Rubber Bush, Maxximo N/M	NA	NA	EACH	NA
		VXL-1687	Track Control Arm (RHS) with Ball Joint (3Hole type) & Rubber Bush, Maxximo N/M	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter




C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-1688	Track Control Arm(RHS)With Rubber Bush Only Maxximo N/M	NA	NA	EACH	NA
	VXL-1689	Track Control Arm (LHS)With Rubber Bush Only Maxximo N/M	NA	NA	EACH	NA
MAHINDRA XYLO						
 BALL PIN MAJOR TAPER (C1)- Ø15.40 MM BALL PIN MINOR TAPER (C2) - Ø14.00 MM	VXL-691	Tie Rod End (RHT) Inner Thread (M 14x1.5)	M14X1.5	M12X1.25	SET	17 MM
	VXL-692	BALL JOINT LOWER	NA	M16X1.5	EACH	24 MM
	VXL-693	RACK END/TIE ROD	NA	M14X1.5	EACH	NA
 BALL PIN MAJOR TAPER (C1)- Ø21.00 MM BALL PIN MINOR TAPER (C2) - Ø17.90 MM	VXL-694	CONTROL ARM UPPER	NA	M16X1.5	EACH	24 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-695	STABILIZER LINK	NA	M12X1.5	EACH	19 MM

MAHINDRA JEETO


 MAJOR TAPER DIA- (C1) 15.00 MM MINOR TAPER DIA- (C2) 13.70 MM	VXL-688	Tie Rod End - RHT+RHT O.E Ref. No. 1101ABB00111N [Mahindra Jeeto]	M12X1.25	M12X1.25	SET	17 MM
	VXL-689	Rack End OE Ref. 110ABB001010N [Mahindra Jeeto]	M14X1.5	M12X1.25	EACH	14 MM
	VXL-690/1682	BALL JOINT O.E REF. 0101DAA06062N [Mahindra Jeeto]	NA	NA	SET	NA
	VXL-1691	STABILIZER LINK SET [LHT + RHT] O.E REF. 0101CAA0314N/315N	NA	M12X1.25	EACH	19 MM

MAHINDRA & MAHINDRA SUPRO MINI TRUCK [MECH. STEERING]

 MAJOR TAPER DIA- (C1) 14.00 MM MINOR TAPER DIA- (C2) 12.40 MM	VXL-651	TIE ROD END [RHT+LHT] MAHINDRA SUPRO MINI TRUCK / TATA ACE EXPRESS [MECH. STEERING	M16X1.5	M12X1.25	SET	17 MM
---	---------	--	---------	----------	-----	-------

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGHT- 40 " PIPE DIA.-22.0 MM FITTED WITH- VXL-651 MAJOR TAPER DIA- (C1) 14.00 MM MINOR TAPER DIA- (C2) 12.40 MM	VXL-652	TIE ROD ASSY. OE REF. [122040492] FITTED WITH VXL-651 MAHINDRA SUPRO MINI TRUCK / TATA ACE EXPRESS PIPE DIA. Ø22.0MM LENGTH 40 INCH	M16X1.5	M12X1.25	EACH	17 MM
 PIPE LENGHT- 20-1/2 INCH PIPE DIA.-22.50 MM FITTED WITH- VXL-651 MAJOR TAPER DIA- (C1) 14.00 MM MINOR TAPER DIA- (C2) 12.40 MM	VXL-653	DRAG LINK ASSEMBLY [OE RE.1103ACB00101N] MAHINDRA SUPRO - PIPE DIA. Ø22.50 MM , PIPE LENGTH 20- 1/2 INCH ,FITTED WITH VXL-651	M16X1.5	M12X1.25	SET	17 MM

MAHINDRA IMPERIO DC, IMPERIO SC, NUVOSPORT, SCORPIO 3RD GEN, SCORPIO 3RD GEN F/L, THAR 2ND GEN

	VXL-1642	BALL JOINT UPPER [OE REF. 0401BAA08161N] MAHINDRA BOLERO NEO, NUVOSPORT, SCORPIO 3RD GEN, SCORPIO 3RD GEN F/L, TUV 300, TUV 300	NA	M16X1.5	EACH	24 MM
	VXL-1643	BALL JOINT LOWER [OE REF. 0401BAA08032N] MAHINDRA IMPERIO DC, IMPERIO SC, NUVOSPORT, SCORPIO 3RD GEN, SCORPIO 3RD GEN F/L, THAR 2ND GEN	NA	M16X1.5	EACH	24 MM



MATADOR MAX

	VXL-1411	Tie Rod End	M16X1.5	M14X1.5	SET	22 MM
	VXL-1412	Wheel Joint (Joint Less)	NA	M16X1.5	EACH	24 MM

MATADOR RA-307

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-1421	Tie Rod End	M20X1.5	M14X1.5	SET	22 MM
 PIPE LENGTH - 17 INCH PIPE DIAMETER - Ø27.5 MM FITTED WITH - VXL-430 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-1422	Drag Link Assembly.	M20X1.5	M14X1.5	EACH	22 MM
NO IMAGE AVAILABLE	VXL-1423	Tie Rod Assembly.	NA	NA	EACH	NA


TEMPO TRAX

	VXL-1431	Tie Rod End	M16X1.5	M14X1.5	SET	22 MM
	VXL-1432	Wheel Joint (Joint Less)	NA	M16X1.5	EACH	24 MM

TEMPO TRAVELLER / TEMP TRAVELLER 6 WHEEL



 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-1441	Tie Rod End	M20X1.5	M14X1.5	SET	22 MM
---	----------	-------------	---------	---------	-----	-------

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size B- Ball Pin Thread Size S - Spanner Size L- Pipe Length Ø - Pipe Diameter		 TIE ROD END		 TIE ROD ASSEMBLY		 DRAG LINK ASSEMBLY	
C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 50-1/2 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-430 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-1442	Tie Rod Assembly (Pipe Length 50½")	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 17 INCH PIPE DIAMETER - Ø27.5 MM FITTED WITH - VXL-430 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-1443/1422	Drag Link Assembly	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 19 INCH PIPE DIAMETER - Ø26.0 MM FITTED WITH - VXL-430 A BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-1444	Drag Link Assembly - (OE Ref. 8554600006) TEMPO TRAVELLER , FITTED WITH - VXL-430A Pipe Dia. Ø26.0 MM / Pipe Length 19"	M20X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 63 INCH PIPE DIAMETER - Ø32.0 MM FITTED WITH - VXL-1441 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-1449	TIE ROD ASSEMBLY OE REF. [T006863300103] FORCE MOTOR-TEMPO TRAVELLER - 6 WHEEL / Fitted With VXL-1441 ,Pipe Dia. Ø32 MM ,Length - 63 inch	M20X1.5	M14X1.5	EACH	22 MM
FORCE TRAX CRUISER/TOOFAN-CLASSIC							
 PIPE LENGTH - 4 INCH PIPE DIAMETER - Ø26.0MM FITTED WITH - VXL-1431		VXL-1450	Track Rod Assembly -(Pipe Length 4")	M16X1.5	M14X1.5	EACH	22 MM
 PIPE LENGTH - 8 INCH PIPE DIAMETER - Ø26.0MM FITTED WITH - VXL-1431		VXL-1451	Track Rod Assembly -(Pipe Length 8")	M16X1.5	M14X1.5	EACH	22 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
		VXL-1432	Ball Joint (Wheel Joint)	NA	M16X1.5	EACH	24 MM
 PIPE LENGTH - 17 INCH PIPE DIAMETER - Ø27.5 MM FITTED WITH - VXL-430 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-1422	Tie Rod Assy/Connecting Link (Pipe Length 17")	M20X1.5	M14X1.5	EACH	22 MM
		VXL-1431	T. R. End of VXL-1450 & VXL-1451)	M16X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-430/1441	T. R. End of VXL-1422 & VXL-1443)	M20X1.5	M14X1.5	SET	22 MM
FORCE TRUMP							
		VXL-1460	TIE ROD END (RH), FORCE TRUMP (Corresponding OE ref no. B-00-870-460-01-48/00-48)	M16X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.20 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM		VXL-1461	Drag Link End RHT	M16X1.5	M14X1.5	EACH	22 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter





C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 22 INCH PIPE DIAMETER - Ø00.0MM FITTED WITH - VXL-1461 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-1462	Drag Link Assembly (Rod Length 22")	M16X1.5	M14X1.5	EACH	22 MM
NO IMAGE AVAILABLE	VXL-1463	TIE ROD ASSY., FORCE TRUMP (Pipe length 41 inch)	NA	NA	EACH	22 MM
FORCE URBANIA MODEL						
PIPE LENGTH - 55 INCH PIPE DIAMETER - Ø32.0MM FITTED WITH - VXL-1447 IMAGE NOT AVIALABLE BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-1446	TIE ROD ASSEMBLY OE REF. [B006864600005] FORCE MOTOR URBANIA MODEL - Fitted With VXL-1447 ,Pipe Dia. Ø32 MM ,Length - 55 inch	M22X1.5	M14X1.5	EACH	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-1447	Tie Rod End - Force Motor Urbania (RH + LH)	M22X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-1447 A	Tie Rod End - Force Motor Urbania (RH + RH)	M22X1.5	M14X1.5	SET	22 MM
 BALL PIN MAJOR TAPER (C1)- Ø18.50 MM BALL PIN MINOR TAPER (C2) - Ø16.10 MM	VXL-1447 B	Tie Rod End - Force Motor Urbania (LH + LH)	M22X1.5	M14X1.5	SET	22 MM

CAR SEGMENT - AMBASSADOR

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 BALL PIN MAJOR TAPER (C1)- Ø14.60 MM BALL PIN MINOR TAPER (C2) - Ø12.85 MM	VXL-1101	Tie Rod End All Model (Rane Type)	11/16"X18 TPI	7/16-20 UNF	SET	17 MM
NO IMAGE AVAILABLE	VXL-1102	Tie Rod Assembly All Model (Rane Type)	NA	NA	EACH	NA
AMBASSADOR NOVA/CLASSIC						
 BALL PIN MAJOR TAPER (C1)- Ø15.85 MM BALL PIN MINOR TAPER (C2) - Ø14.00 MM	VXL-1105	TIE ROD END (INNER THREAD)	M14X2.0	M12X1.75	SET	19 MM
	VXL-1106	TIE ROD Assembly	1/2-16 BSF	M14X2.0	EACH	11 MM
	VXL-1107	TIE ROD Assembly (Long)	1/2-16 BSF	M14X2.0	EACH	11 MM
MARUTI CAR 800 CC						
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM	VXL-1121	Tie Rod End	M12X1.25	M12X1.25	SET	17 MM

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



C1  C2		PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
		VXL-1122	Tie Rod / Rack End	M14X1.5	M12X1.25	EACH	NA
		VXL-1123	Track Control Arm (Chimta)	NA	NA	EACH	NA
		VXL-1124	Suspension Kit (2Pc.T.R.E.+2Pc.Rack End+2Pc.TCA)	NA	NA	KIT	NA
MARUTI ZEN/ALTO							
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM		VXL-1125	Tie Rod End	M12X1.25	M12X1.25	SET	17 MM
		VXL-1126	Tie Rod / Rack End	M14X1.5	M12X1.25	EACH	14 MM
		VXL-1127	Track Control Arm (Chimta)	NA	NA	EACH	NA



STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B - Ball Pin Thread Size
S - Spanner Size
L - Pipe Length
Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-1128	Suspension Kit (2Pc.T.R.E.+2Pc.Rack End+2Pc.TCA)	NA	NA	EACH	NA
MARUTI WAGON-R						
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM	VXL-1125	Tie Rod End	M12X1.25	M12X1.25	SET	17 MM
	VXL-1126	Tie Rod / Rack End	M14X1.5	M12X1.25	EACH	14 MM
	VXL-1129	Track Control Arm (Chimta)	NA	NA	EACH	NA
	VXL-1130	Suspension Kit (2Pc.T.R.E.+2Pc.Rack End+2PcTCA)	NA	NA	KIT	NA
MARUTI SWIFT						
NO IMAGE AVAILABLE	VXL-1141	Tie Rod End (RHT) Inner Thread M12X1.25	M12X1.25	M12X1.25	SET	17 MM


A - Tie Rod End Thread Size
 B - Ball Pin Thread Size
 S - Spanner Size
 L - Pipe Length
 Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-1142	Rack End	M18X1.5	M12X1.25	EACH	17 MM
	VXL-1143	Ball Joint	NA	NA	EACH	NA
	VXL-1144	Stabilizer Link	NA	M10X1.25	EACH	17 MM
MARUTI SWIFT NEW MODEL						
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2)- Ø12.40 MM	VXL-1155	Tie Rod End (RHT) Inner Thread M14X1.25	M14X1.5	M12X1.25	SET	17 MM
	VXL-1156	Rack End	NA	NA	EACH	NA
NO IMAGE AVAILABLE	VXL-1157	Stabilizer Link	NA	NA	SET	NA

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
 B - Ball Pin Thread Size
 S - Spanner Size
 L - Pipe Length
 Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-1158	Ball Joint	NA	M12X1.25	EACH	17 MM
NO IMAGE AVAILABLE	VXL-1159	Track Control Arm LH	UNDER	DEVELOPMENT		
NO IMAGE AVAILABLE	VXL-1160	Track Control Arm RH	UNDER	DEVELOPMENT		
MARUTI GYPSY						
 PIPE LENGTH - 46.5 INCH PIPE DIAMETER - Ø28.0MM	VXL-1145	Tie Rod Assy. Maruti Gypsy (Wide), Approx Total Length- 46.5"	NA	M12X1.5	EACH	19 MM
 PIPE LENGTH - 46.5 INCH PIPE DIAMETER - Ø22.0MM	VXL-1146	Drag Link Assy. Maruti Gypsy (Wide), Approx Total Length- 31 "	NA	M12X1.5	EACH	19 MM
NO IMAGE AVAILABLE	VXL-1147	Tie Rod End Gypsy (Single Pc.)	M16X1.5	M12X1.25	EACH	19 MM
MARUTI VAN 800 / OMNI						

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
B- Ball Pin Thread Size
S - Spanner Size
L- Pipe Length
Ø - Pipe Diameter





C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
 PIPE LENGTH - 16 INCH PIPE DIAMETER - Ø22.0MM FITTED WITH - VXL-465 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM	VXL-1151	Tie Rod Assembly (Length 21")	M14X1.5	M12X1.25	EACH	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM	VXL-1152	Tie Rod End [LHT+RHT]	M14X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM	VXL-1152 A	Tie Rod End [RHT+RHT]	M14X1.5	M12X1.25	SET	17 MM
 BALL PIN MAJOR TAPER (C1)- Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM	VXL-1152 B	Tie Rod End [LHT+LHT]	M14X1.5	M12X1.25	SET	17 MM
	VXL-1153	Track Control Arm	NA	M12X1.25	EACH	17 MM
NO IMAGE AVAILABLE	VXL-1154	Drag Link Assembly (Pipe Length 11½")	NA	M12X1.25	EACH	17 MM

MARUTI VERSA / ECCO

STEERING AND SUSPENSION PARTS



A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-1301	Tie Rod End (Inner Thread)	M12X1.25	M12X1.25	SET	NA
	VXL-1302	Rack End	M14X1.5	M12X1.25	EACH	NA
	VXL-1303	Track Control Arm (LHS)	NA	M12X1.5	EACH	19 MM
	VXL-1304	Track Control Arm (RHS)	NA	M12X1.5	EACH	19 MM
MARUTI CARRY						
 BALL PIN MAJOR TAPER (C1) - Ø14.00 MM BALL PIN MINOR TAPER (C2) - Ø12.40 MM PIPE LENGTH - 18.50 INCH PIPE DIAMETER - 19.0 MM FITTED WITH - VXL-465	VXL-1305	Tie Rod Assembly- Maruti Carry Pipe Dia. Ø19 MM X 18.50 INCH - Fitted With VXL-465	M14X1.5	M12X1.25	EACH	17 MM
TATA INDICA						
	VXL-1161	Tie Rod End	M12X1.25	M12X1.25	SET	17 MM

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-1162	Tie Rod Assembly / Rack End	M14X1.5	M12X1.25	EACH	NA
	VXL-1163	Suspension Ball Joint (Mechanical Steering)	NA	NA	EACH	NA
	VXL-1164	Suspension Ball Joint RHS (Power Stg.)	NA	NA	EACH	NA
	VXL-1165	Suspension Ball Joint LHS (Power Stg.)	NA	NA	EACH	NA
	VXL-1166	Tie Rod Assembly / Rack End (Power Stg.)	M14X1.5	M12X1.25	EACH	NA
	VXL-1167	Track Control Arm-RHS(Mech. Steering) Complete (With Rubber bush, Ball Joint, Bracket & Mounting Pin)	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size

B- Ball Pin Thread Size


S - Spanner Size

L- Pipe Length


Ø - Pipe Diameter



TIE ROD END





TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY

C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-1168	Track Control Arm-LHS(Mech. Steering) Complete (With Rubber bush, Ball Joint, Bracket & Mounting Pin)	NA	NA	EACH	NA
	VXL-1175	Bracket (For Rubber Bush of TCA)	NA	NA	EACH	NA
TATA INDIGO						
	VXL-1161	Tie Rod End	M12X1.25	M12X1.25	SET	17 MM
	VXL-1191	Ball Joint	NA	NA	EACH	NA
NO IMAGE AVAILABLE	VXL-1192	Rack End	NA	NA	EACH	NA
	VXL-1193	Stabilizer Link (Front),	M10X1.25	M12X1.25	SET	17 MM

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-1194	Stabilizer Link (Rear),	NA	NA	SET	NA

TATA WINGER


 BALL PIN MAJOR TAPER (C1)- Ø15.00 MM BALL PIN MINOR TAPER (C2) - Ø13.80 MM	VXL-1181	Tie Rod End, Inner Thread [OE REF. 284546600104]	M14X1.5	M10X1.25	SET	17 MM
	VXL-1182	Rack End [OE REF. 284546600122]	M16X1.5	M14X1.5	EACH	15 MM
 BALL PIN MAJOR TAPER (C1)- Ø20.40 MM BALL PIN MINOR TAPER (C2) - Ø17.60 MM	VXL-1183	Ball Joint	NA	M16X2.0	EACH	24 MM

INDICA VISTA

	VXL-1201	Tie Rod End, Inner Thread	M14X1.5	M12X1.75	SET	19 MM
	VXL-1202	Rack End	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS

A - Tie Rod End Thread Size
 B- Ball Pin Thread Size
 S - Spanner Size
 L- Pipe Length
 Ø - Pipe Diameter



C1  C2	PART NO.	ITEM DESCRIPTION	A HOUSING THREAD	B BALL PIN THREAD	UNIT	S SPANNER SIZE
	VXL-1191	Ball Joint	NA	NA	EACH	NA
NO IMAGE AVAILABLE	VXL-1203	Stabilizer Link (LHS+RHS)	NA	NA	SET	NA
HYUNDAI SANTRO						
 BALL PIN MAJOR TAPER (C1)- Ø15.10 MM BALL PIN MINOR TAPER (C2) - Ø13.50 MM	VXL-1111	TIE ROD END, Inner Thread	M12X1.25	M10X1.25	SET	17 MM
	VXL-1112	TIE ROD / Rack End	M14X1.25	M12X1.25	EACH	17 MM
	VXL-1113	Ball Joint	NA	M12X1.25	EACH	17 MM
	VXL-1115	Track Control Arm (LHS) with Rubber Bush	NA	NA	EACH	NA

STEERING AND SUSPENSION PARTS


A - Tie Rod End Thread Size

B - Ball Pin Thread Size


S - Spanner Size

L - Pipe Length

Ø - Pipe Diameter



TIE ROD END



TIE ROD ASSEMBLY



DRAG LINK ASSEMBLY

C1



C2

PART NO.
ITEM DESCRIPTION
**A
HOUSING
THREAD**
**B
BALL PIN
THREAD**
UNIT
**S
SPANNER
SIZE**


VXL-1116

Track Control Arm (RHS) with Rubber Bush

NA

NA

EACH

NA

HYUNDAI VERNA

NO IMAGE AVAILABLE

VXL-1351

Tie Rod End

NA

NA

SET

NA

NO IMAGE AVAILABLE

VXL-1352

Ball Joint

NA

NA

EACH

NA

NO IMAGE AVAILABLE

VXL-1353

Rack End

NA

NA

EACH

NA



VXL-1354

Stabilizer Link, LH/RH

NA

M10X1.5

SET

17 MM